



# HP Smart Tank 519 Wireless All-in-One



This cartridge-free printer delivers uncompromising quality and up to 3 years of ink included in the box.<sup>2</sup> Get faster connections with dual-band Wi-Fi,<sup>3</sup> and easy mobile printing with the best in-class mobile printing app – HP Smart.<sup>4,5</sup>

## Highlights

- CISS Technology – cartridge-free printer with innovative design
- Print, copy, scan, wireless
- Several years of print in the box (up to 18 000 black or 8 000 colour pages)
- Clean, easy self-refill
- User-replaceable print heads



Wireless



Easy setup



Borderless



Integrated tank design with automatic ink sensor



Color ink technology



Clean refill



Up to 3 years extended warranty

## Innovative cartridge-free ink printer – for high-volume, low-cost printing

- Up to 18,000 black pages or up to 8,000 colour pages already in the box.<sup>6</sup>
- Easily monitor and maintain ink levels with an integrated tank design and an automatic ink sensor.
- Fast self-refill with spill-free, resealable bottles of high capacity.<sup>7</sup>
- Easily replaceable print heads.

## Faster connections, easy productivity – wherever you are

- Freedom to work from virtually anywhere with HP Smart – best in-class mobile printing app.<sup>4</sup>
- Optimise repetitive tasks with customisable shortcuts using Smart Tasks feature.<sup>4</sup>
- Get faster, more reliable connections with dual band Wi-Fi®.<sup>3</sup>
- Get up to 38% faster speeds compared to HP Ink Tank.<sup>7</sup>
- Up to 3 years free warranty.

## CISS technology delivers best in-class print quality

- Get thousands of high quality printouts right from the box – at home and in office.
- Count on dark, crisp text, and get vibrant colour graphics for all your prints.
- Print fade-resistant photos that last.<sup>8</sup>
- Create borderless brochures, flyers, photos, and other documents that look great.

Technical specifications

Functions	Print, scan, copy, wireless
Print technology	HP Thermal Inkjet
Print speed <sup>5, 8</sup>	<b>Black (A4, ISO):</b> Up to 11 ppm; <b>Colour (A4, ISO):</b> Up to 5 ppm; <b>Draft black (A4):</b> Up to 22 ppm; <b>Draft colour (A4):</b> Up to 16 ppm; <b>Draft black (A4 Memo):</b> Up to 30 ppm; <b>Draft colour (A4 Memo):</b> Up to 24 ppm
First page out <sup>7</sup>	<b>Black (A4, ready):</b> As fast as 14 sec; <b>Colour (A4, ready):</b> As fast as 21 sec
Print resolution	<b>Black (best):</b> Up to 1200 x 1200 rendered dpi; <b>Colour (best):</b> Up to 4800 x 1200 optimised dpi colour (when printing from a computer and 1200 input dpi)
Monthly duty cycle	Up to 1000 pages A4; <b>Recommended monthly page volume:</b> 200 to 800
Standard print languages	HP PCL 3 GUI
Print area	<b>Print margins:</b> Top: 3 mm, Bottom: 3 mm, Left: 3 mm, Right: 3 mm; <b>Maximum print area:</b> 216 x 355 mm
Borderless printing	Yes (up to 8.5 x 11 in, 210 x 297 mm)
Number of supplies	4 (1 each black bottle, set of 3 color bottles)
Memory card compatibility	No
Duplex printing	Manual (driver support provided)
Copy speed <sup>4</sup>	<b>Black (A4, ISO):</b> Up to 10 cpm; <b>Colour (A4, ISO):</b> Up to 2 cpm
Copier specifications	<b>Copier settings:</b> Number of Copies, Resize, Quality, Lighter/Darker, Papersize, Papertype, ID Copy, Enhancement; <b>Maximum number of copies:</b> Up to 99 copies; <b>Copy resolution:</b> Up to 600 dpi; <b>Reduce/Enlarge:</b> Via HP Smart app
Scan file format	JPEG, TIFF, PDF, BMP, PNG
Scanner specifications	<b>Scanner type:</b> Flatbed only; <b>Scan input modes:</b> Front Panel Scan; Copy; HP Software; EWS; <b>Twain version:</b> Version 2.1; <b>Scan size maximum (flatbed):</b> 216 x 297 mm; <b>Optical scan resolution:</b> Up to 1200 dpi
Scannable area	<b>Maximum media size (flatbed):</b> 216 x 297 mm
Bit depth/ Grey scale levels	24-bit / 256
Digital sending	<b>Standard:</b> Everyday scan (scan to PDF); HP Smart Tasks
Fax	Not Supported
Processor speed	800 MHz
Connectivity	<b>Standard:</b> Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE
Wireless	Yes, built-in dual band Wi-Fi 802.11b/g/n, Wireless direct, BLE
Mobile printing capability <sup>3</sup>	Apple AirPrint; Mopria Print Service; HP Smart app; Google Cloud Print™; Wi-Fi Direct Printing
Network capabilities	Yes (via Wi-Fi)
Memory	<b>Standard:</b> 256 MB; Integrated memory
Number of paper trays	<b>Standard:</b> 1
Media types	Plain paper, Matte Brochure Papers, Glossy Brochure Papers, Photo papers, Envelopes, other specialty inkjet papers
Media size	<b>Custom (metric):</b> 76.2 x 127 to 215.9 x 355.6 mm <b>Supported (metric):</b> A4; B5; A6; DL envelope
Media weight, supported	Plain paper: 60 to 90 g/m²; Envelopes: 75 to 90 g/m²; Cards: up to 200 g/m²; Photo paper: up to 300 g/m²

Input capacity	<b>Standard:</b> Up to 100 sheets <b>Envelopes:</b> Up to 10 envelopes <b>Labels:</b> Up to 10 sheets <b>Cards:</b> Up to 30 cards
Output capacity	<b>Standard:</b> Up to 30 sheets <b>Envelopes:</b> Up to 10 envelopes <b>Labels:</b> Up to 10 sheets <b>Cards:</b> Up to 30 cards
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 13 Ventura; macOS 14 Sonoma
Minimum system requirements	<b>Windows:</b> Windows 10, 8.1, 8, 7; 32/64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. <b>Mac:</b> OS X v10.11 El Capitan and above, Internet Access
Software included	Available from <a href="http://www.support.hp.com/drivers">http://www.support.hp.com/drivers</a>
Printer dimensions (W x D x H) <sup>1</sup>	<b>Minimum:</b> 447 x 373 x 158 mm; <b>Maximum:</b> 449 x 605.65 x 258.7 mm
Package dimensions (W x D x H)	495 x 198 x 480 mm
Printer weight	5.14 kg
Package weight	7.25 kg
Operating environment	<b>Temperature:</b> 5 to 40°C <b>Humidity:</b> 20 to 80% RH
Storage conditions	<b>Temperature:</b> -40 to 60°C <b>Humidity:</b> 5 to 90% RH (non-condensing)
Acoustics	<b>Acoustic power emissions:</b> 6.5 B(A) <b>Acoustic pressure emission:</b> 51 dB
Power <sup>2</sup>	<b>Requirements:</b> Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) ; <b>Consumption:</b> 0.12 watts (manual-off), 3.12 watts (ready), 0.75 watt (sleep) ; <b>Typical Electricity Consumption (TEC):</b> 0.13 kWh/Week ; <b>Power supply type:</b> Internal built in
Certifications	CISPR 32:2015/EN 55032:2015 Class B; CISPR24:2010/EN 55024:2010; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 301 489-1 V2.1.1:2017; EAC (Russia)
Sustainable impact specifications	No
Country of origin	Made in China
Control panel	4 LEDs and 7 buttons (Cancel, Resume, Colour-Copy, Black-Copy, Wi-Fi, Info, Power), with one ICON LCD for display
What's in the box	<b>3YW73A:</b> HP Smart Tank 519 Wireless All-in-One; 3 x HP GT53XL 135-ml Black Original Ink Bottle; HP GT52 Cyan Original Ink Bottle; HP GT52 Magenta Original Ink Bottle; HP GT52 Yellow Original Ink Bottle; Ink caution flyer; Repacking flyer; Setup guide; Reference guide; Regulatory flyer; Warranty card, Power cord; For more information about fill and yield, see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a>
Supplies, After market or Supplies, replacement	<b>1V21AE</b> HP GT53XL 135-ml Black Original Ink Bottle (~6,000 pages) <b>MOH54AE</b> HP GT52 Cyan Original Ink Bottle (~8,000 pages) <b>MOH55AE</b> HP GT52 Magenta Original Ink Bottle (~8,000 pages) <b>MOH56AE</b> HP GT52 Yellow Original Ink Bottle (~8,000 pages) <b>6ZA17AE</b> HP 6ZA17AE Black Printhead 0 <b>6ZA18AE</b> HP 6ZA18AE Tri-color Printhead 0
Service and Support	<b>UC3C1E</b> HP 3 year Standard Exchange for Smart Tank 510 Service <b>UA5C0E</b> HP 3 year Next Business Day Exchange for Smart Tank 510 Service <b>UA5C2E</b> HP 3 year Return to Depot for Smart Tank 510 Service (UC3C1E: available in All EMEA countries Except ME, Africa, South Africa, Israel, Turkey, UA5C0E: available in Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech Republic, Greece, Hungary, Poland, Slovakia, UA5C2E: available in Russia, ME, Africa, South Africa, Israel, Turkey)
Warranty	One year standard or 30,000 pages limited warranty and get up to 3 years extended warranty upon registration at <a href="http://www.hp.com/go/SmartTank3years warranty">http://www.hp.com/go/SmartTank3years warranty</a> . User replaceable parts have separate warranty periods.

## Messaging Footnotes

<sup>1</sup> Best in-class plain paper and photo print quality using OEM inks compared to majority of leading non-HP OEM CISS ink tank platforms <€449.99. Market share as reported by Q1 2019 Hardcopy Peripherals Tracker, 2019 Q1 Release. Test results should be similar for same platform with different model numbers using the same OEM ink formula. HP Smart Tank printers are also branded as HP Smart Tank Plus in some regions. Detail in May 2019 hands-on lab report by Keypoint Intelligence - Buyers Lab using OEM inks. See <http://www.keypointintelligence.com/hpsmarttankplus>.

<sup>2</sup> Based up on 200 pages per month usage. Actual yield varies considerably based on content of printed pages and other factors. Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Some ink from included bottles is used to start up the printer. For details see <http://www.hp.com/go/learnaboutsupplies>.

<sup>3</sup> Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at <http://www.hp.com/go/mobileprinting>. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps).

<sup>4</sup> Requires the HP Smart app download. For details on local printing requirements see <http://www.hp.com/go/mobileprinting>.

<sup>5</sup> Compared to OEM mobile printing apps for the majority of HP inkjet & laser printers & all-in-ones for home & home office, priced less than or equal to €429.99. Claim based on research of printer manufacturer's mobile print apps and Keypoint Intelligence - Buyers Lab hands-on testing and study commissioned by HP. See September 2018 report at [www.keypointintelligence.com/HPSmartApp](http://www.keypointintelligence.com/HPSmartApp).

<sup>6</sup> Black and composite colour average per bottle (cyan/magenta/yellow). Three GT53XL black bottles included in the box print up to 6,000 test pages each. Results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. An additional black ink bottle may be required to print 8,000 colour test pages. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see: <http://www.hp.com/go/learnaboutsupplies>.

<sup>7</sup> When used in accordance with set up instructions.

<sup>8</sup> For more information, see <http://www.hp.com/go/printpermanence>.

## Technical Specifications Footnotes

<sup>1</sup> Dimensions vary as per configuration.

<sup>2</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

<sup>3</sup> Wireless performance is dependent upon physical environment and distance from the access point. Wireless operations are compatible with 2.4 GHz routers only; Excludes wireless direct. Wireless direct may require driver or apps be installed and connected on wireless-enabled mobile device or PC. Wireless functionality may vary by computer and mobile operating systems, see <http://www.hpconnected.com>. Print times and connection speeds may vary. AirPrint™ supports macOS Mojave, iOS 4.2 or later and requires the printer be connected to the same network as your macOS or iOS device. AirPrint, the AirPrint Logo and macOS are trademarks of Apple Inc. Windows is a trademark of the Microsoft group of companies.

<sup>4</sup> Speed specifications have been updated to reflect current industry testing methods.

<sup>5</sup> ISO speeds measured using ISO/IEC 24734, ISO/IEC 17629 or ISO/IEC 29183. In simplex mode. Excludes first page or first set of ISO test pages for PPM measurements. For details see: <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>6</sup> Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

<sup>7</sup> For details see: <http://www.hp.com/go/printerclaims>.

<sup>8</sup> Based on HP internal A4 Memo draft document methodology. For details see <https://h20195.www2.hp.com/v2/GetDocument.aspx?docname=4AA8-4168ENW>.



<http://www.hp.com/uk>

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ae-en October 2024

--

