




HP EliteDisplay E273d 27-inch Docking Monitor

Streamlined connectivity for a clean desk

Simplify your desk and get plenty of room to work with the HP EliteDisplay E273d 27-inch Docking Monitor. Set up your devices and network at the display one time and connect your notebook through USB-C™¹ or USB-A.



Command your workspace from one connection

- Create a space for your entire notebook fleet to touch down immediately through USB-C™ or USB-A and access devices and a wired network. This docking display will even power your PC through USB-C™.¹

Take meetings from your display.²

- Be a better global citizen with our first display manufactured with ocean-bound plastics² to help reduce waterway pollution. We go one step further with 100% fiber recyclable packaging.

Expand your view

- Add a second display³ daisy-chained through your PC's USB-C™ connection. 3-sided micro-edge bezels ensure a virtually seamless view on one or dual displays.

The docking display you can feel good about

- Be a better global citizen with our first display manufactured with ocean-bound plastics⁴ to help reduce waterway pollution. We go one step further with 100% fiber recyclable packaging.

Featuring

- Add a second display daisy-chained through your PC's USB-C™ connection. 3-sided micro-edge bezels ensure a virtually seamless view on one or dual displays.
- Clear your clutter by mounting your HP EliteDesk Mini Desktop PC directly behind the display and powering it through USB-C™. Or, lift the whole solution and mount it on a wall or arm.
- Work comfortably with adjustable tilt, height, and swivel settings. Use pivot rotation to conveniently customize portrait or landscape views on multiple displays.
- Filter blue light emission and shift colors to a warmer spectrum for more comfortable viewing with HP Low Blue Light mode.
- Manage your display and make it work for you. HP Display Assistant allows you to quickly resize screen partitions so you can work in separate regions of the screen and helps deter theft by dimming a display that's disconnected without approval.
- Rest assured that your IT investment is supported with our three-year standard limited warranty. To extend your protection, select an optional HP Care service.

HP EliteDisplay E273d 27-inch Docking Monitor Specifications Table



| | |
|------------------------------|---|
| Display type | IPS with LED backlight |
| Display size (diagonal) | 27" |
| Viewing angle | 178° horizontal; 178° vertical |
| Brightness | 250 cd/m ² ¹ |
| Contrast ratio | 1000:1 static; 5000000:1 dynamic ¹ |
| Response Ratio | 5 ms gray to gray ¹ |
| Product colour | Silver bezel, Black stand |
| Aspect ratio | 16:9 ¹ |
| Native resolution | FHD (1920 x 1080 @ 60 Hz) |
| Resolutions supported | 1024 x 768; 1280 x 1024; 1280 x 720; 1280 x 800; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080; 640 x 480; 720 x 400; 800 x 600 |
| Display features | Anti-glare; LED backlights; On-screen controls; Plug and Play |
| User controls | Brightness; Color control; Contrast; Exit; Image control; Information; Management; Power control; Input control; Menu control; USB host selection |
| Input signal | 1 HDMI 1.4 (with HDCP support); 1 VGA; 1 USB Type-C™ (Alternative mode DisplayPort™ 1.2, power delivery up to 65 W); 1 USB (by DisplayLink) |
| Ports and Connectors | 1 audio (in/out); 1 audio-in; 1 RJ-45; 1 DisplayPort™ 1.2 (output); 6 USB 3.1 (4 downstream, power delivery up to 7.5 W, 1 DisplayLink, 1 Type-C™ upstream) |
| Camera | 720p integrated HD with dual array microphone and LED |
| Environmental | Operating temperature: 5 to 35°C; Operating humidity: 20 to 80% non-condensing |
| Power | Input voltage 100 to 240 VAC |
| Power consumption | 170 W (maximum), 40 W (typical), 0.5 W (standby) |
| Dimensions | 61.09 x 4.63 x 36.3 cm (Without stand.) |
| Weight | 7.52 kg (With stand.) |
| Ergonomic features | Swivel: ±45°; Tilt: -5 to +20°; Pivot rotation: 90° |
| Physical security features | Security lock-ready ³ |
| Certification and compliance | Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CEL; EAC; FCC; ICES; ISO 9241-307; KC; KCC; NOM; PSB; TUV/GS; VCCI; Vietnam MEPS; WEEE; ISC |
| Environmental specifications | Arsenic-free display glass; Low halogen; Mercury-free display backlights ² |
| What's in the box | AC power cord; HDMI cable; USB Type-C™ cable; USB Type-A to B cable; DC jack dongle; External power supplier; QSP; Product notice |
| Warranty | 3 year limited warranty including 3 year of parts and labour. Certain restrictions and exclusions apply. |

HP EliteDisplay E273d 27-inch Docking Monitor

Accessories and services (not included)

HP S100 Speaker Bar



Add rich stereo audio to select 2017 and 2018 HP ProDisplays, HP EliteDisplays, and HP Z Displays¹ without crowding your desk with the HP S100 Speaker Bar, which fits neatly underneath the display head and connects through USB. Add rich stereo audio to select 2017 and 2018 HP ProDisplays, HP EliteDisplays, and HP Z Displays¹ without crowding your desk with the HP S100 Speaker Bar, which fits neatly underneath the display head and connects through USB. CRT and TFT monitors designed to deliver picture perfection to the most demanding of users. HP works closely with many component and monitor suppliers to ensure every model meets user needs for image brightness, contrast, focus, purity, convergence and geometry. All HP Business monitors are compliant with the main environmental standards, such as MPR-II, TCO '99.
Product number: 2LC49AA

HP Single Monitor Arm



The HP Single Monitor Arm is the perfect desk accessory for your work life. Sleek and streamlined, the HP Single Monitor Arm is designed to complement the way you work. Users who require superior comfort and connectivity for logging serious time in front of their displays. CRT and TFT monitors designed to deliver picture perfection to the most demanding of users. HP works closely with many component and monitor suppliers to ensure every model meets user needs for image brightness, contrast, focus, purity, convergence and geometry. All HP Business monitors are compliant with the main environmental standards, such as MPR-II, TCO '99.
Product number: BT861AA

HP Quick Release



A secure and easy-to-use mounting solution for your VESA-compliant HP thin clients, compatible HP flat panel monitors and other HP desktop products. Attach to any a compatible stand, bracket or wall mount and make the most of your workspace. A secure and easy-to-use mounting solution for your VESA-compliant HP thin clients, compatible HP flat panel monitors and other HP desktop products. Attach to any a compatible stand, bracket or wall mount and make the most of your workspace. CRT and TFT monitors designed to deliver picture perfection to the most demanding of users. HP works closely with many component and monitor suppliers to ensure every model meets user needs for image brightness, contrast, focus, purity, convergence and geometry. All HP Business monitors are compliant with the main environmental standards, such as MPR-II, TCO '99.
Product number: EM870AA

HP 5 year Next business day Onsite Standard Monitor Hardware Support



Receive 5 years of next business day onsite HW Support from an HP-qualified technician for your computing device, if the issue cannot be solved remotely.
Product number: U7935E

HP EliteDisplay E273d 27-inch Docking Monitor

Messaging Footnotes

¹ Video over USB-C™ requires a PC with USB-C™ DisplayPort™ Alt mode or Thunderbolt™. Power delivery over USB-C™ up to 65 Watts. Refer to Power Output in product QuickSpecs for exact specifications, PC must be compatible with the display's power output.

² Internet access required and sold separately.

³ Additional display sold separately. Source PC must have a USB-C™ or USB-A connector. PC connection to the display through USB-C™ is only supported up to 65 Watts power delivery. USB-A connection requires source PC to support DisplayLink. Not compatible over DisplayPort™, VGA or HDMI connections.

⁴ Display contains 5% ocean bound plastics, the equivalent of more than three 16 oz. recycled plastic water bottles.

⁴ Additional display sold separately. Source PC must have a USB-C™ or USB-A connector. PC connection to the display through USB-C™ is only supported up to 65 Watts power delivery. USB-A connection requires source PC to support DisplayLink. Not compatible over DisplayPort™, VGA or HDMI connections.

⁵ HP EliteDesk Mini Desktop PC sold separately. Requires HP B300 PC Mounting Bracket for Monitors, sold separately

⁶ Mounting hardware sold separately.

⁷ Each accessory sold separately.

⁸ HP Care Packs sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc. HP Services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

Technical Specifications Footnotes

¹ All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

² External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

³ Lock is sold separately.

Sign up for updates hp.com/go/getupdated

