

ThinkCentre M920 Tiny 10RS003WSP

Product
ThinkCentre M920q Tiny

Region
WE

Country
Spain

Machine Type
10RS

TopSeller
TopSeller

Processor
Core i7-9700T (8C / 8T, 2.0 / 4.3GHz, 12MB)

vPro
vPro

Graphics
Integrated Intel UHD Graphics 630

Monitor Cable
None

Memory
1x 8GB DDR4-2666

Storage
512GB SSD M.2 2280 PCIe x4 NVMe opal

Optical
None

WLAN + Bluetooth
Intel 9560 11ac, 2x2 + BT5.0

Ethernet
Integrated

Optional Rear Ports
1x HDMI + 1x Serial

Chassis Intrusion Switch
Chassis Intrusion Switch

Kensington Cable Lock
None

Adapter Cage
None

Toolless Chassis Screw
Toolless Chassis Screw

Speaker
1.5Wx1

Dust Filter
None

VESA Mount
VESA Mount

Stand
None

Keyboard / Mouse
USB / USB

Power Supply
90W 88% Adapter

TUV Low Noise
None

Operating System
Windows 10 Pro 64

Bundled Software
None

Warranty
3-year, Onsite

End of Support
2025-08-02

Announce Date
2019-07-02



WWW.LENOVO.COM

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication “as is” without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<http://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2019. All rights reserved.



ThinkCentre M920 Tiny Platform Specifications

Product Specifications Reference (PSREF)

Processor	Intel® Celeron®, Intel Pentium®, or 8th / 9th Gen Intel Core™ i3 / i5 / i7 / i9 Processor						Bluetooth Ethernet Ethernet (Opt.)	Some: Bluetooth 4.2/5.0 wireless, integrated in Wi-Fi + BT combo adapter Gigabit ethernet, Intel Ethernet Connection I219-LM(Jacksonville), Wake on LAN® Some: Intel Ethernet Server Adapter I350-T4, gigabit ethernet, 4x RJ-45, PCIe x4											
	Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics	Manageability	Intel Active Management Technology 12 (Intel AMT 12); Intel vPro technology on some models (require choosing a vPro-support Wi-Fi adapter to enable vPro function through wireless connection)											
	Celeron G4900T	2 / 2	2.9G	2 MB	DDR4-2400	UHD 610	Security chip Security features	Discrete TPM 2.0, TCG Certified											
	Celeron G4930T	2 / 2	3.0G	2 MB	DDR4-2400	UHD 610		● Security slot (in rear for optional Kensington® MicroSaver® cable)											
	Pentium Gold G5400T	2 / 4	3.1G	4 MB	DDR4-2400	UHD 610		● Boot sequence control											
	Pentium Gold G5500T	2 / 4	3.2G	4 MB	DDR4-2400	UHD 630		● Boot without keyboard and mouse											
	Pentium Gold G5600T	2 / 4	3.3G	4 MB	DDR4-2400	UHD 630	Keyboard	● Chassis intrusion switch											
	Pentium Gold G5420T	2 / 4	3.2G	4 MB	DDR4-2400	UHD 610		● Power-on password											
	Core i3-8100T	4 / 4	3.1G	6 MB	DDR4-2400	UHD 630		● Administrator password											
	Core i3-8300T	4 / 4	3.2G	8 MB	DDR4-2400	UHD 630		● Hard disk password											
	Core i5-8400T	6 / 6	1.7G / 3.3G	9 MB	DDR4-2666	UHD 630	Mouse	Some: Lenovo Calliope Keyboard (USB connector), black											
	Core i5-8500T	6 / 6	2.1G / 3.5G	9 MB	DDR4-2666	UHD 630		Some: Lenovo Traditional Keyboard (USB connector), black											
	Core i5-8600T	6 / 6	2.3G / 3.7G	9 MB	DDR4-2666	UHD 630		Some: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black											
	Core i7-8700T	6 / 12	2.4G / 4.0G	12 MB	DDR4-2666	UHD 630		Some: Lenovo Calliope Mouse (USB connector), black											
	Core i3-9100T	4 / 4	3.1G / 3.7G	6 MB	DDR4-2400	UHD 630	Mechanical	Some: Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black											
	Core i3-9300T	4 / 4	3.2G / 3.8G	8 MB	DDR4-2400	UHD 630		Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black											
	Core i5-9400T	6 / 6	1.8G / 3.4G	9 MB	DDR4-2666	UHD 630		Tiny (1L), black color; metal case											
	Core i5-9500T	6 / 6	2.2G / 3.7G	9 MB	DDR4-2666	UHD 630		● Toolless chassis open (need optional toolless chassis screw)											
	Core i5-9600T	6 / 6	2.3G / 3.9G	9 MB	DDR4-2666	UHD 630	VESA mount Floor Stand	● Toolless HDD, SSD, memory removal											
	Core i7-9700T	8 / 8	2.0G / 4.3G	12 MB	DDR4-2666	UHD 630		● Optional dust filter											
	Core i9-9900T	8 / 16	2.1G / 4.4G	16 MB	DDR4-2666	UHD 630		one 2.5" bay for HDD/SSD, one PCIe 3.0 x8 slot (low-profile), two M.2 slots (one for WLAN, one for M.2 SSD), 2.5" HDD/SSD and PCIe card are mutually exclusive											
	Core i9-9900T	8 / 16	2.1G / 4.4G	16 MB	DDR4-2666	UHD 630													
Memory	32GB max, DDR4-2666*, two 260-pin SO-DIMM sockets, dual-channel capable * System automatically clocks down for the processors with lower memory controller							<table><tr><td></td><td>Dimensions (WxDxH)</td><td>Weight (Approx.)</td></tr><tr><td>Tiny only</td><td>7.05" X 7.20" X 1.36" 179mm X 182.9mm X 34.5mm</td><td>2.91 lb (1.32 kg), vary by config</td></tr><tr><td>With VESA mount & ODD box</td><td>7.42" X 7.30" X 2.48" 188.4mm X 185.38mm X 63mm</td><td>3.66 lb (1.66 kg), vary by config</td></tr></table>				Dimensions (WxDxH)	Weight (Approx.)	Tiny only	7.05" X 7.20" X 1.36" 179mm X 182.9mm X 34.5mm	2.91 lb (1.32 kg), vary by config	With VESA mount & ODD box	7.42" X 7.30" X 2.48" 188.4mm X 185.38mm X 63mm	3.66 lb (1.66 kg), vary by config
	Dimensions (WxDxH)	Weight (Approx.)																	
Tiny only	7.05" X 7.20" X 1.36" 179mm X 182.9mm X 34.5mm	2.91 lb (1.32 kg), vary by config																	
With VESA mount & ODD box	7.42" X 7.30" X 2.48" 188.4mm X 185.38mm X 63mm	3.66 lb (1.66 kg), vary by config																	
Storage	Some: Hard Drive / SATA 6.0Gb/s, 2.5", 5400 rpm or 7200 rpm Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" Some: M.2 SSD / PCIe NVMe, PCIe 3.0 x 4*, 32Gb/s * 128GB SSD M.2 (2242) PCIe NVMe only supports PCIe 3.0 x 2, 16Gb/s Some: Intel Optane™ Memory (not support Celeron / Pentium Processor), M.2 Some: DVD-ROM, slim (9.0mm), via USB external ODD box Some: DVD Burner (DVD±RW), slim (9.0mm), via USB external ODD box																		
Optical	One onboard SATA 6.0Gb/s connector																		
Onboard SATA	One onboard SATA 6.0Gb/s connector																		
Graphics	Intel HD Graphics 610/630 in processor, uses main memory, DirectX® 12, one DisplayPort™, one HDMI, one optional video port (2nd HDMI, VGA, 2nd DP, or USB 3.1 Type-C Gen1 with DisplayPort function), up to 3 independent displays; Max resolution: 4096x2304 (DP)@60Hz; 4096x2304 (Type-C)@60Hz; 4096x2160 (onboard HDMI)@24Hz; 2048x1536 (VGA)@50Hz							Optional VESA mount bracket kit, supports VESA 75mm and 100mm Optional system floor stand for vertical orientation											
Monitor cable	Optional DP to VGA dongle, DP to DVI-D dongle, DP to dual DP dongle (for Collage Display with intel integrated graphics), or DP to HDMI 1.4 dongle							Power supply											
Chipset	Intel Q370 Chipset							Some: 65 watts AC/DC adapter, autosensing, 88% PSU Some: 90 watts AC/DC adapter, autosensing, 88% PSU Some: 135 watts AC/DC adapter, autosensing, 88% PSU											
Front ports (Std.)	* one USB 3.1 Gen1 (Always On and fast charge), one USB 3.1 Type-C Gen 1, one microphone (3.5mm), one headphone / microphone combo jack (3.5mm)							Limited warranty											
Rear ports (Std.)	* 2x USB 3.1 Gen2, 2x USB 3.1 Gen1, 1x ethernet (RJ-45), 1x DisplayPort, 1x HDMI							Some: 1-year or 3-year, depot service / service upgrades available Some: 1-year or 3-year, limited onsite service / service upgrades available											
Rear ports (Opt.)	* Two optional ports (mutually exclusive with PCIe card): Port 1 for VGA / 2nd DP / 2nd HDMI / serial / USB 3.1 Type-C Gen 1 with DP function; Port 2 for serial; Optional ports via PCIe card: 2x USB 3.1 Gen1 via PCIe x1, 4x serial (9-pin) via PCIe x1, 1x Thunderbolt 3 (combo USB3.1 Type-C Gen 2 / DisplayPort) via PCIe x4 * Depending on many factors, actual data transfer speed may be lower than theoretical speed							Preload											
Audio support	Realtek ALC233VB2 / optional internal speaker (1.5 watt or 2 watt)							Preloaded operating system Some: Windows® 10 Pro 64-bit Some: Windows 10 Home 64-bit Preloaded applications (only some listed) ● Lenovo Vantage ● Microsoft Office preloaded; purchase a product key to activate ● Cyberlink PowerDVD (only for models with DVD / DVD±RW) ● Cyberlink Power2GO (only for models with DVD±RW) ● LinkedIn ● Intel Unite (Machine Type 10V8 models only)											
WLAN	Some: 11ac wireless, M.2 Card, Realtek RTL8821CE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Realtek RTL8822BE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 2x2 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.2 combo adapter, 2x2 Some: 11ac wireless, M.2 Card, Intel Wireless-AC 9560 (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, Intel vPro technology support, 2x2							Environment											
								ENERGY STAR® 7.0, EPEAT™ Silver rating (North America), ErP Lot 3, TCO, TUV ultra low noise verified (coming soon, on some models), RoHS-compliant											
								MIL-SPEC test											
								MIL-STD-810G military certification (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation)											
								Accessories											
								For compatible accessories, please go to http://smartfind.lenovo.com											

Note: The specifications above may not be available in all regions.

Lenovo, June 2019

Lenovo

ThinkCentre M920 Tiny

Lenovo™

