ThinkCentre M920 Tiny 10RS003YSP

Product

ThinkCentre M920q Tiny

Region WE

Country/Region Spain

Machine Type 10RS

TopSeller TopSeller

Processor Intel Core i7-9700T (8C / 8T, 2.0 /4.3GHz, 12MB)

Graphics Integrated Intel UHD Graphics 630

Monitor Cable None

Memory 1x 16GB DDR4-2666

Storage 1TB SSD M.2 2280 PCIe x4 NVMe Opal

Optane Memory None

Optical None

WLAN + Bluetooth Intel 9560 11ac, 2x2 + BT5.0

Ethernet Integrated 100/1000M

Optional Rear Ports 1x DP + 1x Serial

Chassis Intrusion Switch Chassis Intrusion Switch

Kensington Cable Lock None

Adapter Cage None

Toolless Chassis Screw Toolless Chassis Screw

Speaker 1.5Wx1

Dust Filter Dust Filter

VESA Mount None

Stand

Keyboard

USB Traditional Keyboard, Spanish

Mouse

USB Calliope Mouse *Power Supply*

90W 88% Adapter

TUV Low Noise None

System Management Intel vPro

Operating System Windows 10 Pro 64, Spanish

Bundled Software

Base Warranty 3-year, Onsite

Bundled Service

End of Support 2025-08-02

Announce Date 2019-07-02

Recommended Services

Best 5Y Premier Support Upgrade from 3Y Onsite (5WS0V07824)

Better 4Y Premier Support Upgrade from 3Y Onsite (5WS0V07806)

Good 5Y Onsite upgrade from 3Y Onsite (5WS0V07828)

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

Visit peref website for t

PSREF

Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2019. All rights reserved.



ThinkCentre M920 Tiny Platform Specifications

Product Specifications Reference (PSREF)

Lenovo

Processor	Intel® Celeron®, Intel Pentium®, or 8th / 9th Gen Intel Core™ i3 / i5 / i7 / i9 Processor						Bluetooth	Some: Bluetooth 4.2/5.0 wireless, integrated in Wi-Fi + BT combo adapter					
110003301	Processor Cores / Frequency Cache Memory Support Integrated				Integrated Graphics	Ethernet Ethernet (Opt.)	Gigabit ethernet Lote Ware on LAN® Some: Intel Ethernet Server Adapter I350-T4, gigabit ethernet, 4x RJ-45, PCIe x4						
	Celeron G4900T	2/2	2.9G	2 MB	DDR4-2400	UHD 610	Manageability	Intel Active Management Technology 12 (Intel AMT 12);					
	Celeron G4930T	2/2	3.0G	2 MB	DDR4-2400	UHD 610		Intel vPro technology on some models (require cho		uire choosing a	vPro-support Wi-Fi		
	Pentium Gold G5400T	2/4	3.1G	4 MB	DDR4-2400	UHD 610	Security chip	adapter to enable vPro function through wireless connection) Discrete TPM 2.0, TCG Certified					
	Pentium Gold G5500T	2/4	3.2G	4 MB	DDR4-2400	UHD 630	Security features	Security slot (in rear for optional Boot sequence control					
	Pentium Gold G5600T	2/4	3.3G	4 MB	DDR4-2400	UHD 630	, , , , , , , , , , , , , , , , , , , ,	Kensington [®] MicroSaver [®] cable) Chassis intrusion switch Boot without keyboard and mouse Individual USB port disablement					
	Pentium Gold G5420T	2/4	3.2G	4 MB	DDR4-2400	UHD 610							
	Core i3-8100T	4/4	3.1G	6 MB	DDR4-2400	UHD 630		Power-on passwore Administrator page			ection, allows keyboard/		
	Core i3-8300T	4/4	3.2G	8 MB	DDR4-2400	UHD 630		 Administrator password Hard disk password 					
	Core i5-8400T	6/6	1.7G / 3.3G	9 MB	DDR4-2666	UHD 630	Keyboard	Some: Lenovo Calliope Keyboard (USB connector), black					
	Core i5-8500T	6/6	2.1G / 3.5G	9 MB	DDR4-2666	UHD 630	liteyboard	Some: Lenovo Traditional Keyboard (USB conne					
	Core i5-8600T	6/6	2.3G / 3.7G	9 MB	DDR4-2666	UHD 630		Some: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black Some: Lenovo Calliope Mouse (USB connector), black Some: Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black			ISB receiver), black		
	Core i7-8700T	6/12	2.4G / 4.0G	12 MB	DDR4-2666	UHD 630	Mouse						
	Core i3-9100T	4/4	3.1G / 3.7G 3.2G / 3.8G	6 MB	DDR4-2400 DDR4-2400	UHD 630 UHD 630							
	Core i3-9300T			8 MB				Tiny (1L), black color; metal case • Toolless chassis open (need optional toolless chassis screw)					
	Core i5-9400T	6/6	1.8G / 3.4G	9 MB	DDR4-2666	UHD 630	Mechanical						
	Core i5-9500T Core i5-9600T	6/6 6/6	2.2G / 3.7G 2.3G / 3.9G	9 MB 9 MB	DDR4-2666 DDR4-2666	UHD 630 UHD 630		Toolless HDD, SSD, memory removal			(CVV)		
	Core i7-9700T	8/8	2.0G / 4.3G	12 MB	DDR4-2666	UHD 630		 Optional dust filter one 2.5" bay for HDD/SSD, one PCIe 3.0 x8 slot (low-profile), two M.2 slo 					
	Core i9-9900T	8/16	2.1G / 4.4G	12 IVIB	DDR4-2666	UHD 630							
]	for WLAN, one for M.2 SSD), 2.5" HDD/SSD and PCIe card are mutually exclusive					
Memory	32GB max, DDR4-2666*, two 260-pin SO-DIMM sockets, dual-channel capable						-		Dimensions (V	VxDxH)	Weight (Approx.)		
Storage	* System automatically clocks down for the processors with lower memory controller Some: Hard Drive / SATA 6.0Gb/s, 2.5", 5400 rpm or 7200 rpm Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" Some: M.2 SSD / PCIe NVMe, PCIe 3.0 x 4*, 32Gb/s * 128GB SSD M.2 (2242) PCIe NVMe only supports PCIe 3.0 x 2, 16Gb/s Some: Intel Optane™ Memory (not support Celeron / Pentium Processor), M.2 Some: DVD-ROM, slim (9.0mm), via USB external ODD box Some: DVD Burner (DVD±RW), slim (9.0mm), via USB external ODD box							Tiny only	7.05" X 7.20" 2 179mm X 182.9mn		2.91 lb (1.32 kg), vary by config		
								With VESA mount & ODD box	7.42" X 7.30" 2 188.4mm X 185.38		3.66 lb (1.66 kg), vary by config		
Optical							VESA mount Floor Stand	Optional VESA mount bracket kit, supports VESA 75mm and 100mm Optional system floor stand for vertical orientation					
Onboard SATA	One onboard SATA 6.0Gb/s connector						Power supply	Some: 65 watts AC/DC adapter, autosensing, 88% PSU Some: 90 watts AC/DC adapter, autosensing, 88% PSU Some: 135 watts AC/DC adapter, autosensing, 88% PSU					
Graphics	Intel HD Graphics 610/630 in processor, uses main memory, DirectX [®] 12, one DisplayPort [™] , one HDMI, one optional video port (2nd HDMI, VGA, 2nd DP, or USB 3.1 Type-C Gen1 with DisplayPort function), up to 3 independent displays; <i>Max resolution:</i> 4096x2304 (DP)@60Hz; 4096x2304 (Type-C)@60Hz; 4096x2160 (onboard HDMI)@24Hz; 2048x1536 (VGA)@50Hz Optional DP to VGA dongle, DP to DVI-D dongle, DP to dual DP dongle (for Collage Display with intel integrated graphics), or DP to HDMI 1.4 dongle Intel Q370 Chipset												
							Limited warranty	Some: 1-year or 3-year, limited onsite service / service upgrades available					
Monitor cable							Preload	Preloaded operating system Some: Windows [®] 10 Pro 64-bit Some: Windows 10 Home 64-bit Preloaded applications (only some listed)					
Chipset													
			and fact charge			Son 1	-	Lenovo Vantage					
Front ports (Std.)* one USB 3.1 Gen1 (Always On and fast charge), one USB 3.1 Type-C Gen 1, one microphone (3.5mm), one headphone / microphone combo jack (3.5mm)						5mm)		 Microsoft Office preloaded; purchase a product key to activate 					
	* 2x USB 3.1 Gen2, 2x USB 3.1 Gen1, 1x ethernet (RJ-45), 1x DisplayPort, 1x HDMI * Two optional ports (mutually exclusive with PCIe card): Port 1 for VGA / 2nd DP / 2nd HDMI / serial / USB 3.1 Type-C Gen 1 with DP function); Port 2 for serial; Optional ports via PCIe card: 2x USB 3.1 Gen1 via PCIe x1, 4x serial (9-pin) via PCIe x1, 1x Thunderbolt 3 (combo USB3.1 Type-C Gen 2 / DisplayPort) via PCIe x4, * Depending on many factors, actual data transfer speed may be lower than theoretical speed												
Rear ports (Opt.)*								 Cyberlink PowerDVD (only for models with DVD / DVD±RW) Cyberlink Power2GO (only for models with DVD±RW) LinkedIn 					
								Intel Unite (Machine Type 10V8 models only)					
							Environment	ENERGY STAR [®] 7.0, EPEAT [™] Gold rating (North America), ErP Lot 3, TCO,					
Audio support	Realtek ALC233VB2 / optional internal speaker (1.5 watt or 2 watt)							TUV ultra low noise verified (coming soon, on some models), RoHS-compliant					
WLAN	Some: 11ac wireless, M.2 Card, Realtek RTL8821CE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Realtek RTL8822BE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 2x2 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.2 combo adapter, 2x2 Some: 11ac wireless, M.2 Card, Intel Wireless-AC 9560 (dual band),						MIL-SPEC test	 MIL-STD-810G military certification (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation) For compatible accessories, please go to http://smartfind.lenovo.com 			e], High Temperature, d Dust, Vibration, Shock,		
							Accessories						
	Some. That wireless			Wi-Fi + Bluetooth 5.0 combo adapter, Intel vPro technology support, 2x2									

ThinkCentre M920 Tiny











(intel)







(intel) inside

(intel)