



HP Color LaserJet Enterprise MFP M776 series

High-quality colour printing performance with next-generation HP MFPs

Expect brilliant colour prints from advanced MFPs, equipped with JetIntelligence technology. Offering the world's most secure printing¹ and a wide range of paper handling features, this is printing that helps save time and simplifies workflows.



HP Color LaserJet Enterprise MFP M776dn



HP Color LaserJet Enterprise Flow MFP M776z

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: <http://www.hp.com/learn/ds>

Highlights

- World's most secure printing
- JetIntelligence technology
- Exceptional color performance
- Minimal interruptions, maximum productivity
- Simplify and speed up workflows



ePrint



HP Care Pack



2-sided printing



Low-cost cartridges



Affordability



Anti-fraud protection

Work stands out with exceptional colour performance

- Special print mode for a wider colour range and extra vividness for documents and marketing materials.
- Look professional with vibrant, high-quality colour prints that can stand the test of time.
- Get professional quality and performance with Original HP Toner cartridges with JetIntelligence and drums.
- Produce full-bleed A3 marketing materials by printing on SRA 3 paper and trimming down to size.

The world's most secure printing¹

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks
- Firmware is automatically checked during startup to determine if it's authentic code – digitally signed by HP.

Simplify and speed up workflows

- Help workgroups capture every page easily and detect potential errors or missed pages – every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimised.
- Load up to 200 pages into the automatic document feeder for fast, unattended scanning.

Minimal interruptions. Maximum productivity.

- Change the toner and drum in seconds. Both are easily accessible and come already installed out of the box.
- Avoid interruptions with an HP LaserJet printer designed for maximum productivity.
- Tailor this printer to meet the needs of your business with a wide range of paper-handling accessories.
- Print as fast as 46 ppm (A4) to create a smoother workflow with less interruptions.²

Product walkaround

HP Color LaserJet Enterprise Flow MFP M776zs model shown

1. Hardware Integration Pocket
2. Automatic two-sided printing
3. 500 sheet output bin
4. 200 sheet output bin
5. Stapler/stacker inner finisher
6. Convenience stapler
7. Front door (access to JetIntelligence toner cartridges and imaging drums)
8. Fax standard on M776z and zs models
9. 550 sheet tray 2
10. 2 x 550 sheet tray with stand
11. 200 sheet ADF with single-pass, two-sided scanning
12. 22.8 cm (9.0 inch) functional touchscreen with 20.3 cm (8.0 inch) Colour Graphics Display
13. Easy-access USB port
14. Pull-out keyboard
15. Upper-right door (access to print path)
16. 100 sheet multipurpose tray 1
17. Dual-band Wi-Fi® and Bluetooth® Low Energy
18. Right door (access to the fuser and print path)
19. 2 Hi-Speed USB 2.0 Host ports, Hi-Speed USB 2.0 device port, Gigabit/Fast Ethernet 10/100/1000 Base-TX network, Fax port



Series at a glance



Model	HP Color LaserJet Enterprise Flow MFP M776z	HP Color LaserJet Enterprise MFP M776dn	HP Color LaserJet Enterprise Flow MFP M776zs
Product number	3WT91A	T3U55A	T3U56A
Functions	Print, copy, scan, fax	Print, copy, scan, optional fax	Print, copy, scan, fax
Print speed (A4, black and colour)	Up to 46 pages per minute (ppm)		
Scan speed (A4, black and colour)	Simplex: Up to 120 ppm; Duplex: Up to 240 ipm	Simplex: Up to 90 ppm; Duplex: Up to 180 ipm	Simplex: Up to 120 ppm; Duplex: Up to 240 ipm
Automatic two-sided printing (default)	Yes		
100 sheet multipurpose tray 1 and 550 sheet tray 2	Yes		
1 x 550 sheet paper tray	Yes	Optional (add up to one)	Not applicable
2 x 550 sheet paper tray and stand	Yes	Optional (add up to one stand only)	Yes
2,700 sheet HCl paper tray and stand	Not applicable	Optional (add up to one stand only)	Not applicable
HP LaserJet stand	Not applicable	Optional (add up to one stand only)	Not applicable
Stapler/Stacker inner finisher	Not applicable		Yes
Convenience stapler	Not applicable		Yes
Input capacity (standard/maximum)	Up to 2,300/2,300 sheets	Up to 650/3,900 sheets	Up to 1,750/1,750 sheets
Advanced workflow features like pull-out keyboard, HP EveryPage, and OCR	Yes	Not applicable	Yes
Recommended monthly page volume	Up to 40,000 pages		
Cartridge yield (A/X)	Black: up to 16,000/34,000 pages; Colour: up to 13,000/29,000 pages		

Accessories, Supplies and Support

Supplies	W2004A HP 660A Original LaserJet Imaging Drum (65,000 standard pages in accordance with ISO/IEC 19752)
	W2010A HP 659A Black Original LaserJet Toner Cartridge (~16,000 pages)
	W2011A HP 659A Cyan Original LaserJet Toner Cartridge (13,000 pages)
	W2012A HP 659A Yellow Original LaserJet Toner Cartridge (13,000 pages)
	W2013A HP 659A Magenta Original LaserJet Toner Cartridge (13,000 pages)
	W2010X HP 659X High Yield Black Original LaserJet Toner Cartridge (~34,000 pages)
	W2011X HP 659X High Yield Cyan Original LaserJet Toner Cartridge (29,000 pages)
	W2012X HP 659X High Yield Yellow Original LaserJet Toner Cartridge (29,000 pages)
	W2013X HP 659X High Yield Magenta Original LaserJet Toner Cartridge (29,000 pages)
Accessories	2MU47A HP Accessibility Assistant
	2TD64A HP Accessibility Kit
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	4QL32A HP Legic Secure USB Reader
	B5L28A HP Internal USB Ports
	B5L31A HP Foreign Interface Harness
	E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
	E5K49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM
	J8031A HP Jetdirect 2900nw Print Server
	X3D03A HP USB Universal Card Reader
	Y7C05A HP HIP2 Keystroke Reader
Service and Support	UC2W9E HP 3 year Next Business Day with Defective Media Retention for Color LaserJet Enterprise M776 service
	UC2X0E HP 4 year Next Business Day with Defective Media Retention for Color LaserJet Enterprise M776 service
	UC2X1E HP 5 year Next Business Day with Defective Media Retention for Color LaserJet Enterprise M776 service
	UC2Y1PE HP 1 year Post Warranty Next Business Day with Defective Media Retention for Color LaserJet M776 service
	UC2Y2PE HP 2 year Post Warranty Next Business Day with Defective Media Retention for Color LaserJet M776 service
	U9JT3E HP Instant service with Department Printer

Technical specifications

Model	HP Color LaserJet Enterprise Flow MFP M776z	HP Color LaserJet Enterprise MFP M776dn	HP Color LaserJet Enterprise Flow MFP M776zs
Product number	3WT91A	T3U55A	T3U56A
Functions	Print, copy, scan and fax	Print, copy, scan and optional fax	Print, copy, scan and fax
Control panel	22.9 cm (9.0 in) with 20.3 cm (8.0 in) functional touchscreen; Colour graphic display; Rotating (adjustable angle); Job control buttons; LED Home button; Hardware Integration Pocket; Easy access USB		
Print			
Print technology	Laser		
Print speed ¹	Black (A4, normal): Up to 46 ppm Colour (A4, normal): Up to 46 ppm ; Black (A4, duplex): Up to 46 ipm Colour (A4, duplex): Up to 46 ipm ; Black (A3, normal): Up to 26 ppm Colour (A3, normal): Up to 26 ppm		
First page out ²	Black (A4, ready): As fast as 6.5 sec Colour (A4, ready): As fast as 6.8 sec ; Black (A4, sleep): As fast as 11.6 sec Colour (A4, sleep): As fast as 11.8 sec		Black (A4, ready): As fast as 6.7 sec Colour (A4, ready): As fast as 7.1 sec ; Black (A4, sleep): As fast as 12.0 sec Colour (A4, sleep): As fast as 12.4 sec
Print resolution	Black (best): Up to 1200 x 1200 dpi Colour (best): Up to 1200 x 1200 dpi ; Technology: HP ImageREt 4800, Enhanced (600 x 600 dpi), Fine Lines (1200 x 1200 dpi), Quickview (300 x 300 dpi), Pantone Calibrated		
Monthly duty cycle ³	Up to 200,000 pages A4; Recommended monthly page volume: Up to 40,000 pages		
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB, HP EasyColor		
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™, Google Cloud Print		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL; Barcode font variants (Code 39, 12 of 5, UPC/ENA, Code 128, OCR-A/OCR-B); 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Print area	Print margins Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm; Maximum print area: 302 x 454.2 mm		
Duplex printing	Automatic (standard)		
Copy			
Copy speed ⁴	Black (A4): Up to 46 cpm; Colour (A4): Up to 46 cpm		
Copier specifications	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes); Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%		
First copy out	A4: As fast as 5.6 sec; Black: As fast as 7.7 sec Color;; 2-sided A4: Up to 46 ipm; Black: Up to 46 ipm Color		A4: As fast as 6.7 sec; Black: As fast as 8.8 sec Color;; 2-sided A4: Up to 46 ipm; Black: Up to 46 ipm Color
Copy resolution	Color (text and graphics): Up to 600 x 600 dpi		
Scan			
Scan speed ⁵	Normal (A4): Up to 120 ppm (black and white); Up to 120 ppm (colour); Duplex (A4): Up to 240 ipm (black and white); Up to 240 ipm (colour)	Normal (A4): Up to 90 ppm (black and white); Up to 90 ppm (colour); Duplex (A4): Up to 180 ipm (black and white); Up to 180 ipm (colour)	Normal (A4): Up to 120 ppm (black and white); Up to 120 ppm (colour); Duplex (A4): Up to 240 ipm (black and white); Up to 240 ipm (colour)
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Charge Coupled Device (CCD) Flatbed; Contact Image Sensor (CIS) ADF; Scan input modes: Front panel applications; Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN; Twain version: Version 2.1; Duplex ADF scanning: Yes; Optical scan resolution: Up to 600 dpi		

Model	HP Color LaserJet Enterprise Flow MFP M776z	HP Color LaserJet Enterprise MFP M776dn	HP Color LaserJet Enterprise Flow MFP M776zs
Product number	3WT91A	T3U55A	T3U56A
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR); Auto crop to page; Auto-tone	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR); Auto crop to page; Auto-tone
Recommended monthly scan volume ⁶	5000 to 12,000	5000 to 10,000	5000 to 12,000
Scannable area	Maximum media size (flatbed): 297 x 432 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 297 x 864 mm		
Bit depth/ Grey scale levels	24-bit; Internal: 48-bit / 256		
Digital sending	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR ; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management	Standard: Scan to E-mail; Scan-to-Sharepoint; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF ; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management
Fax			
Fax	Yes, 33.6 kbps		Yes, 33.6 kbps
Fax specifications	Fax memory: Up to 500 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; 256 levels of gray; Superfine: Up to 300 x 300 dpi; 256 levels of gray; Quick dialing: Up to 1000 numbers		Fax memory: Up to 500 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: 256 levels of gray; Superfine: Up to 300 x 300 dpi; 256 levels of gray; Quick dialing: Up to 1000 numbers
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule		Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
Processor speed	1.2 GHz		
Connectivity			
Standard	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2); Wireless 802.11n/BLE	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2)	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2); Wireless 802.11n/BLE
Optional	HP Jetdirect 2900nw Print Server J8031A	HP Jetdirect 2900nw Print Server J8031A, HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A	HP Jetdirect 2900nw Print Server J8031A
Wireless	Yes, built-in Embedded Wi-Fi with Dual band Wireless Station and Wi-Fi Direct functionality and BLE. Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A; NFC functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A	Yes, built-in Embedded Wi-Fi with Dual band Wireless Station and Wi-Fi Direct functionality and BLE. Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A; NFC functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™ Certified; Google Cloud Print™		
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, Syslog; Security: SNMPv3, SSL Cert Management, IPSec/Firewall, ACL, 802.1x		
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (standard), second Ethernet port (optional)	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional), second Ethernet port (optional); Microsoft Universal Print (MUP) support	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (standard), second Ethernet port (optional); Microsoft Universal Print (MUP) support
Hard disk	Standard, 500 GB High-Performance SED Hard Disk (AES 256 hardware encryption or greater)		
Memory	Standard: 5.0 GB; Maximum ⁹ : 7.0 GB	Standard: 3.0 GB; Maximum ⁹ : 5 GB	Standard: 5.0 GB; Maximum ⁹ : 7 GB
Media handling			
Number of paper trays	Standard: 5 ; Maximum: 5	Standard: 2 ; Maximum: 5	Standard: 4 ; Maximum: 4
Media types	Paper (plain, heavy, extra heavy, glossy, light, recycle, tough), envelopes, labels, glossy film, cardstock, transparencies		
Media size	Custom (metric): 100 sheet multipurpose Tray 1: 64 x 127 to 320 x 457.2 mm; 550 sheet input Tray 2: 148 x 148 to 297 x 431.8 mm; 1 x 550 and 2 x 550 tray and stand: 148 x 148 to 320 x 457.2 mm ; Supported (metric): 100 sheet multipurpose Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS); Envelopes: B5, C5, C6, DL; 550 sheet input Tray 2: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); 1 x 550 and 2 x 550 tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273) ; ADF: Executive; A3; A4; A5; A6; Long paper up to 864 mm (34 in)	Custom (metric): 100 sheet multipurpose Tray 1: 64 x 127 to 320 x 457.2 mm; 550 sheet input Tray 2: 148 x 148 to 297 x 431.8 mm; Optional 1 x 550 and 2 x 550 tray and stand: 148 x 148 to 320 x 457.2 mm; Optional 2,700 sheet HCL paper tray and stand: 279.4 x 210 mm to 297 x 215.9 ; Supported (metric): 100 sheet multipurpose Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS); Envelopes: B5, C5, C6, DL; 550 sheet input Tray 2: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Optional 1 x 550 and 2 x 550 tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273) ; ADF: Executive; A3; A4; A5; A6; Long paper up to 864 mm (34 in)	Custom (metric): 100 sheet multipurpose Tray 1: 64 x 127 to 320 x 457.2 mm; 550 sheet input Tray 2: 148 x 148 to 297 x 431.8 mm; 2 x 550 tray and stand: 148 x 148 to 320 x 457.2 mm ; Supported (metric): 100 sheet multipurpose Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS); Envelopes: B5, C5, C6, DL; 550 sheet input Tray 2: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); 2 x 550 tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (184 x 260), 16K (197 x 273) ; ADF: Executive; A3; A4; A5; A6; Long paper up to 864 mm (34 in)
Media handling	Standard input: 100 sheet multi-purpose tray; 2 x 550 sheet paper trays; 2 x 550 sheet paper tray and stand Standard output: 500 sheet output tray ADF: Standard, 200 sheets	Standard input: 100 sheet multi-purpose tray; 1 x 550 sheet paper tray Standard output: 500 sheet output tray Optional input: 1 x 550 sheet paper tray; 2 x 550 tray and stand; HCL paper tray and stand ADF: Standard, 200 sheets	Standard input: 100 sheet multi-purpose tray; 1 x 550 sheet paper tray; 2 x 550 sheet paper tray and stand Standard output: 700 sheets; 500 sheet output tray and 200 sheet Inline 2 bin stapler/stacker (also includes convenience stapler) ADF: Standard, 200 sheets

Model	HP Color LaserJet Enterprise Flow MFP M776z		HP Color LaserJet Enterprise MFP M776dn	HP Color LaserJet Enterprise Flow MFP M776zs
Product number	3WT91A		T3U55A	T3U56A
Media weight	100 sheet multipurpose Tray 1: 60 to 300 g/m ² ; 550 sheet input Tray 2: 60 to 256 g/m ² ; 1 x 550 and 2 x 550 tray and stand: 60 to 256 g/m ² ; ADF : 45 to 200 g/m ²		100 sheet multipurpose Tray 1: 60 to 300 g/m ² ; 550 sheet input Tray 2: 60 to 256 g/m ² ; Optional 1 x 550 and 2 x 550 tray and stand: 60 to 256 g/m ² ; Optional 2,700 sheet HCl paper tray and stand: 60 to 256 g/m ² ; ADF : 45 to 200 g/m ²	100 sheet multipurpose Tray 1: 60 to 300 g/m ² ; 550 sheet input Tray 2: 60 to 256 g/m ² ; 2 x 550 tray and stand: 60 to 256 g/m ² ; ADF : 45 to 200 g/m ²
Input capacity	Tray 1 : Sheets: 100 (80 g/m ²); Transparencies: 50; Envelopes: 10; Labels: 50 Tray 2 : Sheets: 550 (80 g/m ²); Transparencies: 200; Labels: 200 Tray 3 : 1 x 550 and 2 x 550 tray and stand - Sheets: 550 (80 g/m ²); Transparencies: 200; Labels: 200 Maximum : Up to 2,300 sheets ADF : Standard, 200 sheets		Tray 1 : Sheets: 100 (80 g/m ²); Transparencies: 50; Envelopes: 10; Labels: 50 Tray 2 : Sheets: 550 (80 g/m ²); Transparencies: 200; Labels: 200 Tray 3 : Optional 1 x 550 and 2 x 550 tray and stand - Sheets: 550 (80 g/m ²); Transparencies: 200; Labels: 200; Optional 2,700 sheet HCl paper tray and stand - Sheets: 1100+1600 (80 g/m ²) Maximum : Up to 3,900 sheets ADF : Standard, 200 sheets	Tray 1 : Sheets: 100 (80 g/m ²); Transparencies: 50; Envelopes: 10; Labels: 50 Tray 2 : Sheets: 550 (80 g/m ²); Transparencies: 200; Labels: 200 Tray 3 : 2 x 550 tray and stand - Sheets: 550 (80 g/m ²); Transparencies: 200; Labels: 200 Maximum : Up to 1,750 sheets ADF : Standard, 200 sheets
Output capacity	Standard : Up to 500 Sheets Envelopes: Up to 10 envelopes Transparencies: Up to 50 sheets Maximum : Up to 500 Sheets		Standard : Up to 500 sheets Envelopes: Up to 10 envelopes Transparencies: Up to 50 sheets Maximum : Up to 500 Sheets	Standard : Up to 700 sheets Envelopes: Up to 10 envelopes Transparencies: Up to 50 sheets Maximum : Up to 700 sheets
Compatible operating systems	Windows Client OS (32/64 bit): Win10, Win8.1, Win7 Starter Edition SP1, UPD Win7 Ultimate; Mobile OS: iOS, Android; Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Mac: Apple® macOS Catalina v10.15; Discrete PCL6 Printer Driver: For more information on the supported operating systems go to http://support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to http://www.support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see http://www.hp.com/go/upd			
Compatible network operating systems	Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit; Failover Cluster 2008 R2; Failover Cluster 2012 R2; Terminal server 2008 R2; Remote Desktop server 2012 R2; Citrix Server 6.5; Citrix XenApp & XenDesktop 7.6; Novell iPrint server; *Citrix Ready Kit Certification: Up to Citrix Server 7.18 for more information see http://www.citrixready.citrix.com ; Linux: For more information see http://www.developers.hp.com/hp-linux-imaging-and-printing ; Unix: For more information see http://www.hp.com/go/unixmodelscripts ; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to http://www.support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems: For more information on the supported operating systems see http://www.hp.com/go/upd			
Minimum system requirements	Windows : 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see http://www.microsoft.com ; Mac : 2 GB available hard drive space, Internet connection or USB port. For OS hardware requirements see http://www.apple.com			
Software included	No software solutions are included in the Box only on http://www.hp.com , http://www.123.hp.com			
Security management	Management security: SNMPv3, Web Services over port 7627, SSL/TLS 1.0/1.1/1.2, FIPS 140-2, Certificate Management, Embedded Web Server, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in			
Printer management	HP Device Toolbox; HP JetAdvantage Security Manager; HP Printer Assistant; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver: Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator			
Dimensions and weight				
Printer dimensions (W x D x H) ⁸	Minimum 58.5 x 71.2 x 116.0 cm; Maximum : 1140 x 902 x 1160 mm		Minimum 58.5 x 66.3 x 71.0 cm; Maximum : 921 x 663 x 710 mm	Minimum 70.5 x 71.2 x 115.5 cm; Maximum : 1150 x 902 x 1155 mm
Printer weight ⁹	115.5 kg		70.9 kg	126.79 kg
Operating environment	Temperature : 10 to 32.5°C; Humidity : 30 to 70% RH			
Storage conditions	Temperature : -20 to 40°C			
Acoustics	Acoustic power emissions : 6.7 B(A) (printing at 46 ppm); Acoustic pressure emissions : 51 dB(A)		Acoustic power emissions : 6.7 B(A) (printing at 46 ppm); Acoustic pressure emissions : 52 dB(A)	Acoustic power emissions : 6.9 B(A) (printing at 46 ppm); Acoustic pressure emissions : 53 dB(A)
Power ¹⁰	Requirements : 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier). Not dual voltage, power supply varies by part number with # Option code identifier. ; Consumption : 900 watts (printing), 100 watts (ready), 0.8 watts (sleep), 0.8 watts (HP Auto-Off/Auto On), 0.07 watts (Auto-Off), 0.07 watts (Off) ; Typical Electricity Consumption (TEC) ¹¹ : Blue Angel: 2.470 kWh/Week; Energy Star 3.0: 0.734 kWh/Week ; Power supply type : Internal (Built-in) power supply		Requirements : 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz) ; Consumption : 900 watts (printing), 100 watts (ready), 0.8 watts (sleep), 0.8 watts (HP Auto-Off/Auto On), 0.07 watts (Auto-Off), 0.07 watts (Off) ; Typical Electricity Consumption (TEC) ¹⁴ : Blue Angel: 2.470 kWh/Week; Energy Star 3.0: 0.734 kWh/Week ; Power supply type : Internal (Built-in) power supply	Requirements : 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz) ; Consumption : 900 watts (printing), 100 watts (ready), 0.8 watts (sleep), 0.8 watts (HP Auto-Off/Auto On), 0.07 watts (Auto-Off), 0.07 watts (Off) ; Typical Electricity Consumption (TEC) ¹¹ : Blue Angel: 2.470 kWh/Week; Energy Star 3.0: 0.734 kWh/Week ; Power supply type : Internal (Built-in) power supply
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy			
Certifications ¹²	TUV and GS Mark (Germany); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries. Electromagnetic emission standard : CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries. CECP; Blue Angel; EPEAT® Gold registered; ENERGY STAR® certified Telecom compliance : Telecom Wired: ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; EN 300 328 V2.1.1; EN 301 893 V1.8.1; EN 301 893 V2.1.0		TUV and GS Mark (Germany); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries. Electromagnetic emission standard : CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries. CECP; Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified	TUV and GS Mark (Germany); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries. Electromagnetic emission standard : CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries. CECP; Blue Angel; EPEAT® Silver registered; EPEAT® Gold registered; ENERGY STAR® certified Telecom compliance : Telecom Wired: ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; EN 300 328 V2.1.1; EN 301 893 V1.8.1; EN 301 893 V2.1.0
Sustainable impact specifications	Mercury free			
Blue Angel compliant	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies			
Country of origin	Made in Japan			
What's in the box ¹³	3WT91A HP Color LaserJet Enterprise Flow MFP M776z printer; HP Black Original LaserJet Toner Cartridge (16,000 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (13,000 pages each); 4 HP Original LaserJet Imaging Drums (65,000 pages each colour); Getting started Guide; 1 Power cord		T3U55A HP Color LaserJet Enterprise MFP M776dn printer; HP Black Original LaserJet Toner Cartridge (16,000 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (13,000 pages each); 4 HP Original LaserJet Imaging Drums (65,000 pages each colour); Getting started Guide; 1 Power cord	T3U56A HP Color LaserJet Enterprise Flow MFP M776zs printer; HP Black Original LaserJet Toner Cartridge (16,000 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (13,000 pages each); 4 HP Original LaserJet Imaging Drums (65,000 pages each colour); Getting started Guide; 1 Power cord
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to http://www.hp.com/support to learn about HP award winning service and support options in your region.			

Footnotes

¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>.

² Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Technical specifications disclaimers

¹ Measured using ISO/IEC 24734 excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration software application driver and document complexity.

² Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration software application driver and document complexity.

³ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

⁴ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183; Duplex Copy Speed measured using ISO/IEC 24735 excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration software application and document complexity.

⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution network conditions computer performance and application software.

⁶ HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.

⁷ The Configuration Page memory size report does not change even with 1 GB or 2 GB DIMM installed. This is current expected behavior.

⁸ With no accessories and multi-purpose tray closed.

⁹ With print cartridges.

¹⁰ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

¹¹ Blue Angel TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values or Blue Angel TEC values. Blue Angel uses Energy Star Version 2.0 TEC. Energy Star value typically based on measurement of 115V device.

¹² EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

¹³ Standard cartridges included; Yields 16,000 black and 13,000 colour composite (C/M/Y) pages. Average black and colour composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.



Windows 10



<http://www.hp.com/uk>

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

gb-en January 2025

--

