

Inspiron 7391

Setup and Specifications



Notes, cautions, and warnings

 **NOTE:** A NOTE indicates important information that helps you make better use of your product.

 **CAUTION:** A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

 **WARNING:** A WARNING indicates a potential for property damage, personal injury, or death.

© 2018 - 2019 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

Contents

| | |
|--|-----------|
| 1 Set up your Inspiron 7391..... | 4 |
| 2 Views of Inspiron 7391..... | 6 |
| Left..... | 6 |
| Right..... | 6 |
| Base..... | 7 |
| Display..... | 7 |
| Bottom..... | 8 |
| 3 Specifications of Inspiron 7391..... | 9 |
| Dimensions and weight..... | 9 |
| Processors..... | 9 |
| Chipset..... | 9 |
| Operating system..... | 10 |
| Memory..... | 10 |
| Ports and connectors..... | 10 |
| Communications..... | 11 |
| Audio..... | 11 |
| Storage..... | 12 |
| Intel Optane Memory H10 with solid-state storage (optional)..... | 12 |
| Media-card reader..... | 13 |
| Keyboard..... | 13 |
| Camera..... | 13 |
| Touchpad..... | 14 |
| Touchpad gestures..... | 14 |
| Power adapter..... | 14 |
| Battery..... | 14 |
| Display..... | 15 |
| Fingerprint reader (optional)..... | 16 |
| Video..... | 16 |
| Computer environment..... | 16 |
| 4 Keyboard shortcuts..... | 18 |
| 5 Getting help and contacting Dell..... | 20 |

Set up your Inspiron 7391

NOTE: The images in this document may differ from your computer depending on the configuration you ordered.

1. Connect the power adapter and press the power button.



NOTE: To conserve battery power, the battery might enter power saving mode. Connect the power adapter and press the power button to turn on the computer.

2. Finish operating system setup.

For Ubuntu:

Follow the on-screen instructions to complete the setup. For more information about installing and configuring Ubuntu, see the knowledge base articles [SLN151664](#) and [SLN151748](#) at www.dell.com/support.

For Windows:

Follow the on-screen instructions to complete the setup. When setting up, Dell recommends that you:


- Connect to a network for Windows updates.





NOTE: If connecting to a secured wireless network, enter the password for the wireless network access when prompted.

- If connected to the internet, sign-in with or create a Microsoft account. If not connected to the internet, create an offline account.
- On the **Support and Protection** screen, enter your contact details.

3. Locate and use Dell apps from the Windows Start menu—Recommended


Table 1. Locate Dell apps

| Resources | Description |
|---|---|
|  | My Dell Centralized location for key Dell applications, help articles, and other important information about your computer. It also notifies you about the warranty status, recommended accessories, and software updates if available. |

| Resources | Description |
|---|---|
|  | <p>SupportAssist</p> <p>Pro-actively checks the health of your computer's hardware and software. The SupportAssist OS Recovery tool troubleshoots issues with the operating system. For more information, see the SupportAssist documentation at www.dell.com/support.</p> <p> NOTE: In SupportAssist, click the warranty expiry date to renew or upgrade your warranty.</p> |
|  | <p>Dell Update</p> <p>Updates your computer with critical fixes and latest device drivers as they become available. For more information about using Dell Update, see the knowledge base article SLN305843 at www.dell.com/support.</p> |
|  | <p>Dell Digital Delivery</p> <p>Download software applications, which are purchased but not pre-installed on your computer. For more information about using Dell Digital Delivery, see the knowledge base article 153764 at www.dell.com/support.</p> |

Views of Inspiron 7391

Left



1. Power-adapter port

Connect a power adapter to provide power to your computer.

2. Battery-status light

Indicates the battery-charge status.

Solid white—Power adapter is connected and the battery has more than 5% charge.

Amber—Computer is running on battery and the battery has less than 5% charge.

Off—Power adapter is disconnected or the battery is fully charged.

3. HDMI port

Connect to a TV or another HDMI-in enabled device. Provides video and audio output.

4. USB 3.1 Gen 1 (Type-C) port/DisplayPort

Connect peripherals such as external storage devices, printers, and external displays. Provides data transfer speeds up to 5 Gbps.

NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

5. microSD-card slot

Reads from and writes to the microSD-card.

Right




1. Headset port

Connect headphones or a headset (headphone and microphone combo).

2. USB 3.1 Gen 1 port

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

Base



1. Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click and two finger tap to right-click.

2. Left-click area

Press to left-click.

3. Right-click area

Press to right-click.

4. Power button with fingerprint reader

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

When the computer is turned on, press the power button to put the computer into sleep state; press and hold the power button for 10 seconds to force shut-down the computer.

Place your finger on the power button to log-in with the fingerprint reader.

 **NOTE:** You can customize power-button behavior in Windows. For more information, see *Me and My Dell* at www.dell.com/support/manuals.

Display



1. Left microphone

Provides digital sound input for audio recording and voice calls.

2. Camera

Enables you to video chat, capture photos, and record videos.


3. Camera-status light

Turns on when the camera is in use.

4. **Right microphone**

Provides digital sound input for audio recording and voice calls.

Bottom



1. **Left speaker**

Provides audio output.

2. **Service Tag label**

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

3. **Right speaker**

Provides audio output.

Specifications of Inspiron 7391

Dimensions and weight

Table 2. Dimensions and weight

| Description | Values |
|--|--|
| Height: | |
| Front | 14.90 mm (0.59 in.) |
| Rear | 16.50 mm (0.65 in.) |
| Width | 307.60 mm (12.11 in.) |
| Depth | 204.70 mm (8.06 in.) |
| Weight (maximum) | <ul style="list-style-type: none"> Integrated graphics: 0.95 kg (2.09 lb) Discrete graphics: 0.97 kg (2.13 lb) |
| NOTE: The weight of your computer depends on the configuration ordered and the manufacturing variability. | |

Processors

Table 3. Processors

| Description | Values | | |
|---------------------|-------------------------------|-------------------------------|-------------------------------|
| Processors | 10th Generation Intel Core i3 | 10th Generation Intel Core i5 | 10th Generation Intel Core i7 |
| Wattage | 15 W | 15 W | 15 W |
| Core count | 2 | 4 | 4 |
| Thread count | 4 | 8 | 8 |
| Speed | Up to 3.5 GHz | Up to 3.9 GHz | Up to 4.6 GHz |
| Cache | 4 MB | 6 MB | 8 MB |
| Integrated graphics | Intel UHD Graphics | Intel UHD Graphics | Intel UHD Graphics |

Chipset

Table 4. Chipset

| Description | Values |
|-------------|-------------------------------------|
| Chipset | Integrated in the processor |
| Processor | 10th Generation Intel Core i3/i5/i7 |


| Description | Values |
|----------------|------------|
| DRAM bus width | 64-bit |
| Flash EPROM | 32 MB |
| PCIe bus | Up to Gen3 |

Operating system

- Windows 10 Home (64-bit)
- Windows 10 Professional (64-bit)

Memory

Table 5. Memory specifications

| Description | Values |
|--------------------------|---|
| Slots | Onboard memory  NOTE: The memory is integrated on the system board from the factory and it cannot be upgraded later. |
| Type | LPDDR3 |
| Speed | 2133 MHz |
| Maximum memory | 8 GB |
| Minimum memory | 4 GB |
| Memory size per slot | Onboard memory GB |
| Configurations supported | Not supported |

Ports and connectors

Table 6. External ports and connectors

| External: | |
|--------------------|--|
| USB | <ul style="list-style-type: none"> • One USB 3.1 Gen 1 (Type-C) • One USB 3.1 Gen 1 port |
| Audio | One headset (headphone and microphone combo) port |
| Video | One HDMI 1.4b port |
| Media card reader | One microSD card slot |
| Docking port | Not supported |
| Power adapter port | One 4.5 mm x 2.9 mm DC-in E4 |
| Security | Not supported |

Table 7. Internal ports and connectors**Internal:**

| | |
|-----|--|
| M.2 | <ul style="list-style-type: none"> One M.2 2280/2230 slot for solid-state drive/Intel Optane One M.2 2230 slot for Wi-Fi and Bluetooth combo card One M.2 2230 slot for solid-state drive |
|-----|--|

NOTE: To learn more about the features of different types of M.2 cards, see the knowledge base article [SLN301626](#).

Communications

Wireless module**Table 8. Wireless module specifications**

| Description | | Values |
|---------------------------|---|---|
| Model number | Intel 9560 | Intel 9462 |
| Transfer rate | Up to 1730 Mbps | Up to 433 Mbps |
| Frequency bands supported | 5 GHz | 5 GHz |
| Wireless standards | <ul style="list-style-type: none"> WiFi 802.11a/b/g Wi-Fi 4 (WiFi 802.11n) Wi-Fi 5 (WiFi 802.11ac) | <ul style="list-style-type: none"> WiFi 802.11a/b/g Wi-Fi 4 (WiFi 802.11n) Wi-Fi 5 (WiFi 802.11ac) |
| Encryption | <ul style="list-style-type: none"> 64-bit/128-bit WEP AES-CCMP TKIP | <ul style="list-style-type: none"> 64-bit/128-bit WEP AES-CCMP TKIP |
| Bluetooth | Bluetooth 5 | Bluetooth 5 |

Audio

Table 9. Audio specifications

| Description | | Values |
|----------------------------|---------|-----------------------------|
| Controller | | Realtek ALC3204 |
| Stereo conversion | | Supported |
| Internal interface | | Intel High Definition Audio |
| External interface | | Headset combo connector |
| Speakers | | Two |
| Internal speaker amplifier | | Supported |
| External volume controls | | Keyboard shortcut controls |
| Speaker output: | | |
| | Average | 2 W |

| Description | Values |
|------------------|------------------------|
| Peak | 2.5 W |
| Subwoofer output | Not supported |
| Microphone | Dual-array microphones |

Storage

Your computer supports one of the following configurations:

- One M.2 2230/2280 solid-state drive/Intel Optane
- One M.2 2230/2280 solid-state drive and one M.2 2230 solid-state drive

The primary drive of your computer varies with the storage configuration. For computers with a M.2 drive, the M.2 drive is the primary drive

Table 10. Storage specifications

| Storage type | Interface type | Capacity |
|-------------------------------------|-----------------------------------|--------------|
| One M.2 2230/2280 solid-state drive | PCIe Gen3.0x4 NVMe, up to 32 Gbps | Up to 512 GB |
| One M.2 2230 solid-state drive | PCIe Gen3.0x2 NVMe, up to 16 Gbps | Up to 512 GB |

Intel Optane Memory H10 with solid-state storage (optional)

Intel Optane technology utilizes 3D XPoint memory technology and functions as a non-volatile storage cache/accelerator and/or storage device depending on the Intel Optane memory installed in your computer.

Intel Optane Memory H10 with solid-state storage functions as both a non-volatile storage cache/accelerator (enabling enhanced read/write speeds for hard-drive storage) and a solid-state storage solution. It neither replaces nor adds to the memory (RAM) installed on your computer.

Table 11. Intel Optane Memory H10 with solid-state storage specifications

| Description | Values |
|--------------------------------|---|
| Interface | PCIe 3.0 x4 NVMe <ul style="list-style-type: none"> • One PCIe 3.0 x4 for Optane memory • One PCIe 3.0 x2 for solid-state storage |
| Connector | M.2 |
| Form factor | 2230/2280 |
| Capacity (Optane memory) | Up to 32 GB |
| Capacity (solid-state storage) | Up to 512 GB |

NOTE: Intel Optane Memory H10 with solid-state storage is supported on computers that meet the following requirements:

- 9th Generation or higher Intel Core i3/i5/i7 processors
- Windows 10 64-bit version or higher (Anniversary Update)
- Intel Rapid Storage Technology driver version 15.9.1.1018 or higher

Media-card reader

Table 12. Media-card reader specifications

| Description | Values |
|-----------------|--|
| Type | One microSD card slot |
| Cards supported | <ul style="list-style-type: none">• Micro Secure Digital (mSD)• Micro Secure Digital High Capacity (mSDHC)• Micro Secure Digital Extended Capacity (mSDXC) |

Keyboard

Table 13. Keyboard specifications

| Description | Values |
|----------------|--|
| Type | <ul style="list-style-type: none">• Standard non-backlit keyboard• Backlit keyboard |
| Layout | QWERTY |
| Number of keys | <ul style="list-style-type: none">• United States and Canada: 81 keys• United Kingdom: 82 keys• Japan: 85 keys |
| Size | X=18.7 mm key pitch Y=18.05 mm key pitch |
| Shortcut keys | <p>Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.</p> <p>NOTE: You can define the primary behavior of the function keys (F1–F12) changing Function Key Behavior in BIOS setup program.</p> <p>Keyboard shortcuts</p> |

Camera

Table 14. Camera specifications

| Description | Values |
|-------------------|---------------------------|
| Number of cameras | One |
| Type | HD RGB camera |
| Location | Front camera |
| Sensor type | CMOS sensor technology |
| Resolution: | |
| Still image | 0.92 megapixel |
| Video | 1280 x 720 (HD) at 30 fps |

| Description | Values |
|------------------------|--------------|
| Diagonal viewing angle | 74.9 degrees |

Touchpad

Table 15. Touchpad specifications

| Description | Values |
|-------------|-------------------|
| Resolution: | |
| Horizontal | 1920 |
| Vertical | 1080 |
| Dimensions: | |
| Horizontal | 105 mm (4.13 in.) |
| Vertical | 65 mm (2.56 in.) |

Touchpad gestures

For more information about touchpad gestures for Windows 10, see the Microsoft knowledge base article [4027871](https://support.microsoft.com/4027871) at support.microsoft.com.

Power adapter

Table 16. Power adapter specifications

| Description | Values |
|-----------------------------|--------------------------------|
| Type | 65 W |
| Diameter (connector) | 4.5 mm x 2.9 mm |
| Input voltage | 100 VAC–240 VAC |
| Input frequency | 50 Hz–60 Hz |
| Input current (maximum) | 1.60 A |
| Output current (continuous) | 3.34 A |
| Rated output voltage | 19.50 VDC |
| Temperature range: | |
| Operating | 0°C to 40°C (32°F to 104°F) |
| Storage | -40°C to 70°C (-40°F to 158°F) |

Battery

Table 17. Battery specifications

| Description | Values |
|-------------|----------------------------|
| Type | 4-cell "smart" lithium-ion |

| Description | Values |
|-----------------------------|---|
| Voltage | 7.60 VDC |
| Weight (maximum) | 0.22 kg (0.49 lb) |
| Dimensions: | |
| Height | 257.85 mm (10.15 in.) |
| Width | 98.80 mm (3.89 in.) |
| Depth | 4.30 mm (0.17 in.) |
| Temperature range: | |
| Operating | 0°C to 35°C (32°F to 95°F) |
| Storage | -40°C to 65°C (-40°F to 149°F) |
| Operating time | Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions. |
| Charging time (approximate) | 3 hours (when the computer is off) NOTE: Control the charging time, duration, start and end time, and so on using the Dell Power Manager application. For more information on the Dell Power Manager see, <i>Me and My Dell</i> on www.dell.com/ |
| Life span (approximate) | 300 discharge/charge cycles |
| Coin-cell battery | CR2032 |
| Operating time | Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions. |

Display

Table 18. Display specifications

| Description | Values |
|---------------------------|--------------------------|
| Type | 13.3 FHD WLED |
| Panel technology | Wide Viewing Angle (WVA) |
| Luminance (typical) | 300 nits |
| Dimensions (active area): | |
| Height | 165.24 mm (6.51 in.) |
| Width | 293.76 mm (11.57 in.) |
| Diagonal | 337.04 mm (13.27 in.) |
| Native resolution | 1920 x 1080 |
| Megapixels | 2.07 |
| Pixels Per Inch (PPI) | 166 |
| Contrast ratio (min) | 600 |

| Description | Values |
|-----------------------------|---------------|
| Response time (max) | 35 ms |
| Refresh rate | 60 Hz |
| Horizontal view angle | 80 |
| Vertical view angle | 80 |
| Pixel pitch | 0.15 mm |
| Power consumption (maximum) | 4.60 W |
| Anti-glare vs glossy finish | Glossy Finish |
| Touch options | No |

Fingerprint reader (optional)

Table 19. Fingerprint reader specifications

| Description | Values |
|-------------------|------------------|
| Sensor technology | Capacitive |
| Sensor resolution | 500 dpi |
| Sensor area | 4.06mm x 3.25 mm |
| Sensor pixel size | 80 x 64 |

Video

Table 20. Discrete graphics specifications

| Discrete graphics | | | |
|------------------------|--------------------------|-------------|-------------|
| Controller | External display support | Memory size | Memory type |
| NVIDIA N17S-G2 (MX250) | Not supported | 2 GB | GDDR5 |

Table 21. Integrated graphics specifications

| Integrated graphics | | | |
|---------------------|--------------------------|----------------------|-------------------------------------|
| Controller | External display support | Memory size | Processor |
| Intel UHD Graphics | One HDMI 1.4b port | Shared system memory | 10th Generation Intel Core i3/i5/i7 |

Computer environment

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

Table 22. Computer environment

| Description | Operating | Storage |
|-----------------------------|-----------------------------|--------------------------------|
| Temperature range | 0°C to 35°C (32°F to 95°F) | -40°C to 65°C (-40°F to 149°F) |
| Relative humidity (maximum) | 10% to 90% (non-condensing) | 0% to 95% (non-condensing) |

| Description | Operating | Storage |
|----------------------|---|--|
| Vibration (maximum)* | 0.66 GRMS | 1.30 GRMS |
| Shock (maximum) | 110 G† | 160 G† |
| Altitude (maximum) | -15.2 m to 3048 m (-49.87 ft to 10000 ft) | -15.2 m to 10668 m (-49.87 ft to 35000 ft) |

* Measured using a random vibration spectrum that simulates user environment.

† Measured using a 2 ms half-sine pulse when the hard drive is in use.

Keyboard shortcuts

NOTE: Keyboard characters may differ depending on the keyboard language configuration. Keys used for shortcuts remain the same across all language configurations.






















Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. The symbol shown on the lower part of the key refers to the character that is typed out when the key is pressed. If you press shift and the key, the symbol shown on the upper part of the key is typed out. For example, if you press **2**, 2 is typed out; if you press **Shift + 2**, @ is typed out.













The keys F1-F12 at the top row of the keyboard are function keys for multi-media control, as indicated by the icon at the bottom of the key. Press the function key to invoke the task represented by the icon. For example, pressing F1 mutes the audio (refer to the table below).

However, if the function keys F1-F12 are needed for specific software applications, multi-media functionality can be disabled by pressing **Fn + Esc**. Subsequently, multi-media control can be invoked by pressing **Fn** and the respective function key. For example, mute audio by pressing **Fn + F1**.

NOTE: You can also define the primary behavior of the function keys (F1–F12) by changing Function Key Behavior in BIOS setup program.













Table 23. List of keyboard shortcuts

| Function key | Redefined key (for multimedia control) | Behavior |
|--|--|--|
|  F1 |  +  F1 | Mute audio |
|  F2 |  +  F2 | Decrease volume |
|  F3 |  +  F3 | Increase volume |
|  F4 |  +  F4 | Play/Pause |
|  F5 |  +  F5 | Toggle keyboard backlight (optional) NOTE: Non-backlight keyboards have F10 function key without the backlight icon and does not support toggle keyboard backlight function. |
|  F6 |  +  F6 | Decrease brightness |
|  F7 |  +  F7 | Increase brightness |

| Function key | Redefined key (for multimedia control) | Behavior |
|---|---|----------------------------|
|  |  +  | Switch to external display |
|  |  +  | Print Screen |
|  |  +  | Home |
|  |  +  | End |

The **Fn** key is also used with selected keys on the keyboard to invoke other secondary functions.

Table 24. List of keyboard shortcuts



| Function key | Behavior |
|---|---|
|  +  | Pause/Break |
|  +  | Toggle scroll lock |
|  +  | System request |
|  +  | Toggle between power and battery-status light/hard-drive activity light |
|  +  | Open application menu |
|  +  | Toggle Fn-key lock |

Getting help and contacting Dell

Self-help resources

You can get information and help on Dell products and services using these self-help resources:


Table 25. Self-help resources

| Self-help resources | Resource location |
|--|---|
| Information about Dell products and services | www.dell.com |
| My Dell |  |
| Tips |  |
| Contact Support | In Windows search, type Contact Support , and press Enter. |
| Online help for operating system | www.dell.com/support/windows www.dell.com/support/linux |
| Troubleshooting information, user manuals, setup instructions, product specifications, technical help blogs, drivers, software updates, and so on. | www.dell.com/support |
| Dell knowledge base articles for a variety of computer concerns. | <ol style="list-style-type: none"> 1. Go to www.dell.com/support. 2. Type the subject or keyword in the Search box. 3. Click Search to retrieve the related articles. |
| Learn and know the following information about your product: <ul style="list-style-type: none"> • Product specifications • Operating system • Setting up and using your product • Data backup • Troubleshooting and diagnostics • Factory and system restore • BIOS information | See <i>Me and My Dell</i> at www.dell.com/support/manuals . To locate the <i>Me and My Dell</i> relevant to your product, identify your product through one of the following: <ul style="list-style-type: none"> • Select Detect Product. • Locate your product through the drop-down menu under View Products. • Enter the Service Tag number or Product ID in the search bar. |

Contacting Dell

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

 **NOTE:** Availability varies by country/region and product, and some services may not be available in your country/region.

 **NOTE:** If you do not have an active internet connection, you can find contact information on your purchase invoice, packing slip, bill, or Dell product catalog.