HP DesignJet T630 36-in Printer

Simply the world's easiest large-format plotters¹—affordability without tradeoffs





Extreme simplicity

- Print multi-size A3 and A0 projects automatically, without manually switching the media source.
- Save time with the world's easiest job submission²—send multiple files in one click with HP Click.³
- Print with confidence you'll get the results you expect with an intuitive driver and true print preview.

Fits your office and budget

- Save space with the world's smallest plotters⁴ designed to fit your office, including a built-in stand.
- Use up to 95% less ink for routine maintenance vs competitor and get up to 100 extra A1 pages per month.⁵
- More sustainable design reduces CO2e up to 7.3 tons/year by units sold by using up to 30% recycled plastic.⁶

Fits the way you work

- Avoid waiting by the printer with high-speed printing as fast as 30 seconds per A1 plot.
- Be more productive—save time from job prep to final print by printing your projects up to 2X faster.
- Print your jobs and manage your plotter from virtually anywhere, anytime with the HP Smart app
- Get high-quality results—HP Bright Office Inks plot up to 31% more line accuracy and up to 65% more gamut.⁷

For more information, please visit http://www.hp.com/go/designjett630

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

TM-305 Printer on Oce 75gsm plain paper using equivalent fast/draft print modes

¹ The HP DesignJet T600 Printer series and the HP DesignJet Studio Printer series are the only solutions providing seamless printing of both large- and small-format sheets automatically in a multi-size print basket compared to competitive alternatives with comparable size and features as of January, 2020.² Three-click printing with HP Click software compared to up to 11 clicks with competitive alternatives when printing 5 files of different sizes. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files. Based on testing

 ¹ HP DesignJet T650 36-in Series printers are up to 17% smaller compared to competitive alternatives with comparable size and features as of January, 2020.
 ³ One-click printing with HP Click software. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.
 ⁴ HP DesignJet T650 36-in series printers are up to 17% smaller compared to competitive alternatives with comparable size and features as of January, 2020. The world's smallest large-format plotters based on

most compact footprint. ⁵ Based on HP internal testing, January 2020, comparing the HP DesignJet T200 Printer, that uses the same ink and print mode as the HP DesignJet T600 Printer series, and Canon TM-200 and TM-300 Printers in

terms of ink used during routine printhead cleanings.

terms of ink used during routine printhead cleanings. ⁶ More sustainable design compared to the previous printer models (HP DesignJet T500 Printer series) replaced with the HP DesignJet T600 Printer series. Based on calculations in accordance with ISO 14040/14044 Life Cycle Assessments using ReCIPe (H) v. 1.1 (2016) on GaBi 8.5 (2018) software and scaled to reflect expected yearly sales. ⁷ Up to 31% more line accuracy based on HP internal testing, September 2019 of 1 pixel vertical line straightness comparing prints from the HP DesignJet T600 Printer series and Canon TM-305 Printer on plain paper using equivalent fast/draft print modes. Up to 65% more colour gamut based on HP internal testing, September 2019, of gamut volume comparing prints from the HP DesignJet T600 Printer series and Canon

Technical specifications

| Printspeed | 30 sec/page on A1, 76 A1 prints per hour ¹ |
|-------------------------------|---|
| Print resolution | Up to 2400 x 1200 optimised dpi |
| Technology | HP Thermal Inkjet |
| Margins | Roll: 5 x 5 x 5 x 5 mm Sheet: 5 x 5 x 5 x 1 7 mm (manual feed); 5 x 5 x 5 x 5 mm (input tray) |
| Ink types | Dye-based (C, M, Y); pigment-based (K) |
| Pag e Yiel d | 20 ml of ink yields 101 A1 pages, taking into account maintenance routines ² |
| Inkdrop | 5.5 pl (C, M, Y); 12 pl (K) |
| Printheads | 1 (cyan, magenta, yellow, black) |
| Printhead nozzles | 1376 |
| Lineaccuracy | ±0.1% ³ |
| Minimum line width | 0.02 mm |
| Max optical density | 8 L* min/2.10 D ⁴ |
| Media | |
| Handling | Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter |
| Roll size | 279 to 914 mm |
| Sheet size | Auto sheet feeder: 210 x 279 to 330 x 482 mm manual feed: 210 x 279 to 914 x 1897 mm |
| Standard sheets | Auto sheet feeder: A4, A3 manual feed: A4, A3, A2, A1, A0 |
| Grammage | 60 to 280 g/m² (roll/manual feed); 60 to 220 g/m² (auto sheet feeder) |
| Thickness | Up to 0.3 mm |
| Applications | Line drawings; Presentations; Renderings |
| Memory | 1 GB |
| Hard disk | None |
| Connectivity | |
| Interfaces | Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi802.11a/b/g/n, Wi-FiDirect |
| Native print languages | HP-GL/2, HP-RTL, CALS G4, JPEG, URF |
| Printing paths | Print Anywhere with HP Smart app, HP Click, HP driver for macOS, HP driver for Windows, printing support for Chrom OS, email printing, HP Print Service Plugin for Android, Apple AirPrint |
| Drivers | Raster driver for Windows and macOS |
| Dimensions (w x d x h) | |
| Printer | 1317 x605 x932 mm |
| Shipping | 1470 x 575 x 590 mm |
| Weight | |
| Printer | 34.7 kg |
| Shipping | 55.3 kg |
| What's in the box | HP Design Jet T630 36-in Printer, printer stand, automatic sheet feeder, printhead, introductory ink cartridges, spindle quick reference quide, setup poster, power cord |
| HP Software and solutions | HP Click, HP Smart app, HP Print Preview for Windows, HP Easy Start, HP Design Jet Utility for Windows, HP Support Assistant |
| Remote print en abled | Yes |
| One-click multi-size printing | Yes |
| Environmental ranges | |
| Recycled plastic in printer | 30% |
| Operating temperature | 5 to 40°C |
| Operating humidity | 20 to 80% RH |
| Operating altitude | Up to 3000 m |
| Storagetemperature | -25 to 55°C |
| Acoustics | |
| Sound pressure | 42 dB(A) (operating), <16 dB(A) (idle) |
| Sound power | 5.8 B(A) (operating), < 16 06(A) (lite) |
| | Sto D(r) (operating), -Sta D(r) (late) |
| Power | -25 W (|
| Consumption | <35 W (printing), <5.6 W (ready), <2.1 W (sleep), <0.2 W (standby) |
| Requirements | Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 1200 mA max. Not dual voltage, power supply varies by part number with # Option code identifier. |

| Certification | | |
|-----------------|--|--|
| Safety | USA and Canada (CSA certified); EU (LVD, EN 60950-1 and EN 62368-1 compliant); Russia, Belarus, Khazakstan (EAC); Ukraine (UA); Singapore (PSB); China (CCC); Argentina (IRAM); India (BIS); Mexico (NYCE) | |
| Electromagnetic | Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC/RED Directives), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class B product: Korea (KCC) | |
| Environmental | ENERGY STAR; WEEE; EU RoHS; EAEU RoHS; REACH; ErP; EPEAT Gold | |
| Warranty | On e-year limited hard ware warran ty | |

Ordering information

| Product | |
|--|---|
| 5HB11A | HP Design Jet T 630 36-in Printer |
| Accessories | |
| B3Q37A | HP Design Jet 36-in Spindle |
| Original HP prir | ting supplies |
| high quality an designed and e designed to m | HP 713 Design Let Printhead Replacement Kit HP 713 Design Let Printhead Replacement Kit HP 712 29-ml Magenia Design Let hik Catridge HP 712 29-ml Magenia Design Let hik Catridge HP 712 38-ml Black Design Let hik Catridge HP 712 38-ml Black Design Let hik Catridge HP 712 39-mak 29-ml Cyan Design Let hik Catridge HP 712 39-pack 29-ml Cyan Design Let hik Catridge HP 712 39-pack 29-ml Usion Design Let hik Catridge HP 712 3-pack 29-ml Usion Design Let hik Catridge HP 712 3-pack 29-ml Usion Design Let hik Catridge HP 712 3-pack 29-ml Holiow Design Let hik Catridge inks and printheads, and HP large format printing materials, to experience consistent delable performance that enable less downtime. These critical components are engineered together as an optimized printing system, and Original HP inks are aximize the life of HP printheads. Protect your HP printer investment by using Original HP waranty protection. For more information, with the comby Original HP inks. |
| Original HP larg | re format printing materials |
| C6019B HP Co | iversal Bond Paper (FSC® certified) ⁵ (recyclable) ⁶ 610 mm x45.7 m ated Paper (FSC® certified) ⁵ (recyclable) ⁶ 610 mm x45.7 m ayweight Coated Paper (FSC® certified) ⁵ (recyclable) ⁶ 610 mm x30.5 m |
| For the entire H | P Large Format Printing Materials portfolio, please see HPLFMedia.com. |
| Service and Su | pport |
| U18KJPE HP 2 U18KRPE HP 1 U18KSPE HP 2 U18JSE HP 2 U18JSE HP 3 U18JTE HP 3 U18JVE HP 4 | year PostWarranty Next Business Day Hardware Support for Design 1et T630 36-in year PostWarranty Next Business Day Hardware Support for Design 1et T630 36-in year PostWarranty Parts Coverage Hardware Support for Design 1et T630 36-in year Post Warranty Parts Coverage Hardware Support for Design 1et T630 36-in ear Next Business Day Hardware Support for Design 1et T630 36-in ear Next Business Day Hardware Support for Design 1et T630 36-in ear Next Business Day Hardware Support for Design 1et T630 36-in ear Next Business Day Hardware Support for Design 1et T630 36-in ear Next Business Day Hardware Support for Design 1et T630 36-in |

U18 JVE HP4 year Next Business Day Hardware Support for Designjet T 630 36-in U18 JWE HP 5 year Next Business Day Hardware Support for Designjet T 630 36-in U18 JXE HP 2 year Parts Coverage Hardware Support for Designjet T 630 36-in U18 JXE HP 3 year Parts Coverage Hardware Support for Designjet T 630 36-in U18 JXE HP 4 year Parts Coverage Hardware Support for Designjet T 630 36-in U18 JXE HP 5 year Parts Coverage Hardware Support for Designjet T 630 36-in U18 JXE HP 5 year Parts Coverage Hardware Support for Designjet T 630 36-in

HP Support Services of fer installation and extended support services (e.g. 2, 3, 4, and 5 years). For more information, please visit http://www.hp.com/go.kpc

ECO highlights

ENERGY STAR® certified¹ and EPEAT® Gold registered² Free, convenient HP ink carridger excycling³ FSC®-certified papers and a range of recyclable HP media with a take-back program⁴ Reduces CO2e up to 7.3 tons/year by units sold by using up to 30% recycled plastic⁵ .

Please recycle printing hardware and eligible printing supplies and prints. Find out how at our website: http://www.hp.com/ecosolutions

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S.

¹ ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency.
² EPEAT® registered where applicable. EPEAT registration varies by country. See this://www.peat.netforregistration status by country.
³ Visithtp://www.hp.com/recycle to seehow to participate and for HP Planet Partners program features and availability. program may not be available in your area.
⁴ BMG trademark license code FSC®-C115319, seehttp://www.fsc.org. HP trademark license code FSC®-C017543, seehttp://www.fsc.org.Notall FSC®-centrified products areavailable in all regions.
Many HP printing materials are recyclable through commonly available recycling programs. For information about HP large formate 1500 Printer series, please with thp://www.HPLFMedia.com.
⁴ More sustainabile design compared to the previous printer models (HP Design Let T600 Printer series, Dased on calculations in accordance with SO 140401/1044 Life Cycle Assessments using RecCPe(H)v.1.1 (2016) on Gabila.5 (2018) software and scaled to reflect expected yearly sales.

¹ Mechanical printing time. Printed in Fast mode with Economode on, using HP Bright White hkjet Paper (bond) and Original HP inks. Actual performance may vary based on a variety of conditions, including butnot limited to network configuration. ² Calculation done taking into account two normal printhead cleanings and ink on an A1 CAD drawing with black and colour lines and a pixel coverage of 5.2%. ³ ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C, 50-60% relative humidity, on A0 printing material in Bestor Normal mode with HP Heavyweight Coated roll feed and Original HP inks. ⁴ With HP Premium Instant Dp/Photo Gloss media with Original HP Inks. ⁵ BMG trademacklicense code FSC[®]-C115319, seehttp://www.fsc.org. HP trademark license code FSC[®]-C017543, seehttp://www.fsc.org. ⁶ Can berecycled through commonly available recycling programs.



