HP LaserJet Enterprise MFP M632 series



The pinnacle of performance and security.

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them – all while protecting your network from attacks with the industry's deepest security.¹











Color touchscreen

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralise control of your printing environment with HP Web Jetadmin and help build business efficiency.
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This MFP wakes up fast and prints your first page faster in as quickly as 7.9 seconds (M632h and M632fht).
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 10.16 x 15.24 cm (4 x 6") to legal.

More. Pages, Performance, and Protection.⁵

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages –
- Enter data more guickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

Product walkaround

HP LaserJet Enterprise Flow MFP M632z shown

- 1. Hardware Integration Pocket
- 2. Easy-access USB port
- 3. 1,000 sheet 3-bin stapler/stacker with job offset
- 4. Left door access to toner cartridges
- 5. Automatic two-sided printing
- 6. 550 sheet input tray 2
- 7. 1×550 and 2,000 sheet HCI feeder and stand
- 8. 150 sheet ADF with single-pass, two-sided scanning and HP EveryPage
- 9. 20.3 cm intuitive icon-based colour touchscreen
- 10. Pull-out keyboard
- 11. HP High-Performance Secure Hard Disk
- 12. Right door (access to print path)
- 13. 100 sheet multipurpose tray 1
- 14. Host USB port
- 15. Hi-speed USB 2.0 printing port
- 16. Slot for cable-type security lock
- 17. Gigabit Ethernet port
- 18. Fax port



Series at a glance







Model	HP LaserJet Enterprise MFP M632h	HP LaserJet Enterprise MFP M632fht	HP LaserJet Enterprise Flow MFP M632z
Product number	J8J70A	J8J71A	J8J72A
Print speeds (A4)	Up to 61 ppm		
Fax capabilities	Optional Yes		
HP High Performance Secure Hard Disk	Yes		
100 sheet tray 1, 550 sheet tray	Yes		
550 sheet paper feeder	Optional (up to four) Optional (up to one)		(up to one)
1 x 550 sheet paper feeder with stand and cabinet	Optional	Yes	Not available
3 x 550 sheet paper feeder and stand	Optional Not available		ıvailable
1 x 550 and 2,000 sheet HCl feeder and stand	Optional	Not available	Yes
Envelope feeder	Optional (up to two) Optional (up to c		(up to one)
3-bin stapler/stacker with job offset	Not available		Yes
Advanced workflow features, including pull-out keyboard	Not available		Yes
Direct mobile printing	Optional wireless direct/NFC		
Wireless networking	Optional		

Accessories, Supplies and Support

Supplies	4WM80A HP CHP113 Office Paper-2500 sht/A4/210 x 297 mm ()		
	4WM81A HP CHP150 Home and Office Paper-500 sht/A4/210 x 297 mm () CF237A HP 37A Black Original LaserJet Toner Cartridge (11,000 pages) CF237X HP 37X High Yield Black Original LaserJet Toner Cartridge (25,000 pages) CF237Y HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge (41,000 pages)		
Accessories	J8J95A HP 300 ADF Roller Replacement Kit		
	J8J96A HP Staple Cartridge Refill		
	J8J89A HP LaserJet 550-sheet Feeder Tray		
	J8J91A HP LaserJet 1x550 Paper Feeder and Cabinet		
	J8J92A HP LaserJet 1x550-sheet and 2000-sheet HCI Feeder and Stand		
	J8J93A HP LaserJet 3x550-sheet Paper Feeder with Cabinet		
	J8J90A HP LaserJet Envelope Feeder		
	CC487A HP LaserJet MFP Analog Fax Accessory 500		
	B5L29A HP High-Performance Secure Hard Disk		
	F5S62A HP Trusted Platform Module Accessory		
	A7W13A HP Laser Jet Keyboard Overlay Kit-Danish/French-Switzerland/German-Switzerland		
	A7W14A HP LaserJet Swedish Overlay Keyboard		
	E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM		
	B5L28A HP Internal USB Ports		
	J8031A HP Jetdirect 2900nw Print Server		
	B5L31A HP Foreign Interface Harness		
	J8030A HP Jetdirect 3000w NFC/Wireless Accessory		
Service and Support	U9NK0E HP 3 year Next Business Day Hardware Support with Defective Media Retention for LaserJet Enterprise MFP M63x U9NK1E HP 4 year Next Business Day Hardware Support with Defective Media Retention for LaserJet Enterprise MFP M63x U9NK2E HP 5 year Next Business Day Hardware Support with Defective Media Retention for LaserJet Enterprise MFP M63x U9NL8PE HP 1 year Post Warranty Next Business Day Hardware with Defective Media Retention for LaserJet Enterprise MFP M63x U9NL9PE HP 2 year Post Warranty Next Business Day Hardware with Defective Media Retention for LaserJet Enterprise MFP M63x		

Technical specifications

Made		LUD Lease let Enterenties MED MC22fbt	LUDI consist Entermise Flour MED MC22-
Model	HP LaserJet Enterprise MFP M632h	HP LaserJet Enterprise MFP M632fht	HP LaserJet Enterprise Flow MFP M632z
Product number	J8J70A	J8J71A	J8J72A
Functions	Print, Copy, Scan Print, Copy, Scan, Fax		
Control panel	20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu)		20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); Pull-out keyboard
Print			
Print technology	Laser		
Print speed ¹	Black (A4, normal) Up to 61 ppm; Black (A4, duplex): Up to 50 ppm;		
First page out ²	Black (A4, ready): As fast as 5.4 sec; Black (A4, sleep): As fast as 7.9 sec;		Black (A4, ready): As fast as 5.4 sec; Black (A4, sleep): As fast as 12.2 sec;
Print resolution	Black (best): Up to 1200 x 1200 dpi; Technology: FastRes 1200; 1200 x 1200 dpi;		
Monthly duty cycle	Up to 300,000 pages A4; Recommended monthly page volume: 5000 to 30,000		
Printer smart software features		pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store p	
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 212 x 352 mm		
Duplex printing	Automatic (standard)		
Сору			
Copy speed	Black (A4): Up to 61 cpm		
Copier specifications	Two-sided copying, scalability, image adjustn booklet, job build, edge-to-edge, job storage, resolution: Up to 600 x 600 dpi (flatbed); Up i	nents (darkness, contrast, background cleanup, sharpness), N ID Copy, Book Copy, A-to-B Copy (different media sizes); Ma to 600 × 450 dpi (ADF); Reduce/Enlarge : 25 to 400%;	N-up, N or Z-ordering, content orientation, collation, ximum number of copies: Up to 9999 copies; Copy
Scan			
Scan speed ³	Normal (A4): Up to 69 ppm (black and white), white), up to 111 ipm (colour)	up to 69 ppm (colour); Duplex (A4) : Up to 111 ipm (black and	and white), up to 167 ipm (colour)
Scan file format ⁴	TIFF, MTIFF, XPS, PDF/A; Print from easy acces	TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, is USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (I)CR), Unicode TEXT (OCR), RIFF (OCR), Searchable PDF/A (OCR), Searchable PDF/A (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Charge Coupled Device (CCD); Scan input modes: Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN; Twain version: Version 2.1; Duplex ADF scanning: Yes; Scan size maximum (flatbed): 216 x 356 mm; Optical scan resolution: Up to 600 dpi		
Scanner advanced features		b build; Output quality setting; Selectable scan resolution 75 notification; Blank page suppression; HP Quick Sets	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75

Model	HP LaserJet Enterprise MFP M632h	HP LaserJet Enterprise MFP M632fht	HP LaserJet Enterprise Flow MFP M632z	
Product number	J8J70A	J8J71A	J8J72A	
Recommended monthly scan	14,250 to 23,750		26,750 to 44,500	
volume	Minimum media size (flatbed): No Minimum Size Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 147 mm Maximum media size			
Scannable area	(ADF): 215.9 x 863.6 mm	indimmedia size (itatoed). 2 16 x 336 mm, Millimidimm	ieula Size (ADF). 66 X 147 IIIIII Maxii IIIIII IIII IIIIII Size	
Bit depth/ Grey scale levels	Internal: 30 bit; External: 24 bit / 256			
Digital sending	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management		Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to- workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management	
Fax	Louised	Ly 22 CH		
Fax ⁵	Optional,	Yes, 33.6 kbps	ord: 202 v 00 dai: Fine: 202 v 106 dai: Cuparfine: 202 v	
Fax specifications	Fax memory: Up to 500 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; S 392 or 300 x 300 dpi; Quick dialing: Up to 1,000 numbers (each with 210 destinations); Telec compliance: Telecom wired: ES 203 021; R&TTE Directive 1999/5/EC with CE marking (Europe Telecom approvals as required by individual countries.		tive 1999/5/EC with CE marking (Europe); Other	
Fax smart software features		Stored faxes; Fax archiving; Fax forwarding; Scale to f confirmation; Holiday fax schedule	it; Fax address book; LAN/Internet fax; Fax number	
Processor speed	1.2GHz	commination, notical fax scriedule		
Connectivity	1.2012			
Connectivity	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up			
Standard	and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax		
Optional	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A			
Wireless	Optional, enabled with purchase of HP Jetdirect 2900	Inw Print Server J8031A or HP Jetdirect 3000w NFC/Wi	reless Accessory J8030A	
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Google			
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple Air Print: HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslorg; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x			
Network capabilities	Standard (built-in Gigabit Ethernet)			
Hard disk	Standard, minimum 500 GB HP High-Performance Se	ecure Hard Disk (AES 256 hardware encryption or great		
Memory	Standard: 1.5 GB (printer); 512 MB (scanner); Maximu	m : 4 GB	Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 3 GB Total	
Media handling				
Number of paper trays	Standard: 2 ; Maximum: 6	Standard: 3 ; Maximum: 4	Standard: 4 ; Maximum: 5	
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy letterhead, envelope, heavy envelope	, cardstock, pre-printed, pre-punched, coloured, rough,	heavy rough), monochrome transparency, labels,	
Media size	Custom (metric): Feeder 1: 76 x 127 to 216 x 356 mm; Feeder 2: 99 x 148 to 216 x 297 mm; Supported (metric): Feeder 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (JIS) single and double); Feeder 2: A4, A5, A5-R, B5 (JIS), 16K; ADF: Oficio; Executive; Statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 68 x 147 mm to 215.9 x 863.6 mm	Custom (metric): Feeder 1: 76 x 127 to 216 x 356 mm; Feeder 2: 99 x 148 to 216 x 297 mm; Feeder 3: 99 x 148 to 216 x 297 mm; Feeder 3: 99 x 148 to 216 x 356 mm; Supported (metric): Feeder 1: A4, A5, A6, RA4, B5 (IIS), B6 (IIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (IIS single and double); Feeder 2-3: A4, A5, A5-R, B5 (IIS), 16K; ADF: Oficio; Executive; Statement; 16K; A4; RA4; A5; A6; B5; B6 (IIS); Postcard (IIS); DPostcard (IIS); 68 x 147 mm to 215.9 x 863.6 mm	Custom (metric): Feeder 1: 76 x 127 to 216 x 356 mm; Feeder 2: 99 x 148 to 216 x 297 mm; Feeders 3, 4, 5: 99 x 148 to 216 x 356 mm; Supported (metric): Feeder 1: 4A, 45, 46, R4A, B5 UIS), B6 (IIS), 10 x 15 cm, 0ficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (IIS single and double); Feeder 2-5: A4, A5, A5-R, B5 UIS), 16K; ADF: 0ficio; Executive; Statement; 16K; A4; RA4; A5; A6; B5; B6 (IIS); Postcard (IIS); DPostcard (IIS); Postcard (IIS); DPostcard (IIS); 68 x 147 mm to 215.9 x 863.6 mm	
Media handling	Standard input: 100 sheet multipurpose feeder, 550 sheet input feeder, 150 sheet automatic document feeder Standard output: 500 sheet output feeder, two-sided printing Optional input: Optional 1 x 550 sheet paper feeder, 1 x 550 sheet feeder with stand and cabinet, 2,000 sheet feeder high capacity input with 1 x 550 sheet paper feeder and stand, optional 3 x 550 sheet feeder and stand, optional envelope feeder ADF: Standard, 150 sheets	Standard input: 100 sheet multipurpose feeder, 550 sheet input feeder, 150 sheet automatic document feeder, 550 sheet input feeder with stand and cabinet Standard output: 500 sheet output feeder, two-sided printing Optional input: Optional 1 x 550 sheet feeder, optional envelope feeder ADF: Standard, 150 sheets	Standard input: 100 sheet multipurpose feeder, 550 sheet input feeder, 150 sheet automatic document feeder, 2,000 sheet input feeder with 550 sheet input feeder Standard output: 500 sheet output feeder, 500 sheet output stapler stacker, two-sided printing Optional input: Optional 1 x 550 sheet paper feeder, envelope feeder ADF: Standard, 150 sheets	
Media weight	Feeder 1: 60 to 200 g/m²; Feeder 2: 60 to 120 g/m²; ADF: 45 to 199 g/m²	Feeder 1: 60 to 200 g/m²; Feeder 2,3: 60 to 120 g/m	² ; ADF : 45 to 199 g/m²	
Input capacity	Tray 1: 50: 139 g/m Tray 1: 50: Cardstock (200 g/m²): 30: Envelopes: 10 Tray 2: Sheets: 550; Labels, transparencies: small quantities Maximum: Up to 3,750 sheets ADF: Standard, 150 sheets	Tray 1: Sheets: 100; Transparencies, cardstock (163 g/m²): 50; Cardstock (200 g/m²): 30; Envelopes: 10 Tray 2: Sheets: 550; Labels, transparencies: small quantities Tray 3: Feeder 3: 550 sheets; Labels, transparencies: 100 Maximum: Up to 1,750 sheets ADF: Standard, 150 sheets	Tray 1: Sheets: 100; Transparencies, cardstock (163 g/m²): 50; Cardstock (200 g/m²): 30; Envelopes: 10 Tray 2: Sheets: 550; Labels, transparencies: small quantities Tray 3: Feeder 3: Sheets: 550; Labels, transparencies: 100; Feeder 4: 2,000 sheets Maximum: Up to 3,750 sheets ADF: Standard, 150 sheets	

Model	HP LaserJet Enterprise MFP M632h	HP LaserJet Enterprise MFP M632fht	HP LaserJet Enterprise Flow MFP M632z
Product number	J8J70A	J8J71A	J8J72A
Output capacity	Standard: Up to 500 sheets Envelopes: Up to 75 envelopes Transparencies: Up to 200 sheets Maximum: Up to 500 sheets		Standard: Up to 1,000 sheets Envelopes: Up to 75 envelopes Transparencies: Up to 200 sheets Maximum: Up to 1,000 sheets
Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.11 El Capitan, OS X 10.10 Yosemite, UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)		
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003 R2, Citrix on Windows Server 2008/2008 R2/2008 R2 SP1, Citrix on Windows Server 2012/2012 R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 R2 Terminal Services 32/64-bit, Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenApp 7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 6.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 6.4-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 SP1 Terminal Services, 6.4-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 SP1 Terminal Services, 6.4-bit), Novell NetWare 6.5/SP8 Novell Cleints Services, 32/64-bit, Citrix XenDesktop 5.6 (for Windows Server 2008 R2 SP1 Terminal Services, 6.4-bit), Novell NetWare 6.5/SP8 Novell Cleints Services, Mindows Server 2003/2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise Server 2008 R2 For Linux, Novell Services, Windows Server 2003/2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2006 R2 64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2006 R2 64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2006 R2 64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2006 R2 64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2006 R2 64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2006 R2 64-bit (SP1/SP2) Sta		
Minimum system requirements	Windows: 2GB available hard disk space; OS hardware requirements see http://www.microsoft.com; Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see http://www.Apple.com for more info		
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to http://www.123.HP.com or OS App Source for printer software), online user manuals		
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key, and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs		
Printer management	HP JetAdvantage Security Manager; HP SNMP Proxy A Universal Print Driver	Agent; HP Web JetAdmin Software; HP WS Pro Proxy Ag	ent; Printer Administrator Resource Kit for HP
Dimensions and weight			
Printer dimensions (W x D x H)	Minimum 512 x 558 x 640 mm; Maximum: 1030 x 808 x 865 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open);	Minimum 665 x 600 x 1094 mm; Maximum: 1030 x 890 x 1356 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open);	Minimum 661 x 658 x 1234 mm; Maximum: 1030 x 890 x 1500 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open);
Package dimensions (W x D x H)	700 x 639 x 785 mm	856 x 760 x 1510 mm	856 x 760 x 1660 mm
Printer weight	33.2 kg	52.5 kg	64.3 kg
Package weight	38 kg	81.9 kg	86.6 kg
Operating environment	Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH	-	-
Storage conditions	Temperature: -20 to 40°C; Humidity: 10 to 90% RH		
Acoustics	emissions: 56 dB(A)	Acoustic power emissions: 7.0 Bel; Acoustic pressure emissions: 54 dB(A)	emissions: 54 dB(A)
Power ⁶	Requirements: Input voltage: 220V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A; Consumption: 740 watts (printing/copying), 29.0 watts (ready), 3.3 watts (sleep), <0.1 watts (Auto Off/Manual On), <0.1 watts (Manual Off); Typical Electricity Consumption (TEC): ES: 2.849 kWh/week; BA: 2.626 kWh/week; Power supply type: Built in 220V Power Supply;		
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy		
Certifications	CISPR 22:2008/EN 55022:2010 (Class A), EN 61000-3-2:2006 +A1:2009 + A2:2009; EN 61000-3-3:2008; EN 55024:2010; EMC Directive 2004/108/EC with CE Marking (Europe); Other EMC approvals as required by individual countries ENERGY STAR® qualified; CECP; EPEAT® Silver		CISPR 22:2008/EN 55022:2010 (Class A), EN 61000 3-2:2006 +A1:2009 + A2:2009; EN 61000-3- 3:2008; EN 55024:2010; EMC Directive 2004/108/EC with CE Marking (Europe); Other EMC approvals as required by individual countries ENERGY STAR® qualified; CECP; EPEAT® Silver; EPEAT® Gold (Options AAZ; 201)
Blue Angel compliant	Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies		
Country of origin	Made in Mexico; Made in China		
What's in the box ⁸	HP Laser Jet Enterprise MFP M632h Printer; HP Black Original Laser Jet Toner Cartridge (11.000 pages); CD with software drivers and documentation; Documentation (hardware install guide); Power cord	HP LaserJet Enterprise MFP M632fht Printer; HP Black Original LaserJet Toner Cartridge (11,000 pages); CD with software drivers and documentation; Documentation (hardware install guide); Power cord	HP Laser Jet Enterprise Flow MFP M632z Printer; HP Black Original Laser Jet Toner Cartridge (11,000 pages); CD with software drivers and documentation; Documentation (hardware install guide); Power cord
Warranty	One-year, next-business day, onsite warranty. Warran	ity and support options vary by product, country and lo winning service and support options in your region.	cal legal requirements. Go to

Footnotes

- 1 Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims.
- ² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin.
- ³ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
- ⁴ Based on HP testing using the ENERGY STAR® programme's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Ljclaims.
- ⁵ More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see http://www.hp.com/qo/learnaboutsupplies.
- ⁶ HP 37X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Measured using ISO/IEC 17629, For more information see http://www.hp.com/go/printerclaims, Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 3 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁴ Scan software not included in box. HP Scan and TWAIN driver available for download at http://www.hp.com/support.
- ⁵ Based on standard ITU-T test image at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17.
- ⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 v device.
- Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 v device.
- ⁸ Cartridges included; Yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.















http://www.hp.com/uk

The product could differ from the images shown. © Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4AA6-9703, November 2019

