HP DesignJet Z9+ PostScript Printer series



Professional photo prints, fast and simple. More quality with fewer inks.



AMAZING—Deliver high quality with confidence

- Impress the most demanding customers with smooth transitions and sharp details thanks to HP Pixel Control.
- No need for light inks using new high-definition HP printheads with dual drop technology.
- Achieve expanded gamut with RGB HP Vivid Photo Inks and the embedded spectrophotometer.¹
- Get superior gloss uniformity by upgrading your printer to include HP Gloss Enhancer.²

FAST—Work without delays

- Cut post-processing labor time up to 20% with the first printer to include an integrated vertical trimmer.3
- Print up to 2.5 times faster⁴ without losing quality, with 2400 nozzle-per-inch highdefinition printheads.
- Spend less time on media changes and adjustments with dual roll support and automatic roll switching.³

SIMPLE—New tools for you and your customers

- Easily design applications from posters to banners and canvas with the HP Applications Center.⁵
- No disruption to your workflow, keep using your current RIPs, validated with HP RIP certification program.6
- Get remote visibility and control to better manage your print production environment with HP PrintOS
- Enjoy one-click printing that also helps reduce media waste using HP Click printing software.⁷

For more information, please visit http://www.hp.com/go/designjetZ9

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

¹ Embedded in the HP DesignJet Z9+ Printer series is an i1 spectrophotometer from X-Rite. Close collaboration between HP and X-Rite ensures a reliable solution that's been thoroughly tested to meet customer demands for ease, guality, and dependability

² Based on internal HP testing, comparing to HP DesignJet Z9+ series printers without gloss enhancer. HP Gloss Enhancer can be used on photo paper, with the exception of matte-finish papers. Optional upgrade available second half 2018.

- Vertical trimer and dual rolls included with the HP DesignJet Z9+dr 44-in PostScript® Printer with V-Trimmer only. Up to 20% reduction in post-processing labor time based on internal HP testing compared to HP ⁴ Based on internal HP testing. Up to 2.5 times faster printing compared to the HP DesignJet Z3200 Photo Printer series. May vary depending on print mode and media type
- ⁵ Requires an HP Applications Center account, Internet connection, and connected Internet-capable device. For more information, see http://www.hpapplicationscenter. ⁶ For a list of HP certified RIPs, visit: http://www8.hp.com/us/en/large-format-printers/designjet-printers/zseries-rips.html
- ⁷ Once image is selected, one-click printing when printing the entire file without any modifications to the print settings. Applicable to PDF, JPEG, TIFF, and HP-GL/2 files.

Technical specifications

Print speed	24-in:
Find speed	Fast: 55.7 m²/hr on plain media Normal: 13.4 m²/hr on coated media Best: 3.5 m²/hr on glossy media
	Normal: 17.2 m²/hr on coated media Best: 4.5 m²/hr on glossy media ¹
	Print resolution
Technology	HP Thermal Inkjet
Margins	Roll: $5 \times 5 \times 5 \times 5$ mm (borderless on selected media ³ , or on all media with V-Trimmer ⁴)
lels to see	Sheet: 5 x 17 x 5 x 5 mm
Ink types Ink drop	Pigment-based 7/3 pl dual-drop weight (M, C, PK, CB, G); 6 pl single-drop weight (Y, CR, MK, CG)
Printheads	 7/3 pi dual-drop weight (M, C, PK, CB, G) & pi single-drop weight (Y, CR, MK, CG) 5 universal printheads (valid for all colors)
Printhead nozzles	2112 per color; 21,120 in total
	±0.1% ⁵
Minimum line width	0.02 mm (PDF addressable @ 1200 dpi)
Color accuracy	Median < 1.6 dE2000, 95% of colors < 2.8 dE2000 ⁷
Short-term color stability	< 1 dE2000 in less than 5 minutes ⁸
Long-term print-to-print	Average < 0.5 dE2000, 95% of colors < 1.4 dE2000 ⁸
repeatability	
Max optical density	4 L* min/2.5 D ⁸
Media	
Handling	Single-roll: Roll feed, rear sheet feed, media output bin, automatic horizontal cutter Dual-roll: Two automatic roll feeds, smart roll-switching, top sheet feed, media output bin, automatic horizontal cutter and vertical trimmer (cuts all HP Z-series printer-qualified media, including most canvas)
Roll size	24-in: 279 to 610-mm 44-in: 279 to 1118-mm
Sheet size	24-in: 210 x 279 to 610 x 1676 mm 44-in: 210 x 279 to 1118 x 1676 mm
Standard sheets	24-in: A4, A3, A2, A1 44-in: A4, A3, A2, A1, A0
Grammage	80 to 500 g/m ²
Thickness	Up to 0.8 mm
Applications	Digital fine art; Exhibition and event graphics; Graphics design; Photos; Point of sale/display; Posters
Memory	128 GB (virtual) ⁹
Hard disk Connectivity	500 GB self-encrypting
Interfaces	Gigabit Ethernet (1000Base–T) (802.3, 802.3u, 802.3ab); Hi-Speed USB 2.0 certified interface for direct printing from USB flash drive
Native print languages	Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG, CALS G4, HP-GL/2, HP-RTL
Printing paths	Apple AirPrint, direct printing from USB flash drive, email printing, HP Click, HP driver for macOS, HP driver for Windows, HP driver for Linux, printing support for Chrome OS, HP Print Service Plugin for Android, HP Smart app for iOS and Android, HP SmartStream
Drivers	Raster and PostScript drivers for Windows and macOS PDF driver for Windows 8 and above
Security features	HP Secure Boot, Whitelisting, Role Based Access Control, SNMPv3, HTTPS, Secure-IPP, IPsec/Firewall, Certificates management, 802.1X, TLS 1.0/1.1/1.2, HP Web Jetadmin compatible, HP JetAdvantage Security Manager compatible, Secure Disk erase (Dob S20.2Z-M), Secure Tile rease, self-encrypted HDD, PIN printing
Dimensions (W x D x H)	
Printer	24-in: 1293 x 695 x 998 mm
	44-in: 1802 x 695 x 998 mm
Shipping	24-in: 1440 x 766 x 718 mm 44-in: 1950 x 766 x 718 mm
Weight	
Printer	72-98 kg
Shipping	102-137 kg
What's in the box	HP DesignJet Z9+ PostScript Printer, printheads, introductory ink cartridges, printer stand and media bin, spindle, 3-in core adapter ¹⁰ , quick reference guide, setup poster, power cord
HP Software and solutions	HP Click printing software, HP PrintOS, HP Web Jetadmin, HP DesignJet Utility including HP Color Center, HP Partner Link, HP JetAdvantage Security Manager (optional), HP SmartStream (optional), HP SmartTracker (optional)
Environmental ranges	
Operating temperature	5 to 40°C
Operating humidity	20 to 80% RH
Storage temperature	-25 to 55°C
Acoustics	
Sound pressure	42-45 dB(A) (operating), 33 dB(A) (idle), <16 dB(A) (sleep)
Sound power	6.0-6.3 B(A) (operating), 5.1 B(A) (idle), <3.4 B(A) (sleep)
Power	
Consumption	<100 W (printing); <32 W (ready); <6.5 W (sleep); 0.1 W (off)
Requirements	Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 2 A max

Certification	
Safety	USA and Canada (CSA certified); EU (LVD and EN 60950-1 compliant); Russia, Belarus, Khazakstan (EAC); Singapore (PSB); China (CCC); Argentina (IRAM); India (BIS)
Electromagnetic	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Korea (KCC), South Africa (SABS)
Environmental	ENERGY STAR; ErP; WEEE; RoHS (EU, China, Korea, India); REACH; EPEAT
Warranty	One-year limited hardware warranty

Ordering information

Product

HP Designlet 29-24-In PostScript Printer HP Designlet 29-44-In PostScript Printer HP Designlet 29-44-In PostScript Printer HP Designlet 29-44-In PostScript Printer HP Designlet 29-464-In PostScript Printer with V-Trimmer HP Designlet 29-464-In PostScript Printer with V-Trimmer HP Designlet 29-464-In PostScript Printer with V-Trimmer
HP DesignJet 44-in Take-up Reel HP Gloss Enhancer Upgrade Kit HP HD Pro 2 42-in Scanner HP SD Pro 2 44-in Scanner HP DesignLet 3-in Core Adapter HP DesignLet 2-din Spindle HP DesignLet 7-din Spindle HP PrintOS Solutions HP PrintOS Solution HP DesignJet 44-in Spindle
supplies
HP 7468 300-ml Photo Black DesignJet Ink Cartridge HP 7468 300-ml Kyan DesignJet Ink Cartridge HP 7468 300-ml Nagenta DesignJet Ink Cartridge HP 746B 300-ml Yellow DesignJet Ink Cartridge HP 746 DesignJet Printhead HP 746 300-ml Chromatic Ked DesignJet Ink Cartridge HP 743 300-ml Chromatic Ked DesignJet Ink Cartridge HP 743 300-ml Chromatic Gue DesignJet Ink Cartridge HP 747 300-ml Chromatic Gue DesignJet Ink Cartridge HP 747 300-ml Chromatic Gue DesignJet Ink Cartridge HP 747 300-ml Gioss Chinarcer DesignJet Ink Cartridge HP 747 300-ml Gioss Chinarcer DesignJet Ink Cartridge
and printheads, and HP large format printing materials, to experience consistent able performance that enable less downtime. These critical components are ered together as an optimized printing system, and Original HP inks are designed of HP printheads. Protect your HP printer investment by using Original HP inks for tection. For more information, visit hp.com/go/OriginalHPinks. mat printhe materials

06581A HP Universal Instant-dry Satin Photo Paper (FSC® certified)¹¹ (Recyclable)¹² 1067 mm x 30.5 m (42 in x 100 ft) (42 in x 100 ft) C5569C HP Heavyweight Coated Paper (FSC® certified)¹¹ (Recyclable)¹² 1067 mm x 30.5 m (42 in x 100 ft) (H025A HP Everyday Matte Polypropylene, 2 Pack (Recyclable)¹² 1067 mm x 30.5 m (42 in x 100 ft) (C6460B HP Premium Matte Photo Paper (FSC® certified)¹¹ (Recyclable)¹² 1047 mm x 30.5 m (36 in x 100 ft)

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

Service and Support

UTVBSET PLP Installation Service Moderate Level U92C1E HP 3 year Next Business Day with Defective Media Retention Support for HP DesignJet 29 24in U92CFE HP 3 year Next Business Day with Defective Media Retention Support for HP DesignJet 29 44in U92F7E HP 3 year Next Business Day with Defective Media Retention Support for HP DesignJet 29 24r 44in U92F7E HP 5 year Next Business Day with Defective Media Retention Support for HP DesignJet 29 24r 44in DesignJet Defective Media Retention Support for HP DesignJet 29 24r

44in U9ZC3E HP 5 year Next Business Day with Defective Media Retention Support for HP DesignJet Z9 24in U9ZA8E HP 5 year Next Business Day with Defective Media Retention Support for HP DesignJet Z9 44in U9ZF9E HP 5 year Next Business Day with Defective Media Retention Support for HP DesignJet Z9dr 44in

44in USCAPE HP 1 year Post Warranty, Next Business Day with Defective Media Retention Support for HP Designet 29 24in USCAPE HP 1 year Post Warranty, Next Business Day with Defective Media Retention Support for HP Designet 29 44in USCAPE HP 1 year Post Warranty, Next Business Day with Defective Media Retention Support for HP Designet 29 44in USCAPE HP 1 year Post Warranty, Next Business Day with Defective Media Retention Support for HP Designet 29 44in

HP Support Services offer installation and extended support services (e.g. 2, 3, 4, and 5 years). For more information, please visit http://www.hp.com/go/cpc

ECO highlights

ENERGY STAR® certified¹, EPEAT® registered as environmentally preferable product² Breakthrough color consistency can help reduce unnecessary reprints Printer made from 30% post-consumer recycled plastic; free HP printing supplies recycling³ FSC®-certified papers⁴, range of recyclable HP media with a take-back program⁵

Please recycle large-format printing hardware and printing supplies. Find out how at our website: http://www.hp.com/ecosolutions

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental

¹ ENERGY STAR and the ENERGY STAR mark are registered in due marks usine up one of a construction Protection Agency. ² EPEAT* registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. ³ Program availability varies. Please check http://www.bp.com/recycle for details. ⁴ MbK trademark license code FSC**C11531 see http://www.fsc.org. Hb trademark license code FSC**C017543. see http://www.fsc.org. Not all FSC**Certified products are available in all regions. ⁵ Hb Large Format Media take back program availability varies. Some recycluble HP pagers can be recycled through commonly available recycling programs. Recycling programs may not exist in your area. See http://www.HPLFMedia.com/hp/ecosolutions for details.

¹ Maximum rate of output for color image 100% color coverage. Printed on maximum roll size, with Original HP Vivid Photo Inks.
² Mechanical printing time with Original HP Vivid Photo Inks. Measured on a 44-in printer.
³ Borderless printing available on photo gloss, photo satin, polypropylene, and backlit roll media.
⁴ Except self-adhesive vinyls and non-cuttable medias.
54.10% of the specified vector length or +12.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E HP Matte Film in Best or Normal mode with HP Vivid Photo Inks.
⁶ Measured on HP Matte Film.
⁷ IC absolute colorimetric accuracy on HP Premium Instant-dry Satin Photo Paper with HP Vivid Photo Inks.

⁷ ICC absolute colorimetric accuracy on HP Premium Instant-dry Satin Photo Paper with HP Vivid Photo Inks.
⁸ With HP Premium Instant-dry Satin Photo Paper with HP Vivid Photo Inks.
⁹ Based on 4 GB RAM.
¹⁰ Not included in the box for 24-in models.
¹¹ MG trademark license code FSC[®]-C115319, see http://www.fsc.org. HP trademark license code FSC[®]-C017543, see http://www.fsc.org. Not all FSC[®] certified products are available in all regions.
¹² Recyclable HP papers can be recycled through commonly available recycling programs, or according to region-specific practices, or can be returned through the HP Large Format Media take-back program. Recycling programs may not exist in your area. See http://www.HPLFMedia.com/hplecosolutions for details.













© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ph-en March 2023

