HP Smart Tank 516 Wireless All-in-One







•

•

This high-capacity ink tank printer delivers uncompromising quality and up to 3 years of ink included in the box.² Get faster connections with dual-band Wi-Fi,³ and easy mobile printing with HP Smart app.⁴

Highlights

- CISS Technology cartridge-free printer with innovative design
- Print, copy, scan, wireless
- Several years of print in the box (up to 18 000 black or 8 000 colour pages)
- Clean, easy self-refill
- User-replaceable print heads





Innovative cartridge-free ink printer – for high-volume, low-cost printing

- Up to 18,000 black pages or up to 8,000 colour pages already in the box.⁵
 - Easily monitor and maintain ink levels with an integrated tank design and an automatic ink sensor.
- Fast self-refill with spill-free, resealable bottles of high capacity.⁶
- Easily replaceable print heads.

Faster connections, easy productivity – wherever you are

- Freedom to work from virtually anywhere with HP Smart best in-class mobile printing app.²
- Optimise repetitive tasks with customisable shortcuts using Smart Tasks feature.²
- Get faster, more reliable connections with dual band Wi-Fi[®].⁴
 - Get up to 38% faster speeds compared to HP Ink Tank.⁶
- Up to 3 years free warranty.

CISS technology delivers best in-class print quality

- Get thousands of high quality printouts right from the box at home and in office.
- Count on dark, crisp text, and get vibrant colour graphics for all your prints.
- Print fade-resistant photos that last.⁷
- Create borderless brochures, flyers, photos, and other documents that look great.

Technical specifications

Functions	Print, scan, copy, wireless	Input capacity	Standard: Up to 100 sheets
Print technology	HP Thermal Inkjet		Envelopes: Up to 10 envelopes Labels: Up to 10 sheets
Print speed ⁵ , ⁸	Black (A4, ISO): Up to 11 ppm; Colour (A4, ISO): Up to 5 ppm; Draft black (A4): Up to 22 ppm; Draft colour (A4): Up to 16 ppm: Draft black (A4 Memo): Up to 30 ppm; Draft	Output capacity	Cards: Up to 30 cards
_	colour (A4 Memo): Up to 24 ppm		Envelopes: Up to 10 envelopes Labels: Up to 10 sheets
First page out ⁷	Black (A4, ready): As fast as 14 sec; Colour (A4, ready): As fast as 21 sec		Cards: Up to 30 cards
Print resolution	Black (best): Up to 1200 × 1200 rendered dpi; Colour (best): Up to 4800 × 1200 optimised dpi colour (when printing from a computer and 1200 input dpi)	Compatible operating systems	Windows 11; Windows 10; Wind Capitan; macOS 10.12 Sierra; ma
Monthly duty cycle	Up to 1000 pages A4; Recommended monthly page volume: 200 to 800		13 Ventura; macOS 14 Sonoma
Standard print languages	HP PCL 3 GUI	Minimum system requirements	Windows: Windows 10, 8.1, 8, 7: connection, USB port, Internet E
Print area	Print margins: Top: 3 mm, Bottom: 3 mm, Left: 3 mm, Right: 3 mm; Maximum print area: 216 x 355 mm	Software included	Mac: OS X v10.11 El Capitan and Available from http://www.supp
Borderless printing	Yes (up to 8.5 x 11 in, 210 x 297 mm)		Minimum: 447 x 373 x 158 mm;
Number of supplies	4 (1 each black bottle, set of 3 color bottles)		Maximum: 449 x 605.65 x 258.7
Memory card compatibility	No	Package dimensions (W x D x H)	495 x 198 x 480 mm
Duplex printing	Manual (driver support provided)	Printer weight	5.14 kg
Copy speed ⁴	Black (A4, ISO): Up to 10 cpm; Colour (A4, ISO): Up to 2 cpm	Package weight	7.25 kg
Copier specifications	Copier settings: Number of Copies, Resize, Quality, Lighter/Darker, Papersize, Papertype, ID Copy, Enhancement; Maximum number of copies: Up to 99 copies; Copy	Operating environment	Temperature: 5 to 40°C Humidity: 20 to 80% RH
	resolution: Up to 600 dpi; Reduce/Enlarge: Via HP Smart app		Temperature: -40 to 60°C
Scan file format	JPEG, TIFF, PDF, BMP, PNG		Humidity: 5 to 90% RH (non-con
Scanner specifications	Scanner type: Flatbed only; Scan input modes: Front Panel Scan; Copy; HP Software; EWS; Twain version: Version 2.1; Scan size maximum (flatbed); 216 x 297 mm; Optical scan resolution: Ut o 1200 dbi		
Scannable area	Maximum media size (flatbed): 216 x 297 mm		Consumption: 0.12 watts (manu Typical Electricity Consumption (Power supply type: Internal built
Bit depth/ Grey scale levels	24-bit / 256		
Digital sending	Standard: Everyday scan (scan to PDF); HP Smart Tasks	Certifications	CISPR 32:2015/EN 55032:2015
Fax	Not Supported		2:2014; EN 61000-3-3:2013; EN
Processor speed	800 MHz	Sustainable impact specifications	No
Connectivity	Standard: Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE	Country of origin	Made in China
Wireless	Yes, built-in dual band Wi-Fi 802.11b/g/n, Wireless direct, BLE	Control panel	4 LEDs and 7 buttons (Cancel, Re with one ICON LCD for display
Mobile printing capability ³	Apple AirPrint; Mopria Print Service; HP Smart app; Google Cloud Print™; Wi-Fi Direct	Ink Bottle; HP GT52 Cyan C GT52 Yellow Original Ink B Reference guide; Regulato	3YW70A: HP Smart Tank 516 Wi Ink Bottle; HP GT52 Cyan Origina GT52 Yellow Original Ink Bottle; I
Mobile printing capability	Apple AirPrint; Mopria Print Service; HP Smart app; Google Cloud Print…, Wi-Fi Direct Printing		
Network capabilities	Yes (via Wi-Fi)		Reference guide; Regulatory flye more information about fill and
Memory	Standard: 256 MB; Integrated memory	Supplies, After market or Supplies,	1VV21AE HP GT53XL 135-ml Bl
Number of paper trays	Standard: 1	replacement MOH54AE HP GT52 Cyan 0 MOH55AE HP GT52 Magen MOH55AE HP GT52 Yellow GZA17AE HP GZA17AE Bla	MOH54AE HP GT52 Cyan Origina
Media types	Plain paper, Matte Brochure Papers, Glossy Brochure Papers, Photo papers, Envelopes, other specialty inkjet papers		MOHSSAE HP GTS2 Magenta OH MOHSGAE HP GTS2 Yellow Origin 6ZA17AE HP 6ZA17AE Black Prin 6ZA18AE HP 6ZA18AE Tri-color
Media size	Custom (metric): 76.2 x 127 to 215.9 x 355.6 mm Supported (metric): A4; B5; A6; DL envelope	Service and Support UC3C1E HP 3 year Standard UASC0E HP 3 year Next Bus UASC2E HP 3 year Return to (UC3C1E: available in All EM	UC3C1E HP 3 year Standard Excl
Media weight, supported	Plain paper: 60 to 90 g/m²; Envelopes: 75 to 90 g/m²; Cards: up to 200 g/m²; Photo paper: up to 300 g/m²		UA5C2E HP 3 year Return to Dep (UC3C1E: available in All EMEA co UA5C0E: available in Austria, Bel

	Ervelopes: Up to 10 envelopes Labels: Up to 10 sheets Cards: Up to 30 cards	
Output capacity	Standard: Up to 30 sheets Envelopes: Up to 10 envelopes Labels: Up to 10 sheets Cards: Up to 30 cards	
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 13 Ventura; macOS 14 Sonoma	
Minimum system requirements	Windows: Windows 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Mac: OS X v10.11 El Capitan and above, Internet Access	
Software included	Available from http://www.support.hp.com/drivers	
Printer dimensions (W x D x H) ¹	Minimum: 447 x 373 x 158 mm; Maximum: 449 x 605.65 x 258.7 mm	
Package dimensions (W x D x H)	495 x 198 x 480 mm	
Printer weight	5.14 kg	
Package weight	7.25 kg	
Operating environment	Temperature: 5 to 40°C Humidity: 20 to 80% RH	
Storage conditions	Temperature: -40 to 60°C Humidity: 5 to 90% RH (non-condensing)	
Acoustics	Acoustic power emissions: 6.5 B(A) Acoustic pressure emission: 51 dB	
Power ²	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 0.12 watts (manual-off), 3.12 watts (ready), 0.75 watt (sleep); Typical Textichity Consumption (TEC): 0.13 kWh/Week; Power supply type: Internal built in	
Certifications	CISPR 32:2015/EN 55032:2015 Class B; CISPR24:2010/EN 55024:2010; EN 61000-3- 2:2014; EN 61000-3-3:2013; EN 301 489-1 V2.1.1:2017; EAC (Russia)	
Sustainable impact specifications	No	
Country of origin	Made in China	
Control panel	4 LEDs and 7 buttons (Cancel, Resume, Colour-Copy, Black-Copy, Wi-Fi, Info, Power), with one ICON LCD for display	
What's in the box	3YW70A: HP Smart Tank 516 Wireless All-in-One; 3 x HP GT53XL 135-ml Black Origina Ink Bottle; HP GT52 (yan Original Ink Bottle; HP GT52 Magenta Original Ink Bottle; HP GT52 Yellow Original Ink Bottle; Ink caution flyer; Repacking flyer; Setup guide; Reference guide; Regulatory flyer; PT flyer; Rol+EAC Regulatory flyer; Power cord; For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies	
Supplies, After market or Supplies, replacement	1VV21AE HP GT53XL 135-ml Black Original Ink Bottle (~6,000 pages) MOH54AE HP GT52 (yan Original Ink Bottle (~8,000 pages) MOH55AE HP GT52 Magenta Original Ink Bottle (~8,000 pages) MOH56AE HP GT52 Yellow Original Ink Bottle (~8,000 pages) GZA17AE HP GZA17AE Black Printhead () GZA18AE HP GZA18AE Tri-color Printhead ()	
Service and Support	UC3C1E HP 3 year Standard Exchange for Smart Tank 510 Service UASC0E HP 3 year Next Business Day Exchange for Smart Tank 510 Service UASC2E HP 3 year Return to Depot for Smart Tank 510 Service (UC3C1E: available in All EMEA countries Except ME, Africa, South Africa, Israel, Turkey, UASC0E: available in Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech Republic, Greece, Hungary, Poland, Slovakia, UASC2E: available in Russia, ME, Africa, South Africa, Israel, Turkey)	
Warranty	One year standard or 30,000 pages limited warranty and get up to 3 years extended warranty upon registration at http://www.hp.com/go/SmartTank3yearswarranty. User replaceable parts have separate warranty periods.	

Messaging Footnotes

¹ HP's best in-class plain paper and photo print quality using OEM inks compared to majority of HP OEM CISS ink tank platforms <€449.99. Test results should be similar for same platform with different model numbers using the same 0EM ink formula. HP Smart Tank printers are also branded as HP Smart Tank Plus in some regions. Detail in May 2019 hands-on lab report by Keypoint Intelligence - Buyers Lab using 0EM inks. ² Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/qo/mobileprinting.

³ Based up on 200 pages per month usage. Actual yield varies considerably based on content of printed pages and other factors. Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Some ink from included bottles is used to start up the printer. For details see http://www.hp.com/go/learnaboutsupplies.

⁴ Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at http://www.hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps).

⁵ Compared to OEM mobile printing apps for the majority of HP inkjet & laser printers & all-in-ones for home & home office, priced less than or equal to €429.99. Claim based on research of printer manufacturer's mobile print apps and Keypoint Intelligence - Buyers Lab hands-on testing and study commissioned by HP.

⁶ Black and composite colour average per bottle (cyan/magenta/yellow). Three GT53XL black bottles included in the box print up to 6,000 test pages each. Results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. An additional black ink bottle may be required to print 8,000 colour test pages. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see: http://www.hp.com/go/learnaboutsupplies. ⁷ For more information, see http://www.hp.com/go/printpermanence.

⁸ Compared to OEM mobile printing apps for the majority of top-selling inkjet & laser printers & all-in-ones for home & home office, priced less than or equal to €429.99. Market share as reported by IDC CYQ2 2018 Hardcopy Peripherals Tracker. Claim based on research of printer manufacturer's mobile print apps and Keypoint Intelligence - Buyers Lab hands-on testing and study commissioned by HP. See September 2018 report at www.keypointintelligence.com/HPSmartApp.

Technical Specifications Footnotes

¹ Dimensions vary as per configuration.

² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

³ Wireless performance is dependent upon physical environment and distance from the access point. Wireless operations are compatible with 2.4 GHz routers only; Excludes wireless direct. Wireless direct may require driver or apps be installed and connected on wireless-enabled mobile device or PC. Wireless functionality may vary by computer and mobile operating systems, see http://www.hpconnected.com. Print times and connection speeds may vary. AirPrint[™] supports macOS Mojave, iOS 4.2 or later and requires the printer be connected to the same network as your macOS or iOS device. AirPrint, the AirPrint Logo and macOS are trademarks of Apple Inc. Windows is a trademark of the Microsoft group of companies.

⁴ Speed specifications have been updated to reflect current industry testing methods.

⁵ ISO speeds measured using ISO/IEC 24734, ISO/IEC 17629 or ISO/IEC 29183. In simplex mode. Excludes first page or first set of ISO test pages for PPM measurements. For details see:

http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁶ Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see

http://www.hp.com/go/learnaboutsupplies ⁷ For details see: http://www.hp.com/go/printerclaims.

⁸ Based on HP internal A4 Memo draft document methodology. For details see https://h20195.www2.hp.com/v2/GetDocument.aspx?docname=4AA8-4168ENW



http://www.hp.com/uk

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

