# SAFETY DATA SHEET according to Regulation (EC) No. 2020/878 as amended

**SDS # :** A-1005

# Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22

Revision Date 2024-07-23

Version 6

Page 1/9

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

 Product Name
 Toner for Phaser 6125, Phaser 6128 MFP, Phaser 6130, Phaser 6140, Phaser 6500, WorkCentre 6505

 Part no.
 106R01278, 106R01279, 106R01280, 106R01281, 106R01282, 106R01283, 106R01284, 106R01285, 106R01286, 106R01331, 106R01332, 106R01333, 106R01334, 106R01335, 106R01336, 106R01337, 106R01338, 106R01452, 106R01453, 106R01455, 106R01456, 106R01457, 106R01458, 106R01459, 106R01477, 106R01478, 106R01479, 106R01480, 106R01481, 106R01482, 106R01483, 106R01484, 106R01592, 106R01593, 106R01594, 106R01595, 106R01596, 106R01597, 106R01598, 106R01599, 106R01600, 106R01601, 106R01602, 106R01603, 106R01604, 093K01534, 093K01535, 093K01536, 093K01537, 093K01620, 093K01621, 093K01623, 093K01624

Colour

Black, Cyan, Magenta, Yellow

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** 

Xerographic printing

1.3 Details of the supplier of the safety data sheet

Supplier Xerox Ltd. Building 4 Uxbridge Business Park Sanderson Road Uxbridge Middlesex. UB8 1DH UK

For further information, please contact		
Contact person	Manager, Environment, Health, Safety	
-	& Sustainability	
Phone	++44 (0)1707 353434	
E-mail address	ehs-europe@xerox.com	
	·	

## For the most current document https://safetysheets.business.xerox.com

1.4 Emergency telephone number

Not applicable

# SECTION 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

Page 2/9

Version 6

SDS #: A-1005

# Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22

Revision Date 2024-07-23

#### 2.2 Label elements

None

## 2.3 Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Polymer	70-80	292629-36-8	Not listed			
Paraffin wax	1-10	8002-74-2	232-315-6			
Carbon black	0-10	1333-86-4	215-609-9			01-2119384822-32-0065
Yellow pigment	0-10	6358-31-2	228-768-4			
Silica, amorphous	<10	7631-86-9	231-545-4			
Cyan Pigment	0-10	147-14-8	205-685-1			01-2119458771-32-0044
Magenta pigment	0-10	980-26-7	213-561-3			01-2119456804-33-0008
Titanium dioxide	<1	13463-67-7	236-675-5	Carc (Inhal) 2	H351	

# Full text of H- statements: see section 16

Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

# SECTION 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk

# 4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity	
Eyes	No known effect
Skin	No known effect
Inhalation	No known effect



Page 3/9

SDS #: A-1005

# Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22	<b>Revision Date</b> 2024-07-23	Version
Ingestion	No known effect	
Chronic effects		
Chronic toxicity	No known effects under normal use conditions	
Main symptoms	Overexposure may cause:	
	mild respiratory irritation similar to nuisance dust.	
4.3 Indication of immediate me	edical attention and special treatment needed	
Protection of first-aiders	No special protective equipment required	
Notes to physician	Treat symptomatically	

#### 5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire

#### 5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

#### Hazardous combustion products

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

#### 5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

#### Other information

Flammability	Not flammable		
Flash point	Not applicable		

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

#### 6.2 Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

#### 6.3 Methods and material for containment and cleaning up

Page 4/9

SDS #: A-1005

# Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22 Revision Date 2024-07-23		Version	
Methods for containment Methods for cleaning up	Prevent dust cloud Use a vacuum cleaner to remove excess, then wash with COLD water. the toner making it difficult to remove	Hot water fuses	

### 6.4 Reference to other sections

See section 12 for additional ecological information See Section 13 for additional information

#### SECTION 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

#### 7.3 Specific end uses

Xerographic printing

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Xerox Exposure Limit	2.5 mg/m <sup>3</sup> (total dust)
Xerox Exposure Limit	0.4 mg/m <sup>3</sup> (respirable dust)

8.2 Exposure controls

Engineering measures None under normal use conditions

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Personal protective equipment

Eye/face protection	No special protective equipment required
Hand protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Respiratory protection	No special protective equipment required
Thermal hazards	None under normal processing

#### Environmental Exposure Controls Environmental Exposure

Keep out of drains, sewers, ditches and waterways

Controls

Page 5/9

Version 6

**Xelox** 

# Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22

SDS #: A-1005

Revision Date 2024-07-23

#### 9.1 Information on basic physical and chemical properties

Appearance Physical state Colour	Powder Solid Black, Cyan, Magenta, Yellow	Odour Odour threshold pH	Faint Not applicable Not applicable
Flash point	Not applicable		
Melting / Freezing Point Boiling point/boiling rang Softening point	Not applicable Not applicable 49 - 60 °C /	120 - 140 °F	
Evaporation rate Flammability Flammability Limits in Air	Not applicable Not flammable Not applicable		
Vapour pressure Vapour density Specific gravity Water solubility Partition coefficient Autoignition temperature Decomposition temperatu Viscosity			
Explosive properties	source is a potential dust	r, in sufficient concentrations, and explosion hazard	d in the presence of an ignition
Oxidising properties	Not applicable		

9.2 Other information

None

# SECTION 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

#### 10.2 Chemical stability

Stable under normal conditions

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerisation	Hazardous polymerisation does not occur

## 10.4 Conditions to avoid

Page 6/9

Version 6

xerox

Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22

SDS #: A-1005

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Revision Date 2024-07-23

#### 10.5 Incompatible Materials

None

#### 10.6 Hazardous decomposition products

None under normal use

# SECTION 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

#### 11.1 Information on toxicological effects

Acute toxicity Product Information Irritation Oral LD50 Dermal LD50 LC50 Inhalation	No skin irritation, No eye irritation > 5 g/kg (rat) > 5 g/kg (rabbit) > 5 mg/L (rat, 4 hr)
Chronic toxicity Product Information Chronic effects Carcinogenicity Other information	No known effects under normal use conditions See "Other Information" in this section. The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xeroxhas performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively. The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO2 particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.
Other toxic effects Product Information	

Sensitisation **Mutagenic effects** 

No sensitisation responses were observed Not mutagenic in AMES Test



Page 7/9

SDS #: A-1005

# Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22	Revision Date 2024-07-23	Version	6
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards		
Target organ effects	None known		
Other adverse effects Aspiration Hazard	None known Not applicable		

#### 11.2 Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

# SECTION 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

### 12.2 Persistence and degradability

Not readily biodegradable

#### 12.3 Bioaccumulative potential

Bioaccumulation is unlikely

#### 12.4 Mobility in soil

Insoluble in water

#### 12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

#### 12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

#### 12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Waste Disposal Method	No special precautions are needed in handling this material
EWC Waste Disposal No.	08 03 18
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life



Page 8/9

**SDS # :** A-1005

# Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22

Revision Date 2024-07-23

Version 6

and should not be allowed to enter drains, sewers, or waterways.

# SECTION 14. TRANSPORT INFORMATION

#### 14.1 UN/ID No

Not regulated

#### 14.2 Proper shipping name

Not regulated

#### 14.3 Transport hazard class(es)

Not classified

#### 14.4 Packing Group

Not applicable

#### 14.5 Environmental hazards

Presents little or no hazard to the environment

#### 14.6 Special precautions for users

No special precautions are needed in handling this material

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable

#### SECTION 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

#### 15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

### SECTION 16. OTHER INFORMATION

Issuing Date2007-08-22Revision Date2024-07-23Revision Note(M)SDS sections updated, 3Full text of H-Statements referred to under sections 2 and 3H351 - Suspected of causing cancer if inhaled



Page 9/9

SDS #: A-1005

# Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22

Revision Date 2024-07-23

Version 6

This safety data sheet complies with the requirements of Regulation (EC) No. 2020/878 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.