

Specifications



Eaton T982A1-3473

Eaton Basic ePDU, 1U - T982A1-3473

General specifications

PRODUCT NAME	Eaton basic PDU
CATALOG NUMBER	T982A1-3473
UPC	786685346526
PRODUCT LENGTH/DEPTH	19 in
PRODUCT HEIGHT	1.7 in
PRODUCT WIDTH	7 in
PRODUCT WEIGHT	0.0001 lb
WARRANTY	3 year
COMPLIANCES	TAA Compliant
CERTIFICATIONS	UL Listed
GLOBAL CATALOG	T982A1-3473
PRODUCT TYPE	Basic PDU

Product specifications

FORM FACTOR	1U
OUTLET CONTROL	No
FREQUENCY RATING	50-60 Hz

Resources

	Eaton maintenance bypass application note
APPLICATION NOTES	WUSD: Straight A's for K-12 virtualized environment Application guide: Small data center power protection solutions
BROCHURES	Eaton ePDU G3 brochure Eaton ePDUs for office environments Eaton ePDU G3 one-page overview Eaton Flex and Hotswap MBP ePDU brochure
CASE STUDIES	Shawnigan Lake School: Boarding school protected by Eaton LACCD: Eaton solution proves knowledge is power for college district
CERTIFICATION REPORTS	Eaton RoHS declaration of conformity: ePDU G3
DRAWINGS	T982A1-3473
INSTALLATION INSTRUCTIONS	Eaton ePDU G3 troubleshooting guide
MANUALS AND USER GUIDES	Eaton ePDU G3 replace and configure eNMC module Eaton ePDU G3 installation and connectivity quick start Eaton ePDU G3 1U and 2U installation addendum
SPECIFICATIONS AND DATASHEETS	Product Data Sheet - T982A1-3473
WHITE PAPERS	Quick guide to power distribution Optimizing rack power distribution

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

