



**ThinkCentre** M75s-1

# **Setup Guide**

**Lenovo**



# Initial Setup



\* For selected models

# Overview

---



- \* 1. Optical drive eject button
- \* 2. Optical drive activity indicator
- 3. Power button
- 4. Power indicator
- \* 5. SD-card reader slot
- 6. Microphone connector
- 7. Headphone connector
- 8. USB 3.1 connectors Gen 2 (2)
- 9. USB 3.1 connectors Gen 1 (2)
- 10. ThinkCentre® LED
- \* 11. Internal speaker
- 12. Audio line-in connector
- 13. Audio line-out connector
- 14. Microphone connector

\* For selected models

**i** Read the statement on USB transfer rate in the *User Guide*. Refer to the *Safety and Warranty Guide* for accessing the *User Guide*.

- \* 1. Optical drive eject button
- \* 2. Optical drive activity indicator
- 3. Power button
- 4. Power indicator
- \* 5. SD-card reader slot
- 6. Microphone connector
- 7. Headphone connector
- 8. USB 3.1 connectors Gen 2 (2)
- 9. USB 3.1 connectors Gen 1 (2)
- 10. ThinkCentre® LED
- \* 11. Internal speaker
- 12. Audio line-in connector
- 13. Audio line-out connector
- 14. Microphone connector

\* For selected models

**i** Read the statement on USB transfer rate in the *User Guide*. Refer to the *Safety and Warranty Guide* for accessing the *User Guide*.

- 15. Serial connector
- 16. VGA-out connector
- 17. DisplayPort® 1.2 out connectors (2)
- 18. USB 3.1 connectors Gen 1 (2)
- 19. USB 2.0 connectors (2)
- 20. PS/2 keyboard connector
- 21. PS/2 mouse connector
- 22. PCI-Express card area
- \* 23. Smart cable clip slots (2)
- 24. Security-lock slot
- 25. Padlock loop
- 26. Ethernet connector
- 27. Power cord connector

- \* 1. Optical drive eject button
- \* 2. Optical drive activity indicator
- 3. Power button
- 4. Power indicator
- \* 5. SD-card reader slot
- 6. Microphone connector
- 7. Headphone connector
- 8. USB 3.1 connectors Gen 2 (2)
- 9. USB 3.1 connectors Gen 1 (2)
- 10. ThinkCentre® LED
- \* 11. Internal speaker
- 12. Audio line-in connector
- 13. Audio line-out connector
- 14. Microphone connector

\* For selected models

- 15. Serial connector
- 16. VGA-out connector
- 17. DisplayPort® 1.2 out connectors (2)
- 18. USB 3.1 connectors Gen 1 (2)
- 19. USB 2.0 connectors (2)
- 20. PS/2 keyboard connector
- 21. PS/2 mouse connector
- 22. PCI-Express card area
- \* 23. Smart cable clip slots (2)
- 24. Security-lock slot
- 25. Padlock loop
- 26. Ethernet connector
- 27. Power cord connector

**i** Read the statement on USB transfer rate in the *User Guide*. Refer to the *Safety and Warranty Guide* for accessing the *User Guide*.

- \* 1. Optical drive eject button
- \* 2. Optical drive activity indicator
- 3. Power button
- 4. Power indicator
- \* 5. SD-card reader slot
- 6. Microphone connector
- 7. Headphone connector
- 8. USB 3.1 connectors Gen 2 (2)
- 9. USB 3.1 connectors Gen 1 (2)
- 10. ThinkCentre® LED
- \* 11. Internal speaker
- 12. Audio line-in connector
- 13. Audio line-out connector
- 14. Microphone connector

\* For selected models

- 15. Serial connector
- 16. VGA-out connector
- 17. DisplayPort® 1.2 out connectors (2)
- 18. USB 3.1 connectors Gen 1 (2)
- 19. USB 2.0 connectors (2)
- 20. PS/2 keyboard connector
- 21. PS/2 mouse connector
- 22. PCI-Express card area
- \* 23. Smart cable clip slots (2)
- 24. Security-lock slot
- 25. Padlock loop
- 26. Ethernet connector
- 27. Power cord connector

**i** Read the statement on USB transfer rate in the *User Guide*. Refer to the *Safety and Warranty Guide* for accessing the *User Guide*.

- \* 1. Optical drive eject button
- \* 2. Optical drive activity indicator
- 3. Power button
- 4. Power indicator
- \* 5. SD-card reader slot
- 6. Microphone connector
- 7. Headphone connector
- 8. USB 3.1 connectors Gen 2 (2)
- 9. USB 3.1 connectors Gen 1 (2)
- 10. ThinkCentre® LED
- \* 11. Internal speaker
- 12. Audio line-in connector
- 13. Audio line-out connector
- 14. Microphone connector
- \* For selected models

- 15. Serial connector
- 16. VGA-out connector
- 17. DisplayPort® 1.2 out connectors (2)
- 18. USB 3.1 connectors Gen 1 (2)
- 19. USB 2.0 connectors (2)
- 20. PS/2 keyboard connector
- 21. PS/2 mouse connector
- 22. PCI-Express card area
- \* 23. Smart cable clip slots (2)
- 24. Security-lock slot
- 25. Padlock loop
- 26. Ethernet connector
- 27. Power cord connector

**i** Read the statement on USB transfer rate in the *User Guide*. Refer to the *Safety and Warranty Guide* for accessing the *User Guide*.

- \* 1. Optical drive eject button
- \* 2. Optical drive activity indicator
- 3. Power button
- 4. Power indicator
- \* 5. SD-card reader slot
- 6. Microphone connector
- 7. Headphone connector
- 8. USB 3.1 connectors Gen 2 (2)
- 9. USB 3.1 connectors Gen 1 (2)
- 10. ThinkCentre® LED
- \* 11. Internal speaker
- 12. Audio line-in connector
- 13. Audio line-out connector
- 14. Microphone connector
- \* For selected models

- 15. Serial connector
- 16. VGA-out connector
- 17. DisplayPort® 1.2 out connectors (2)
- 18. USB 3.1 connectors Gen 1 (2)
- 19. USB 2.0 connectors (2)
- 20. PS/2 keyboard connector
- 21. PS/2 mouse connector
- 22. PCI-Express card area
- \* 23. Smart cable clip slots (2)
- 24. Security-lock slot
- 25. Padlock loop
- 26. Ethernet connector
- 27. Power cord connector

**i** Read the statement on USB transfer rate in the *User Guide*. Refer to the *Safety and Warranty Guide* for accessing the *User Guide*.

# Customer Replacement Units (CRUs)

xxxxxxxxxxxx |xxxxxxxxxxxx |xxxxxxxxxxxx |xxxxxxxxxxxx |

xxxxxxxxxxxx

- Computer cover
- Coin-cell battery
- \* • Dust shield
- Front bezel
- \* • Keyboard
- \* • M.2 solid-state drive
- \* • M.2 solid-state drive bracket
- Memory module
- \* • Mouse
- \* • PCI Express card
- \* • Optical drive
- \* • Optical drive bracket

Refer to the *User Guide* for CRU definition.

- Computer cover
- Coin-cell battery
- \* • Dust shield
- Front bezel
- \* • Keyboard
- \* • M.2 solid-state drive
- \* • M.2 solid-state drive bracket
- Memory module
- \* • Mouse
- \* • PCI Express card
- \* • Optical drive
- \* • Optical drive bracket

Refer to the *User Guide* for CRU definition.

- Computer cover
- Coin-cell battery
- \* • Dust shield
- Front bezel
- \* • Keyboard
- \* • M.2 solid-state drive
- \* • M.2 solid-state drive bracket
- Memory module
- \* • Mouse
- \* • PCI Express card
- \* • Optical drive
- \* • Optical drive bracket

Refer to the *User Guide* for CRU definition.

- Power cord
- Power supply assembly
- Primary storage drive (a 2.5-inch or 3.5-inch storage drive)
- Primary storage drive bracket
- Secondary storage drive (a 2.5-inch storage drive)
- Secondary storage drive bracket
- Storage converter
- \* • Vertical stand
- \* • Wi-Fi card
- \* • Wi-Fi card shield

- Power cord
- Power supply assembly
- Primary storage drive (a 2.5-inch or 3.5-inch storage drive)
- Primary storage drive bracket
- Secondary storage drive (a 2.5-inch storage drive)
- Secondary storage drive bracket
- Storage converter
- \* • Vertical stand
- \* • Wi-Fi card
- \* • Wi-Fi card shield

- Power cord
- Power supply assembly
- Primary storage drive (a 2.5-inch or 3.5-inch storage drive)
- Primary storage drive bracket
- Secondary storage drive (a 2.5-inch storage drive)
- Secondary storage drive bracket
- Storage converter
- \* • Vertical stand
- \* • Wi-Fi card
- \* • Wi-Fi card shield

\* For selected models | For visse modeller | Tietyissä malleissa | Utvalgte modeller | Vissa modeller

- Computer cover
- Coin-cell battery
- \* • Dust shield
- Front bezel
- \* • Keyboard
- \* • M.2 solid-state drive
- \* • M.2 solid-state drive bracket
  - Memory module
- \* • Mouse
- \* • PCI Express card
- \* • Optical drive
- \* • Optical drive bracket

Refer to the *User Guide* for CRU definition.

- Computer cover
- Coin-cell battery
- \* • Dust shield
- Front bezel
- \* • Keyboard
- \* • M.2 solid-state drive
- \* • M.2 solid-state drive bracket
  - Memory module
- \* • Mouse
- \* • PCI Express card
- \* • Optical drive
- \* • Optical drive bracket

Refer to the *User Guide* for CRU definition.

- Computer cover
- Coin-cell battery
- \* • Dust shield
- Front bezel
- \* • Keyboard
- \* • M.2 solid-state drive
- \* • M.2 solid-state drive bracket
  - Memory module
- \* • Mouse
- \* • PCI Express card
- \* • Optical drive
- \* • Optical drive bracket

Refer to the *User Guide* for CRU definition.

- Power cord
- Power supply assembly
- Primary storage drive (a 2.5-inch or 3.5-inch storage drive)
- Primary storage drive bracket
- Secondary storage drive (a 2.5-inch storage drive)
- Secondary storage drive bracket
- Storage converter
- \* • Vertical stand
- \* • Wi-Fi card
- \* • Wi-Fi card shield

- Power cord
- Power supply assembly
- Primary storage drive (a 2.5-inch or 3.5-inch storage drive)
- Primary storage drive bracket
- Secondary storage drive (a 2.5-inch storage drive)
- Secondary storage drive bracket
- Storage converter
- \* • Vertical stand
- \* • Wi-Fi card
- \* • Wi-Fi card shield

- Power cord
- Power supply assembly
- Primary storage drive (a 2.5-inch or 3.5-inch storage drive)
- Primary storage drive bracket
- Secondary storage drive (a 2.5-inch storage drive)
- Secondary storage drive bracket
- Storage converter
- \* • Vertical stand
- \* • Wi-Fi card
- \* • Wi-Fi card shield

# Additional information

---

## European Union – compliance with the Radio Equipment Directive

Hereby, Lenovo (Singapore) Pte. Ltd., declares that the radio equipment type ThinkCentre M75s-1 is in compliance with Directive 2014/53/EU.

The full text of the system EU declaration of conformity and the EU wireless module declarations are available at the following Internet addresses:

- For desktop and all-in-one computers:  
<https://www.lenovo.com/eu-doc-desktops>
- For workstations:  
<https://www.lenovo.com/eu-doc-workstations>

This radio equipment operates with the following frequency bands and maximum radio-frequency power:

Technology	Frequency band [MHz]	Maximum transmit power
WLAN 802.11b/g/n	2400 - 2483.5	< 20 dBm
WLAN 802.11a/n/ac	5150 - 5725	< 23 dBm
WLAN 802.11a/n/ac	5725 - 5875	< 13.98 dBm
Bluetooth BR/EDR/LE	2400 - 2483.5	< 20 dBm



---

**Second Edition (January 2020)**

**© Copyright Lenovo 2019, 2020.**

**LIMITED AND RESTRICTED RIGHTS NOTICE:** If data or software is delivered pursuant to a General Services Administration "GSA" contract, use, reproduction, or disclosure is subject to restrictions set forth in Contract No. GS-35F-05925.

**Reduce | Reuse | Recycle**



For Barcode Position Only

Printed in China  
PN: xxxxxxxxxxxx