Inspiron 7590

Setup and Specifications



Identifier	GUID-5B8DE7B7-879F-45A4-88E0-732155904029
Version	13
Status	Released

Notes, cautions, and warnings



CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

MARNING: A WARNING indicates a potential for property damage, personal injury, or death.

© 2019-2020 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

Contents

1 Set up your Inspiron 7590	
2 Views of Inspiron 7590	(
Right	6
Left	6
Base	
Display	
Bottom	
3 Specifications of Inspiron 7590	(
Dimensions and weight	(
Processors	(
Chipset	
Operating system	10
Memory	10
Ports and connectors	
Communications	1
Audio	12
Storage	12
Intel Optane memory (optional)	1
Media-card reader	14
Keyboard	14
Camera	14
Touchpad	1
Touchpad gestures	
Power adapter	15
Battery	16
Display	
Fingerprint reader (optional)	1
Video	18
Computer environment	
4 Keyboard shortcuts	19
	2
5 Getting help and contacting Dell	

Identifier	GUID-5F073A1C-66C0-4CF3-A77D-9A8255A14E52
Version	1
Status	Released

Set up your Inspiron 7590

- i NOTE: The images in this document may differ from your computer depending on the configuration you ordered.
- 1. Connect the power adapter and press the power button.



- NOTE: To conserve battery power, the battery might enter power saving mode. Connect the power adapter and press the power button to turn on the computer.
- NOTE: After the computer is turned on for the first time and the operating system setup is complete, it can be subsequently turned on by opening the display from the closed position.
- 2. Finish operating system setup.

For Ubuntu:

Follow the on-screen instructions to complete the setup. For more information about installing and configuring Ubuntu, see the knowledge base articles SLN151664 and SLN151748 at www.dell.com/support.

For Windows:

Follow the on-screen instructions to complete the setup. When setting up, Dell recommends that you:

- · Connect to a network for Windows updates.
 - NOTE: If connecting to a secured wireless network, enter the password for the wireless network access when prompted.
- · If connected to the internet, sign-in with or create a Microsoft account. If not connected to the internet, create an offline account.
- On the **Support and Protection** screen, enter your contact details.
- 3. Locate and use Dell apps from the Windows Start menu—Recommended

Table 1. Locate Dell apps

	ı
()	ı
(D&LL)	ı
	ı

Resources

Description

My Dell

Centralized location for key Dell applications, help articles, and other important information about your computer. It also notifies you about the warranty status, recommended accessories, and software updates if available.


Resources

Description



SupportAssist

Pro-actively checks the health of your computer's hardware and software. The SupportAssist OS Recovery tool troubleshoots issues with the operating system. For more information, see the SupportAssist documentation at www.dell.com/support.





Dell Update

Updates your computer with critical fixes and latest device drivers as they become available. For more information about using Dell Update, see the knowledge base article SLN305843 at www.dell.com/support.



Dell Digital Delivery

Download software applications, which are purchased but not pre-installed on your computer. For more information about using Dell Digital Delivery, see the knowledge base article 153764 at www.dell.com/support.

Identifier	GUID-D3CB1479-5AF9-4E2F-9A8B-416FC88C775D
Version	2
Status	Released

Views of Inspiron 7590

Identifier	GUID-F0EFA586-1B43-447C-A299-F188F5E5C5A5	
Version	2	
Status	Released	

Right



1. microSD-card slot

Reads from and writes to the microSD-card.

2. USB 3.1 Gen 1 port


Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

3. Headset port

Connect headphones or a headset (headphone and microphone combo).

Identifier	GUID-12CD14BB-8DB3-47D7-A090-15D75787517A	
Version	3	
Status	Released	

Left



1. Power-adapter port

Connect a power adapter to provide power to your computer.

2. HDMI port

Connect to a TV or another HDMI-in enabled device. Provides video and audio output.

3. USB 3.1 Gen 1 ports (2)

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

4. Thunderbolt 3 (USB Type-C) port

Supports USB 3.1 Gen 2, DisplayPort 1.2, Thunderbolt 3 and also enables you to connect to an external display using a display adapter. Provides data transfer rates up to 10 Gbps for USB 3.1 Gen 2 and up to 40 Gbps for Thunderbolt 3.

Identifier	GUID-5FE1B857-0EEF-49C4-94A8-285F27E7E23C
Version	2
Status	Released

Base



1. Left-click area

Press to left-click.

2. Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click and two finger tap to right-click.

3. Right-click area

Press to right-click.

4. Power button with optional fingerprint reader

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

When the computer is turned on, press the power button to put the computer into sleep state; press and hold the power button for 4 seconds to force shut-down the computer.

If the power button has a fingerprint reader, place your finger on the power button to log in.

NOTE: You can customize power-button behavior in Windows. For more information, see *Me and My Dell* at www.dell.com/support/manuals.

Identifier	GUID-A2CDCADB-84C2-4EC8-9E64-C56666062880
Version	2
Status	Released

Display



1. Left microphone

Provides digital sound input for audio recording and voice calls.

2. Camera

Enables you to video chat, capture photos, and record videos.

3. Camera-status light

Turns on when the camera is in use.

4. Right microphone

Provides digital sound input for audio recording and voice calls.

Identifier	GUID-0A15B9BB-9B51-479E-BE50-AAB2A43507EF
Version	2
Status	Released

Bottom



1. Left speaker

Provides audio output.

2. Service Tag label

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

3. Right speaker

Provides audio output.

Identifier	GUID-7C9F07CE-626E-44CA-BE3A-A1FB036413F9
Version	4
Status	Released

Specifications of Inspiron 7590

Identifier	GUID-7DF32F47-45CF-4A08-AD99-B01EEC4F3CE6
Version	3
Status	Released

Dimensions and weight

Table 2. Dimensions and weight

Description	Values
Height:	
Front	17.95 mm (0.71 in.)
Rear	19.9 mm (0.78 in.)
Width	357.6 mm (14.08 in.)
Depth	238.8 mm (9.4 in.)
Weight (maximum)	1.81 kg (3.99 lb)
	(i) NOTE: The weight of your computer depends on the configuration ordered and the manufacturing variability.

Identifier	GUID-BFA52F40-8AD1-4DF0-8D0F-942766BC2118
Version	1
Status	Released

Processors

Table 3. Processors

Description	Values		
Processors	9 th Generation Intel Core i5-9300H	9 th Generation Intel Core i7-9750H	9 th Generation Intel Core i9-9880H
Wattage	45 W	45 W	45 W
Core count	4	6	8
Thread count	8	12	16
Speed	Up to 4.1 GHz	Up to 4.5 GHz	Up to 4.8 GHz
Cache	8 MB	12 MB	16 MB
Integrated graphics	Intel UHD 630 Graphics	Intel UHD 630 Graphics	Intel UHD 630 Graphics

Identifier	GUID-FB20D21E-D198-4B0E-A420-E4FDA863C704
Version	1
Status	Released

Chipset

Table 4. Chipset

Description Values	
Chipset	Intel HM370
Processor	9 th Generation Intel Core i5/i7/i9
DRAM bus width	64-bit
Flash EPROM	16 MB
PCle bus	Up to Gen 3.0

Identifier	GUID-2959A596-4E1F-4C1B-9E6C-857583B2F398
Version	2
Status	Released

Operating system

- · Windows 10 Home (64-bit)
- · Windows 10 Professional (64-bit)
- · Ubuntu

Identifier	GUID-F07064B8-2EB4-49EC-88A8-43B102E42417
Version	4
Status	Released

Memory

Table 5. Memory specifications

Description	Values	
Slots	Two-SODIMM slots	
Туре	Dual-channel DDR4	
Speed	2666 MHz	
Maximum memory	32 GB	
Minimum memory	8 GB	
Memory size per slot	8 GB, 12 GB, 16 GB, 32 GB	
Configurations supported	 8 GB DDR4 at 2666 MHz (1 x 8 GB) 16 GB DDR4 at 2666 MHz (2 x 8 GB) 16 GB DDR4 at 2666 MHz (1 x 16 GB) 32 GB DDR4 at 2666 MHz (2 x 16 GB) 	

Identifier	GUID-351FB991-7CCA-49C7-A08F-CEC6DEB6410E
Version	
Status	Released

Ports and connectors

Table 6. External ports and connectors

External:

USB

Three USB 3.1 Gen 1 ports
One Thunderbolt 3 (USB Type-C) port

Audio

One headset (headphone and microphone combo) port

Video One HDMI 2.0 port

Media card reader One microSD-card slot

Docking port Not supported

Power adapter port One 4.5 mm x 2.9 mm DC-in

Security Not supported

Table 7. Internal ports and connectors

Internal:

M.2

- · One M.2 2230 slot for WLAN
- One M.2 2280/2230/2242 slot for Solid-State Drive (SSD)/ Intel Optane
- One M.2 2280 slot for PCle SSD
- (i) NOTE: To learn more about the features of different types of M.2 cards, see the knowledge base article SLN301626.

Identifier	GUID-CB21EB29-F907-4490-8616-432EE2CBB683
Version	1
Status	Released

Communications

Wireless module

Table 8. Wireless module specifications

Description	Values		
Model number	Qualcomm QCA61x4A	Intel 9560	
Transfer rate	Up to 867 Mbps	Up to 1730 Mbps	
Frequency bands supported	2.4 GHz/5 GHz	2.4 GHz/5 GHz	
Wireless standards	Wi-Fi 802.11 a/b/gWi-Fi 4 (Wi-Fi 802.11n)Wi-Fi 5 (Wi-Fi 802.11ac)	Wi-Fi 802.11 a/b/gWi-Fi 4 (Wi-Fi 802.11n)Wi-Fi 5 (Wi-Fi 802.11ac)	
Encryption	· 64-bit/128-bit WEP	· 64-bit/128-bit WEP	

	Values	
AES-CCMPTKIP	AES-CCMPTKIP	
Bluetooth 4.2	Bluetooth 5	
GUID-AD5B9ABA-9B9B-44A5-8988-23AEA8D	10DF6	
1		
	· TKIP Bluetooth 4.2	AES-CCMP TKIP Bluetooth 4.2 GUID-AD5B9ABA-9B9B-44A5-8988-23AEA8D10DF6 1 AES-CCMP TKIP Bluetooth 5

Audio

Table 9. Audio specifications

Description	Values
Controller	Realtek ALC3254
Stereo conversion	Supported
Internal interface	Intel HDA
External interface	Headset Combo Connector
Speakers	Two
Internal speaker amplifier	Supported (Audio codec built-in amplifier)
External volume controls	Keyboard shortcut controls
Speaker output:	
Average	2 W
Peak	2.5 W
Subwoofer output	Not supported
Microphone	Dual-array microphones
Identifier GUID-A00459E0-2A64-449C-9F02-5	81BF2E3C2CF

Storage

This section lists the storage options on your Inspiron 7590.

Your computer supports one of the following configurations:

- · One M.2 2230/2280 Solid-State Drive (SSD)
- · One M.2 2230/2280 Intel Optane storage

The primary drive of your computer varies with the storage configuration. For computers with a M.2 drive, the M.2 drive is the primary drive

Table 10. Storage specifications

Storage type	Interface type	Capacity
One M.2 2230/2280 solid-state drive	PCIe Gen 3.0 x4 NVMe + SATA3 AHCI, up to 32 Gbps	Up to 512 GB
One M.2 2230/2280 Intel Optane Storage	PCle Gen 3.0 x4 NVMe, up to 32 Gbps	Up to 512 GB

Identifier	GUID-100E372A-56E3-4794-BADF-44E60720E439
Version	
Status	Released

Intel Optane memory (optional)

Intel Optane technology utilizes 3D XPoint memory technology and functions as a non-volatile storage cache/accelerator and/or storage device depending on the Intel Optane memory installed in your computer.

Your computer supports the following Intel Optane memory:

- Intel Optane Memory M15
- · Intel Optane Memory H10 with solid-state storage

Intel Optane Memory M15

Intel Optane Memory M15 functions only as a non-volatile storage cache/accelerator, enabling enhanced read/write speeds for hard-drive storage. It neither replaces nor adds to the memory (RAM) installed on your computer.

Table 11. Intel Optane Memory M15 specifications

Description	Values	
Interface	PCle 3.0 x2	
Connector	M.2	
Form factor	2280	
Capacity	32 GB or 64 GB	

- NOTE: Intel Optane Memory M15 is supported on computers that meet the following requirements:
 - 7th Generation or higher Intel Core i3/i5/i7 processors
 - Windows 10 64-bit version or higher (Anniversary Update)
 - Intel Rapid Storage Technology driver version 15.9.1.1018 or higher

Intel Optane Memory H10 with solid-state storage

Intel Optane Memory H10 with solid-state storage functions as both a non-volatile storage cache/accelerator (enabling enhanced read/write speeds for hard-drive storage) and a solid-state storage solution. It neither replaces nor adds to the memory (RAM) installed on your computer.

Table 12. Intel Optane Memory H10 with solid-state storage specifications

Description	Values
Interface	PCle 3.0 x4
	One PCle 3.0 x2 for Optane memoryOne PCle 3.0 x2 for solid-state storage
Connector	M.2
Form factor	2280
Capacity (Optane memory)	Up to 32 GB
Capacity (solid-state storage)	Up to 512 GB

- NOTE: Intel Optane Memory H10 with solid-state storage is supported on computers that meet the following requirements:
 - 9th Generation or higher Intel Core i3/i5/i7 processors
 - · Windows 10 64-bit version or higher (Anniversary Update)

• Intel Rapid Storage Technology driver version 15.9.1.1018 or higher

Identifier	GUID-5A030285-DC52-439D-9856-7809E3B2E340
Version	2
Status	Released

Media-card reader

Table 13. Media-card reader specifications

Description	Values
Туре	One SD card slot
Cards supported	Micro Secure Digital (mSD)
Identifier Version	GUID-A15BD78F-A4E0-4BCD-8B25-353A630A4965 2
Status	Released

Keyboard

Table 14. Keyboard specifications

Description	Values
Туре	Backlit keyboard
Layout	QWERTY
Number of keys	United States and Canada: 101 keysUnited Kingdom: 102 keysJapan: 105 keys
Size	X=18.70 mm key pitch Y=18.05 mm key pitch
Shortcut keys	Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key. (i) NOTE: You can define the primary behavior of the function keys (F1–F12) changing Function Key Behavior in BIOS setup program.
	Keyboard shortcuts

Identifier	GUID-082A29AC-EF4A-4ABF-8235-90348923EEE6
Version	1
Status	Released

Camera

Table 15. Camera specifications

Description	Values
Number of cameras	One
Туре	RGB HD camera
Location	Front camera

Description		Values
Sensor type		CMOS sensor technology
Resolution:		
Still image		0.92 megapixels
Video		1280 x 720 (HD) at 30 frames per second
Diagonal viewing angle		74.9 degrees
Identifier	GUID-7DE90074-6113-4D68-REDR-380980000056	

Identifier	GUID-7DF9CC74-6113-4D68-BF0B-3809800CCC56
Version	1
Status	Released

Touchpad

Table 16. Touchpad specifications

Description	1	Values
Resolution:		
	Horizontal	3211
	Vertical	2431
Dimensions:		
	Horizontal	105 mm (4 in.)
	Vertical	80 mm (3 in.)
Identifier Version		GUID-5475B065-BA52-41A7-B636-CFA7BBA70015 5

Touchpad gestures

For more information about touchpad gestures for Windows 10, see the Microsoft knowledge base article 4027871 at support.microsoft.com.

Identifier	GUID-1AA2477F-E41B-482D-9CF7-E5D81BBD5A52
Version	1
Status	Released

Power adapter

Table 17. Power adapter specifications

Description	Values	
Туре	E90W	E130W
Diameter (connector)	4.5 mm x 2.9 mm	4.5 mm x 2.9 mm
Input voltage	100 VAC x 240 VAC	100 VAC x 240 VAC
Input frequency	50 Hz x 60 Hz	50 Hz x 60 Hz
Input current (maximum)	1.5 A	2.5 A
Output current (continuous)	4.62 A	6.7 A

Values		
19.5 VDC	19.5 VDC	
0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)	
40°C to -40°C (104°F to -40°F)	40°C to -40°C (104°F to -40°F)	
	19.5 VDC 0°C to 40°C (32°F to 104°F)	

Identifier GUID-C26A6CF1-0526-4B5A-A587-0E86ABD7BCE9

Version 2 Status Released

Battery

Table 18. Battery specifications

Description	Values		
Туре	3-cell lithium-ion (56 WHr)	6-cell lithium-ion (97 WHr)	
Voltage	11.4 VDC	11.4 VDC	
Weight (maximum)	0.25 kg (0.55 lb)	0.37 kg (0.82 lb)	
Dimensions:			
Height	223.4 mm (8.8 in.)	330.7 mm (13.02 in.)	
Width	72 mm (2.83 in.)	72 mm (2.83 in.)	
Depth	7.2 mm (0.28 in.)	7.2 mm (0.28 in.)	
Temperature range:			
Operating	0°C to 35°C (32°F to 95°F)	0°C to 35°C (32°F to 95°F)	
Storage	35°C to -40°C (95°F to -40°F)	35°C to -40°C (95°F to -40°F)	
Operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	
Charging time (approximate)	4 hours (when the computer is off) NOTE: Control the charging time, duration, start and end time, and so on using the Dell Power Manager application. For more information on the Dell Power Manager see, Me and My Dell on https://www.dell.com/	4 hours (when the computer is off) (i) NOTE: Control the charging time, duration, start and end time, and so on using the Dell Power Manager application. For more information on the Dell Power Manager see, Me and My Dell on https://www.dell.com/	
Life span (approximate)	300 discharge/charge cycles	300 discharge/charge cycles	
Coin-cell battery	CR2032	CR2032	
Operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.		

Identifier	GUID-F505183E-3D38-4821-8379-1692D4705207
Version	1
Status	Released

Display

Table 19. Display specifications

Description	Values		
Туре	Full High Definition (FHD)	Ultra High Definition (UHD)	
Panel technology	WVA (Wide View Angle)	WVA (Wide View Angle)	
Luminance (typical)	300 nits	500 nits	
Dimensions (Active area):			
Height	350.7 mm (13.81 in.)	350.7 mm (13.81 in.)	
Width	205.7 mm (8.1 in.)	205.7 mm (8.1 in.)	
Diagonal	394 mm (15.51 in.)	394 mm (15.51 in.)	
Native resolution	1920 x 1080 (FHD, non-touch)	3840 x 2160 (UHD, non-touch)	
Megapixels	2	8	
Color gamut	72% (NTSC)	100% (Adobe)	
Pixels per inch (PPI)	141	282	
Contrast ratio (min)	600:1	800:1	
Response time (max)	35 ms	35 ms	
Refresh rate	60 Hz	60 Hz	
Horizontal view angle	80/80 +/- degrees	80/80 +/- degrees	
Vertical view angle	80/80 +/- degrees	80/80 +/- degrees	
Pixel pitch	0.18 mm	0.09 mm	
Power consumption (maximum)	6.2 W	10 W	
Anti-glare vs glossy finish	Anti-glare	Anti-glare	
Touch options	Not supported	Not supported	

 Identifier
 GUID-23C94538-8F5C-4C09-BD6A-62BC37C3F839

 Version
 1

 Status
 Released

Fingerprint reader (optional)

Table 20. Fingerprint reader specifications

Description	Values
Sensor technology	Capacitive
Sensor resolution	500 dpi

Description	Values
Sensor area	10.52 x 7.42 mm
Sensor pixel size	N/A
Identifier	GUID-66755259-8753-4421-9001-CF2B531F2DAB
Version Status	1 Released

Video

Table 21. Video specifications

Discrete graphics

Controller	External display support	Memory size	Memory Type
NVIDIA GTX N18P-G0	Not supported	4 GB	GDDR5
NVIDIA GTX 1050 N17P-G0-K	1 Not supported	3 GB	GDDR5

Table 22. Video specifications

Integrated graphics

Controller	External display support	Memory size	Processor
Intel UHD 630 Graphics	One HDMI 2.0 port	Shared system memory	9 th Generation Intel Core i5/i7/i9

Identifier	GUID-529C89FC-6EBD-43BB-AD12-CF726343EB83
Version	2
Status	Released

Computer environment

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

Table 23. Computer environment

	Operating	Storage
Temperature range	0°C to 40°C (32°F to 104°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.3 GRMS
Shock (maximum)	140 G†	160 G†
Altitude (maximum)	N/A	N/A

 $[\]ensuremath{^{*}}$ Measured using a random vibration spectrum that simulates user environment.

[†] Measured using a 2 ms half-sine pulse when the hard drive is in use.

[‡] Measured using a 2 ms half-sine pulse when the hard-drive head is in parked position.

Identifier	GUID-A503B40A-1147-4541-8AD2-F481D7B52999	
Version	1	
Status	Released	

Keyboard shortcuts

NOTE: Keyboard characters may differ depending on the keyboard language configuration. Keys used for shortcuts remain the same across all language configurations.

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. The symbol shown on the lower part of the key refers to the character that is typed out when the key is pressed. If you press shift and the key, the symbol shown on the upper part of the key is typed out. For example, if you press $\bf 2$, 2 is typed out; if you press $\bf 3$ is typed out.


The keys F1-F12 at the top row of the keyboard are function keys for multi-media control, as indicated by the icon at the bottom of the key. Press the function key to invoke the task represented by the icon. For example, pressing F1 mutes the audio (refer to the table below).

However, if the function keys F1-F12 are needed for specific software applications, multi-media functionality can be disabled by pressing $\mathbf{Fn} + \mathbf{Esc}$. Subsequently, multi-media control can be invoked by pressing \mathbf{Fn} and the respective function key. For example, mute audio by pressing $\mathbf{Fn} + \mathbf{F1}$.

NOTE: You can also define the primary behavior of the function keys (F1-F12) by changing Function Key Behavior in BIOS setup program.

Table 24. List of keyboard shortcuts

Function key	Redefined key (for multimedia control)	Behavior
☐× F1	fn + \(\square\)	Mute audio
	fn + 口, F2	Decrease volume
□□") F3	fn + 口» _{F3}	Increase volume
□ ►II F4	+ >	Play/Pause
F5 F5	fn + Li	Toggle keyboard backlight (optional) NOTE: Non-backlight keyboards have F5 function key without the backlight icon and does not support toggle keyboard backlight function.



The \mathbf{Fn} key is also used with selected keys on the keyboard to invoke other secondary functions.

Table 25. List of keyboard shortcuts

Function key	Behavior
fn + B	Pause/Break
fn + S	Toggle scroll lock
fn + R	System request
fn + ctrl	Open application menu
fn + esc	Toggle Fn-key lock

IdentifierGUID-79104453-0F4A-4408-A5D4-44ABDDD02CAEVersion7StatusReleased

Getting help and contacting Dell

Self-help resources

You can get information and help on Dell products and services using these self-help resources:

Table 26. Self-help resources

Self-help resources	Resource location
Information about Dell products and services	www.dell.com
My Dell	DELL
Tips	
Contact Support	In Windows search, type Contact Support, and press Enter.
Online help for operating system	www.dell.com/support/windows
	www.dell.com/support/linux
Troubleshooting information, user manuals, set up instructions, product specifications, technical help blogs, drivers, software	www.dell.com/support

Learn and know the following information about your product:

Dell knowledge base articles for a variety of computer concerns

- · Product specifications
- Operating system

updates, and so on.

- · Setting up and using your product
- Data backup
- Troubleshooting and diagnostics
- · Factory and system restore
- BIOS information

1. Go to www.dell.com/support.

- 2. On the menu bar at the top of the Support page, select **Support > Knowledge Base**.
- **3.** In the Search field on the Knowledge Base page, type the keyword, topic, or model number, and then click or tap the search icon to view the related articles.

See Me and My Dell at www.dell.com/support/manuals.

To locate the *Me and My Dell* relevant to your product, identify your product through one of the following:

- · Select **Detect Product**.
- Locate your product through the drop-down menu under View Products.
- Enter the Service Tag number or Product ID in the search bar.

Contacting Dell

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

- i NOTE: Availability varies by country/region and product, and some services may not be available in your country/region.
- NOTE: If you do not have an active Internet connection, you can find contact information about your purchase invoice, packing slip, bill, or Dell product catalog.