HP Smart Tank Plus 570 Wireless All-in-One







This cartridge-free printer with an automatic document feeder delivers uncompromising quality and up to 3 years of ink included in the box.¹ Get faster connections with dual-band Wi-Fi,³ and easy mobile printing with HP Smart app.⁴

Highlights

3 Year

- Print, copy, scan, ADF, wireless
- Fast and easy setup
- Clean, easy refill experience
- Wireless and mobile printing
- High quality long-lasting inks
- Automatic Document Feeder
- Extremely low cost printing





Pay up front and save on basic home printing

- Get up to 12,000 black pages or up to 8,000 colour pages.⁵
- Count on dark, crisp text, and get vibrant colour graphics for all your prints.
- Print documents quickly get up to 38% faster speeds compared to previous HP Smart Tank.⁶ Work fast with the 35-page auto-feeder.
- Easily refill your ink tank system with spill-free, resealable bottles.⁷

Remote printing and scanning with HP Smart app

- Quickly access and print documents and images on your smartphone, from Dropbox and Google Drive.⁴
- Get high-quality scanning, and share to Dropbox, Google Drive, email, or the cloud.⁴
- Take a photo as a copy, and send it to your printer from virtually anywhere.⁴
- Get notifications when printing, scanning, or copying from your smartphone.⁴

Reliable connectivity with dual-band Wi-Fi

- Get faster, more reliable connections with dual-band Wi-Fi[®].³
- Connect your smartphone or tablet directly to your printer and easily print without accessing a network.⁸
- Get connected and start printing fast from your smartphone or tablet with Bluetooth $^{\rm 0}$ LE easy setup. $^{\rm 9}$
- Get the features you need for work and other tasks with copy and scan functions.

Technical specifications

Functions	Print, scan, copy, ADF, wireless	Input capacity	Standard: Up to 100 sheets ADF: Standard, 35 sheets Envelopes: Up to 10 envelopes
Print technology	HP Thermal Inkjet		
Print speed	Black (A4, ISO): Up to 11 ppm; Colour (A4, ISO): Up to 5 ppm; Draft black (A4): Up to 22 ppm; Draft colour (A4): Up to 16 ppm	Output capacity	Cards: Up to 30 cards Standard: Up to 30 sheets Ervelopes: Up to 10 ervelopes Cards: Up to 30 cards
First page out	Black (A4, ready): As fast as 14 sec; Colour (A4, ready): As fast as 21 sec		
Print resolution	Black (best): Up to 1200 x 1200 rendered dpi; Colour (best): Up to 4800 x 1200 optimised dpi colour when printing from a computer and 1200 input dpi	Compatible operating systems	Windows 11; Windows 10; Windows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave
Monthly duty cycle	Up to 1000 pages A4; Recommended monthly page volume: 400 to 800	Minimum system requirements	Windows: Windows 10, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer 8. Mac: OS X v10.11 El Capitan and above, Internet Access
Standard print languages	HP PCL 3 GUI		
Print area	Print margins: Top: 3 mm, Bottom: 3 mm, Left: 3 mm, Right: 3 mm; Maximum print area: 216 x 355 mm	Software included	None - available from http://www.support.hp.com/drivers
Borderless printing	Yes (up to 8.5 x 11 in, 210 x 297 mm)	Printer dimensions (W x D x H)	Minimum: 449 x 373 x 198 mm; Maximum: 449 x 605.65 x 258.7 mm
Number of supplies	4 (1 each black bottle, set of 3 color bottles)	Package dimensions (W x D x H)	495 x 238 x 480 mm
Multitasking supported	No	Printer weight	6.19 kg
Duplex printing	Manual (driver support provided)	Package weight	8.5 kg
Copy speed	Black (A4, ISO): Up to 10 cpm; Colour (A4, ISO): Up to 2 cpm	Operating environment	Temperature: 5 to 40°C
Copier specifications	Copier settings: Number of Copies; Resize; Quality; Lighter/Darker; Papersize; Papertype; ID Copy; Collate; Enhancement; Naximum number of Copies: Up to 99 copies; Copy resolution: Up to 600 doi: Reduce/Enharce: 25 to 400%	Storage conditions	Humidity: 20 to 80% RH Temperature: -40 to 60°C Humidity: 5 to 90% RH (non-condensing)
Scan speed	Normal (A4): Up to 3 ppm (200 ppi, colour); Up to 5 ppm (200 ppi, monochrome);	Acoustics	Acoustic power emissions: 6.4 B(A)
Scan file format	JPG, BMP, TIFF, PDF, RTF, TXT, PNG		Acoustic pressure emission: 50 dB
Scanner specifications	Scanner type: Flatbed, ADF; Scan input modes; Front Panel Scan; Copy; HP Software; EWS; Twain version: Version 2.1; Scan size maximum (flatbed): 216 x 297 mm; Scan size maximum (ADF;metric): 216 x 356 mm; Optical scan resolution: Up to 1200 dpi	Power	Requirements: Input voltage 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz). High voltage: Input voltage 200 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3Hz). Not dual voltage power supply varies by part number with # Option code identifier.; Consumption: 0.11 watts (manual-off), 3.72 watts (ready), 0.83 watts (sleep) ; Typical Electricity Consumption (TEC): 0.14 kWh/Week ; Power supply type: Internal
Scannable area	Maximum media size (flatbed): 216 x 297 mm; Maximum media size (ADF): 216 x 356 mm		
Bit depth/ Grey scale levels	24-bit / 256	Certifications	CISPR 32:2015/EN 55032:2015 Class B; CISPR24:2010/EN 55024:2010; EN 61000- 2:2014; EN 61000-3-3:2013; ICES-003, 2016 issue 6; EN 301 489-1 V2.1.1:2017; E/ (Russia)
Digital sending	Standard: Everyday scan (scan to PDF); HP Smart Tasks		
Processor speed	800 MHz	Sustainable impact specifications	No
Connectivity	Standard: Hi-Speed USB 2.0; Dual Band Wi-Fi; Optional: None	Country of origin	Made in China
Wireless	Yes, built-in dual band Wi-Fi 802.11b/g/n, Wireless direct	Control panel	5.59 cm (2.2 in) Touchscreen MGD (monochrome graphics), power button, touch button (home, help, back)
Mobile printing capability	HP Smart app; Apple AirPrint [™] , Fire [™] , Google Cloud Print 2.0; HP ePrint; Android printing; Mopria [™] -certified; Wireless Direct Printing	What's in the box	SHX14A: HP Smart Tank Plus 570; 2 x HP 32XL 135-ml Black Original Ink Bottle; HP 3 Cyan Original Ink Bottle; HP 31 Magenta Original Ink Bottle; HP 31 Yellow Original Ink Bottle; Ink aution flyer; Repacking flyer; Setup guide; Reference guide; Regulatory flyer; PT flyer; RoH-EAC Regulatory flyer; Extended warranty flyer; Power cord; For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies
Network capabilities	Yes (via Wi-Fi)		
Memory	Standard: 256 MB; Integrated memory		
Number of paper trays	Standard: 1	Supplies, After market or Supplies, replacement	1VU26AE HP 31 70-ml (yan Original Ink Bottle (~8,000 pages) 1VU27AE HP 31 70-ml Magenta Original Ink Bottle (~8,000 pages) 1VU28AE HP 31 70-ml Vellow Original Ink Bottle (~8,000 pages) 1VV24AE HP 32XL 135-ml Black Original Ink Bottle (~6,000 pages) 6ZA17AE HP 5ZA17AE Black Printhead () 6ZA17AE HP 5ZA18AE Tri-color Printhead ()
Media types	Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, other Photo Inkjet Papers, other Matte Inkjet Papers, other Glossy Inkjet Papers, Inkjet Hagaki, Plain Paper, Thick, HP Tri-fold Brochure Paper, Glossy, Light/Recycled		
Media size	Custom (metric): 76.2 x 127 mm to 215.9 x 355.6 mm Supported (metric): A4; B5; A6; DL envelope	Service and Support	UC3C1E HP 3 year Standard Exchange for Smart Tank 500 Service UASC0E HP 3 year Next Business Day Exchange for Smart Tank 500 Service UASC2E HP 3 year Return to Depot for Smart Tank 500 Service (UC3C1E: available in All EMEA countries Except ME, Africa, South Africa, Israel, Turkey UASC0E: available in Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Smitzerland, UK
Media weight, supported	Plain paper: 60 to 90 g/m²; Envelopes: 75 to 90 g/m²; Cards: up to 200 g/m²; Photo paper: up to 300 g/m²		

Warranty

One year of 24/7 world-class technical support services through http://www.hp.com/support; One-year or 30,000 pages limited hardware warranty, whichever is earlier from the date of purchase; User replaceable parts have separate warranty periods

Footnotes

¹ Based up on 200 pages per month usage. Actual yield varies considerably based on content of printed pages and other factors. Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Some

ink from included bottles is used to start up the printer. For details see http://www.hp.com/go/learnaboutsupplies.
² Best in-class plain paper and photo print quality using OEM inks compared to majority of leading non-HP OEM CISS ink tank platforms <€399. Market share as reported by Q1 2019 Hardcopy Peripherals Tracker, 2019 Q1 Release. Test results should be similar for same platform with different model numbers using the same OEM ink formula. HP Smart Tank printers are also branded as HP Smart Tank Plus in some regions. Detail in May 2019 hands-on lab report by Keypoint Intelligence - Buyers Lab using OEM inks. See http://www.keypointintelligence.com/hpsmarttankplus.

³ Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at http://hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps).

⁴ Requires the HP Smart app download. For details on local printing requirements see http://hp.com/go/mobileprinting.

⁵ Black and composite colour average per bottle (cyan/magenta/yellow), two 32XL (EMEA DM) black bottles included in the box print up to 6,000 test pages each. Results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. An additional black ink bottle may be required to print 8,000 colour test pages. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see: http://www.hp.com/go/learnaboutsupplies.

⁶ Compared with HP Smart Tank/Ink Tank All-in-One Printer series. Excludes first set of ISO test pages. For details, see http://hp.com/go/printerclaims.

⁷ When used in accordance with set up instructions.

⁸ Mobile device needs to be connected to Wi-Fi Direct® signal of a Wi-Fi Direct-supported AiO or printer prior to printing. Details at http://hp.com/go/mobileprinting. Wi-Fi Direct® is a registered trademark of Wi-Fi Alliance®. ⁹ Mobile device needs to support Bluetooth v4.0+ and be enabled. A mobile app such as HP ePrint or HP Smart must be installed and opened for printing. Mobile device must be within 5 feet of the printer. For details, see http://www.hp.com/go/bleprinting. Bluetooth is a trademark owned by its proprietor and used by HP under license.



© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. gb-en April 2024

