

Date: AUG. 15, 2019

Page 1 of 8

BESTWAY (HONGKONG) INTERNATIONAL LTD.

SUITE 713, 7/FLOOR, EAST WING, TSIM SHA TSUI CENTRE, 66 MODY ROAD, KOWLOON, HONG KONG

OINKSTER PIG BOUNCER AND BALL PIT

Sample Quantity	: 4 PCS	
Style / Item No.	: 52345	
Country of Origin	: CHINA	
Labeled Age Grading	: 3-6	
Requested Age Grading	: 3-6 ******	
Age Group Applied in Testing	: 3-6YEARS	
Sample Receiving Date	: AUG. 08, 2019	
Resubmitted Sample Date	: AUG. 08, 2019	
Further Information Date	: AUG. 08, 2019	
Testing Period	: AUG. 08, 2019 TO AUG. 15, 2019	
Test Deguested		Decult

Test Requested	<u>Result</u>
EN 71-1: 2014+A1: 2018 – Safety of toys – Part 1: Mechanical and Physical Properties	Pass
Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	<u>Pass</u>
EN 71-2: 2011+A1: 2014 – Safety of toys – Part 2: Flammability	Pass
EN 71-3:2019 under European Directive 2009/48/EC-Migration of certain elements (Category III:for scrapped-off toy material)	Pass

\*\*\*\*\*\*\*\*\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*\*\*\*\*\*\*\*

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Wallace Lui Senior Technical Manager, Asia



SHHL1908043426TY	

	Unless otherwise agreed in writing, this document is issue overleaf, available on request or accessible at <u>http://www.s</u> subject to ferms and Conditions for Electronic Documents Attention is drawn to the limitation of liability, indemnifica- diater in the second second second second second client's instructions, if any. The Chengany's sole respons transaction from exercising all their rights and obligations except in full, without prior written approval of the Comp appoarence of this document is unlewful and offendere may appoarence of the document is unlewful and offendere may appoint in this test report refer only to the sample(s) it Attention: To check the authenticity of testing /inspectio or email: CM.Doccheck@sg.com	gs.com/en/Terms-and-Co s at http://www.sgs.com/e lion and jurisdiction issue mpany's findings at the ti ibility is to its Client and s under the transaction d any. Any unauthorized al y be procecuted to the ful sted and such sample(s)	nditions.aspx and, for ele nn/Terms-and-Conditions; as defined therein. Any h ime of its intervention on d this document does n documents. This docume lteration, forgery or falsi lloat extent of the law. Ur are retained for 30 days of	ctronic format documents, Terms-e-Document aspx. iolder of this document is ly and within the limits of of exonerate parties to a ant cannot be reproduced fication of the content or sloce otherwise stated the plv.
ta.	4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233	t (86) 400 960 9661	f (86-21) 6115 6899	www.sgsgroup.com.cn
	中国・上海・徐汇区宜山路889号4号楼 邮编: 200233	t (86) 400 960 9661	f (86-21) 6115 6899	e sgs.china@sgs.com



Results:

#### EN 71-1: 2014+A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1: 2014+A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	Description	<u>Result</u>
4	General requirements	
4.1	Material cleanliness	Pass
4.3	Flexible plastics sheeting	Pass
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.15	Toys intended to bear the mass of a child:	
	4.15.4 Toys not propelled by a child	<u>Pass</u>
4.18	Aquatic toys and inflatable toys	<u>Pass</u>
7	Warnings, markings and instructions for use	
7.1	General Requirements	<u>Pass</u>
	Note: Please note that for assessing the visibility and legibility of warnings, CEN has introduced good practice in the informative Annex A.33 by	
	addressing the following aspects:	
	a) Emphasising the warning	
	b) Contrast, background and colours	
	c) Reflecting surfaces and obscuring material	
	d) Font type	
	e) Font size	
	f) Logical direction of text	
	For more details, see EN 71-1.	
7.2	Toys not intended for children under 36 months (Remark: The toy contains small part. It is acceptable because appropriate warning is found on packaging.)	<u>Pass</u> See Remark

Only English warnings were checked for the clause 7. According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.





Date: AUG. 15, 2019

Page 3 of 8

#### LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not applicable	/
CE Mark	Present	Toy/Packaging
Importer's Name & Address	Present	Toy/Packaging
Manufacturer's Name & Address	Present	Toy/Packaging
Product ID	Present	Toy/Packaging

Note:

- According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable.
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

## EN 71-2: 2011+A1: 2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u> 4.1 4.4	Description General req Toys intend			<u>Result</u> <u>Pass</u> Pass (See Result)			
Result:							
Toys inter	ided to be ent	tered by a child (clause 4.4)					
<u>Sample</u> OINKSTE BOUNCE BALL PIT	ER AND	<u>Burning Rate (mm/sec)</u> 0	<u>Flaming debris / Molten drips</u> No	<u>Warning</u> Present (toy and packaging)			
Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sgpx and, for electronic format documents, subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.Terms-and-Conditions.Terms-and-Conditions.Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Cond							

Member of the SGS Group (SGS SA)



Date: AUG. 15, 2019

Page 4 of 8

(Requirements: The rate of spread of flame on the surface of toy shall not exceed 30mm/s or shall selfextinguish; There shall be no flaming debris or molten drips if the burn rate greater than 20mm/s; The rate of spread of flame is between 10 mm/s and 30mm/s, the appropriate part(s) of the toy and the packaging shall be permanently marked with the following warning: "Warning! Keep away from fire".)

N.B.: - Only applicable clauses were shown.

#### Test Part Description :

Specimen No.	SGS Sample ID	Description
SN1	SHA19-176173.001	White mesh
SN2	SHA19-176173.002	Green PVC film
SN3	SHA19-176173.003	Pink PVC film
SN4	SHA19-176173.004	Colorful coating
SN5	SHA19-176173.005	Black coating(Warning)
SN6	SHA19-176173.006	Red soft plastic ball
SN7	SHA19-176173.007	Yellow soft plastic ball
SN8	SHA19-176173.008	Blue soft plastic ball
SN9	SHA19-176173.009	Green soft plastic ball
SN10	SHA19-176173.010	Translucent plastic repair paster
SN11	SHA19-176173.011	Translucent blue soft plastic air valve
SN12	SHA19-176173.012	White plastic part in the valve
SN13	SHA19-176173.013	Black plastic buckle
SN14	SHA19-176173.014	White rope
SN15	SHA19-176173.015	Black plastic nails

#### Remarks :

(1) 1 mg/kg = 0.0001%

- (2) MDL = Method Detection Limit
- (3) ND = Not Detected ( < MDL )
- (4) "-" = Not Regulated



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions, arg/Terms-ap-Cocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apporance of this document is undewlul and offenders may be procecuted to the fullost extend to the as only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

14 Building, No.889, Yishan Road, Zuhu Dishrid, Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgsgroup.com.cn 中国・上海・徐江区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e sgs.china@sgs.com



Date: AUG. 15, 2019

Page 5 of 8

# EN 71-3:2019 under European Directive 2009/48/EC-Migration of certain elements (Category III:for scrapped-off toy material)

Test Method : With reference to EN 71-3:2019, analysis was performed by ICP-MS, IC-UV or LC-ICP-MS.

<u>Test Item(s)</u> Soluble Lead (Pb) Soluble Antimony (Sb) Soluble Arsenic (As) Soluble Barium (Ba) Soluble Cadmium (Cd) Soluble Chromium (III) (Cr III) Soluble Mercury (Hg) Soluble Mercury (Hg) Soluble Selenium (Se) Soluble Boron (B) Soluble Boron (B) Soluble Cobalt (Co) Soluble Cobalt (Co) Soluble Manganese (Mn) Soluble Manganese (Mn) Soluble Zinc (Zn) Soluble Zinc (Zn) Soluble Zinc (Zn) Soluble Copper (Cu) Soluble Aluminum (Al) Soluble Nickel (Ni) Soluble Tin (Sn) Soluble Organic Tin* Soluble Chromium (VI) (Cr VI)	Limit 23 560 47 18750 17 460 94 460 15000 130 15000 56000 46000 7700 7000 930 180000 12 0.053	<u>Unit</u> mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg	MDL 5 10 50 5 5 10 10 50 50 50 50 50 50 50 50 50 50 50 50 50	001 ND ND ND ND ND ND ND ND ND ND ND ND ND	002 ND ND ND ND ND ND ND ND ND ND ND ND ND	003 ND ND ND ND ND ND ND ND ND ND ND ND ND
Test Item(s) Soluble Lead (Pb) Soluble Antimony (Sb) Soluble Arsenic (As) Soluble Barium (Ba) Soluble Cadmium (Cd) Soluble Chromium (III) (Cr III) Soluble Chromium (III) (Cr III) Soluble Mercury (Hg) Soluble Mercury (Hg) Soluble Selenium (Se) Soluble Boron (B) Soluble Boron (B) Soluble Cobalt (Co) Soluble Manganese (Mn) Soluble Strontium (Sr) Soluble Zinc (Zn)	Limit 23 560 47 18750 17 460 94 460 15000 130 15000 56000 46000 7700	Unit mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg	MDL 5 10 50 5 5 10 10 50 50 50 50 50	004 ND ND ND ND ND ND ND ND ND ND ND	005 ND ND ND ND ND ND ND ND ND ND ND	006 ND ND ND ND ND ND ND ND ND ND ND
Soluble Copper (Cu) Soluble Aluminum (Al) Soluble Nickel (Ni) Soluble Tin (Sn) Soluble Organic Tin* Soluble Chromium (VI) (Cr VI)	7700 70000 930 180000 12 0.053	mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg	50 50 10 4.9 - 0.025	ND ND ND ND ND	ND ND ND ND ND	ND ND ND ND ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or response of this document is unlawful and offendore may be procesuted to the fulleat oxthe of the jaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) preserved root due to 20 days only. *Company: Other and the provide the transaction for the content or the sample(s) tested and such sample(s) preserved root due to 20 days only. <i>Company: Other and the test report refer only to the sample(s) tested and such sample(s) preserved to 30 days only. <i>Company: Other and the test report refer only to the sample(s) tested and such sample(s) preserved to 30 days only. <i>Company: Other and the sample(s) tested and such sample(s) tested contact us at telephone: (8c-755) 8307 1443, remember <i>10 preserved tested and such sample(s) tested contact us at telephone: (8c-755) 8307 1443, terms and the sample of the sample(s) tested and such sample(s) tested contact us at telephone: (8c-755) 8307 1443, terms and* 

4<sup>7</sup>Bulding, No.889, Yishan Road, Juhui District Shanghai, China 200233 t (86) 400 960 9661 f (86–21) 6115 6899 中国・上海・徐江区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86–21) 6115 6899

Member of the SGS Group (SGS SA)

www.sgsgroup.com.cn

e sgs.china@sgs.com



Test Report	No.: SHHL19080434	26TY	Date: AUG. 15, 2019			Page 6 of 8		
Test Item(s)		Limit	Unit	MDL	007	<u>008</u>	009	
Soluble Lead (Pb)		23	mg/kg	5	ND	ND	ND	
Soluble Antimony (Sb)		560	mg/kg	10	ND	ND	ND	
Soluble Arsenic (As)		47	mg/kg	10	ND	ND	ND	
Soluble Barium (Ba)		18750	mg/kg	50	ND	ND	ND	
Soluble Cadmium (Cd)		17	mg/kg	5	ND	ND	ND	
Soluble Chromium (III)	(Cr III)	460	mg/kg	5	ND	ND	ND	
Soluble Mercury (Hg)		94	mg/kg	10	ND	ND	ND	
Soluble Selenium (Se)		460	mg/kg	10	ND	ND	ND	
Soluble Boron (B)		15000	mg/kg	50	ND	ND	ND	
Soluble Cobalt (Co)		130	mg/kg	10	ND	ND	ND	
Soluble Manganese (Mi	n)	15000	mg/kg	50	ND	ND	ND	
Soluble Strontium (Sr)		56000	mg/kg	50	ND	ND	ND	
Soluble Zinc (Zn)		46000	mg/kg	50	ND	ND	ND	
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND	
Soluble Aluminum (Al)		70000	mg/kg	50	ND	ND	ND	
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND	
Soluble Tin (Sn)		180000	mg/kg	4.9	ND	ND	ND	
Soluble Organic Tin*		12	mg/kg	-	ND	ND	ND	
Soluble Chromium (VI)	(Cr VI)	0.053	mg/kg	0.025	ND	ND	ND	
Test Item(s)		<u>Limit</u>	<u>Unit</u>	MDL	<u>010</u>	<u>011</u>	<u>012</u>	
Soluble Lead (Pb)		23	mg/kg	5	ND	ND	ND	
Soluble Antimony (Sb)		560	mg/kg	10	ND	ND	ND	
Soluble Arsenic (As)		47	mg/kg	10	ND	ND	ND	
Soluble Barium (Ba)		18750	mg/kg	50	ND	ND	ND	
Soluble Cadmium (Cd)		17	mg/kg	5	ND	ND	ND	
Soluble Chromium (III)	(Cr III)	460	mg/kg	5	ND	ND	ND	
Soluble Mercury (Hg)		94	mg/kg	10	ND	ND	ND	
Soluble Selenium (Se)		460	mg/kg	10	ND	ND	ND	
Soluble Boron (B)		15000	mg/kg	50	ND	ND	ND	
Soluble Cobalt (Co)		130	mg/kg	10	ND	ND	ND	
Soluble Manganese (Mi	n)	15000	mg/kg	50	ND	ND	ND	
Soluble Strontium (Sr)		56000	mg/kg	50	ND	ND	ND	
Soluble Zinc (Zn)		46000	mg/kg	50	ND	ND	ND	
Soluble Copper (Cu)		7700	mg/kg	50	ND	ND	ND	
Soluble Aluminum (Al)		70000	mg/kg	50	ND	ND	ND	
Soluble Nickel (Ni)		930	mg/kg	10	ND	ND	ND	
Soluble Tin (Sn)		180000	mg/kg	4.9	ND	ND	ND	
Soluble Organic Tin*	(C+ )/I)	12	mg/kg	-	ND	ND	ND	
Soluble Chromium (VI)		0.053	mg/kg	0.025	ND	ND	ND	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's solid client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication of the content or appoarance of this document is unlawful and offenders may be proscouted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, results (N DoccheckGens come").

of email: CH\_D005CHecKesSes.Com # \* Building, No.888, Vishan Road, Zuhu District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgsgroup.com.cn 中国・上海・徐江区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e sgs.china@sgs.com



Test

Report	No.: SHHL1908043426TY
--------	-----------------------

Date: AUG. 15, 2019

Page 7 of 8

<u>Limit</u>	<u>Unit</u>	MDL	<u>013</u>	<u>014</u>	<u>015</u>
23	mg/kg	5	ND	ND	ND
560	mg/kg	10	ND	ND	ND
47	mg/kg	10	ND	ND	ND
18750	mg/kg	50	ND	ND	ND
17	mg/kg	5	ND	ND	ND
460	mg/kg	5	ND	ND	ND
94	mg/kg	10	ND	ND	ND
460	mg/kg	10	ND	ND	ND
15000	mg/kg	50	ND	ND	ND
130	mg/kg	10	ND	ND	ND
15000	mg/kg	50	ND	ND	ND
56000	mg/kg	50	ND	ND	ND
46000	mg/kg	50	ND	ND	ND
7700	mg/kg	50	ND	ND	ND
70000	mg/kg	50	ND	ND	ND
930	mg/kg	10	ND	ND	ND
180000	mg/kg	4.9	ND	ND	ND
12	mg/kg	-	ND	ND	ND
0.053	mg/kg	0.025	ND	ND	ND
	23 560 47 18750 17 460 94 460 15000 130 15000 56000 46000 7700 70000 930 180000 12	23   mg/kg     560   mg/kg     47   mg/kg     18750   mg/kg     18750   mg/kg     17   mg/kg     460   mg/kg     94   mg/kg     15000   mg/kg     130   mg/kg     15000   mg/kg     15000   mg/kg     15000   mg/kg     56000   mg/kg     7700   mg/kg     70000   mg/kg     930   mg/kg     180000   mg/kg     12   mg/kg	23 mg/kg 5   560 mg/kg 10   47 mg/kg 10   18750 mg/kg 50   17 mg/kg 5   460 mg/kg 10   460 mg/kg 10   460 mg/kg 10   460 mg/kg 10   15000 mg/kg 50   130 mg/kg 50   56000 mg/kg 50   7700 mg/kg 50   70000 mg/kg 50   930 mg/kg 10   180000 mg/kg 4.9   12 mg/kg -	23   mg/kg   5   ND     560   mg/kg   10   ND     47   mg/kg   10   ND     18750   mg/kg   50   ND     17   mg/kg   5   ND     460   mg/kg   5   ND     94   mg/kg   10   ND     460   mg/kg   10   ND     460   mg/kg   10   ND     460   mg/kg   10   ND     15000   mg/kg   50   ND     130   mg/kg   50   ND     15000   mg/kg   50   ND     56000   mg/kg   50   ND     7700   mg/kg   50   ND     70000   mg/kg   50   ND     930   mg/kg   10   ND     180000   mg/kg   4.9   ND     12   mg/kg   -   ND	23   mg/kg   5   ND   ND     560   mg/kg   10   ND   ND     47   mg/kg   10   ND   ND     18750   mg/kg   50   ND   ND     17   mg/kg   5   ND   ND     460   mg/kg   5   ND   ND     94   mg/kg   10   ND   ND     460   mg/kg   10   ND   ND     460   mg/kg   10   ND   ND     15000   mg/kg   50   ND   ND     130   mg/kg   50   ND   ND     15000   mg/kg   50   ND   ND     15000   mg/kg   50   ND   ND     46000   mg/kg   50   ND   ND     7700   mg/kg   50   ND   ND     70000   mg/kg   50   ND   ND     930   mg/kg   10

Notes :

(1) \*Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN 71-3:2019.

Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS is not responsible for the authenticity, integrity and results of the data and information and / or the validity of the conclusion. Testing results only apply to the sample as received.
- 2. The declaration of conformity is only based on the actual value of laboratory activity, measurement uncertainty of the results not take into account.



	overtear, available of requestion accessible at <u>http://www.stp.com/en/internation/intointerna</u>				
	Attention: To check the authenticity of testing /inspection or email: CN.Doccheck@sgs.com	report & certificate, pl	lease contact us at telep	hone: (86-755) 8307 1443,	
o.,Ltd.	4th Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233	t (86) 400 960 9661	f (86-21) 6115 6899	www.sgsgroup.com.cn	
	中国・上海・徐汇区宜山路889号4号楼 邮编: 200233	t (86) 400 960 9661	f (86-21) 6115 6899	e sgs.china@sgs.com	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed



Sample Photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

