HP PageWide Enterprise Color 556 series

Unbeatable value, speed, and security for leading enterprises^{1,2,3}

Ultimate value for today's enterprise – HP PageWide Technology delivers the fastest speeds¹ and deepest security² for the lowest total cost of ownership in its class.³ Count on productivity and unparalleled multi-level security.²



This printer uses dynamic security, which may be updated periodically by firmware updates. The printer is intended to be used solely with cartridges using an original HP chip. Cartridges using a non-HP chip may not function or may cease to function. More at: Learn more at:

Low energy





Printer security settings



Professional colour, breakthrough total cost

- Results you expect and lasting value breakthrough total cost of ownership, the lowest in its class.³
- Print professional-quality colour on a variety of papers perfect for office use.
- Print up to 2.5x more pages⁴ and replace less often than standard cartridges⁵ with highyield options.
- Spend less time and budget on scheduled maintenance with streamlined HP PageWide Technology. $^{\rm 6}$

Enterprise productivity at unmatched speeds¹

- Wait less and do more with best-in-class speeds as fast as 75 ppm in colour and blackand-white.¹
- Grab the documents you need and go. This device prints first pages in as fast as 7.1 seconds.⁷
- NFC touch-to-print and encrypted wireless direct help keep mobile printing seamless and protected. $^{\rm 8,9}$
- Equip employees to breeze through tasks with the adjustable 10.9 cm (4.3-inch) colour touchscreen.

Unparalleled fleet security and management²

- Embedded features detect security threats and heal your printer, protecting it from boot up to shutdown.¹⁰
- Help protect data on the printer and in transit, using embedded security features and 256-bit encryption. $^{10}\,$
- Help build business efficiency with HP Web Jetadmin,¹¹ plus deploy over HP and 175 thirdparty solutions.
- Employ policy-based, fleet-wide protection features, using optional HP JetAdvantage Security Manager.¹²

Proven technology. Outstanding energy efficiency.

- Minimise downtime with HP PageWide Technology that delivers reliable performance businesses demand.
- Print up to 16,000 colour pages and up to 20,000 black-and-white pages and go longer between replacements.⁴
- Conserve with HP PageWide Technology designed to use less energy than any printer in its class. $^{\rm 13}$
- Get professional-quality colour documents and the performance you expect with Original HP PageWide cartridges.



Product walkaround

HP PageWide Enterprise Color 556xh shown:

- 1. Intuitive 10.9 cm pivoting colour touchscreen
- $\label{eq:constraint} \textbf{2}. \ \textbf{Hardware integration pocket for solution integration}$
- 3. Easy-access USB port to save and print files directly
- 4. Front door access to ink cartridges
- 5. 50-sheet multipurpose tray 1
- 6. Built-in automatic two-sided printing
- 7.500-sheet input tray 2
- 8. 500-sheet input tray 3 (standard on 556xh, optional on 556dn)
- 9. 300-sheet output bin
- 10. Slot for cable-type security lock
- 11. HP High-Performance Secure Hard Disk (556xh model only)
- 12. Hi-Speed USB 2.0 printing port
- 13. Built-in Gigabit Ethernet
- 14. USB port for connecting external USB devices



Series at a glance





Model	HP PageWide Enterprise Color 556dn	HP PageWide Enterprise Color 556xh
Product number	G1W46A	G1W47A
50-sheet multipurpose tray 1; 500-sheet tray 2	Yes	
1x500-sheet tray 3	Optional	Yes
3x500-sheet paper tray and stand	Optional	Optional (after removing Tray 3 included with printer)
Printer cabinet and stand	Optional	
HP High-Performance Secure Hard Disk	Not available	Yes
Wireless direct printing /NFC	Optional	Yes

Accessories, Supplies and Support

Supplies	J3M68A HP 981A Cyan Original PageWide Cartridge (~6,000 pages)		
	J3M69A HP 981A Magenta Original PageWide Cartridge (~6,000 pages)		
	J3M70A HP 981A Yellow Original PageWide Cartridge (~6,000 pages)		
	J3M71A HP 981A Black Original PageWide Cartridge (~6,000 pages)		
	LORO9A HP 981X High Yield Cyan Original PageWide Cartridge (~10,000 pages)		
	LOR10A HP 981X High Yield Magenta Original PageWide Cartridge (~10,000 pages)		
	LOR11A HP 981X High Yield Yellow Original PageWide Cartridge (~10,000 pages)		
	LOR12A HP 981X High Yield Black Original PageWide Cartridge (~11,000 pages)		
	LOR13A HP 981Y Extra High Yield Cyan Original PageWide Cartridge (~16,000 pages)		
	LOR14A HP 981Y Extra High Yield Magenta Original PageWide Cartridge (~16,000 pages)		
	LOR15A HP 981Y Extra High Yield Yellow Original PageWide Cartridge (~16,000 pages)		
	LOR16A HP 981Y Extra High Yield Black Original PageWide Cartridge (~20,000 pages)		
Accessories	B5L28A HP Internal USB Ports		
	B5L31A HP Foreign Interface Harness		
	G1W43A HP PageWide Enterprise 500-sheet Paper Tray		
	G1W44A HP PageWide Enterprise Printer Cabinet and Stand		
	G1W45A HP PageWide Enterprise 3x500 sheet Paper Tray and Stand		
	E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM		
	F5S62A HP Trusted Platform Module Accessory		
	BSLO9A HP Officejet Enterprise Ink Collection Unit		
	J8030A HP Jetdirect 3000w NFC/Wireless Accessory		
	J8031A HP Jetdirect 2900nw Print Server		
Service and Support	U9CV7E HP 3 year Next business day with Defective Media Retention Color PageWide Enterprise 556 Hardware Support U9CV8E HP 4 year Next business day with Defective Media Retention Color PageWide Enterprise 556 Hardware Support U9CV9E HP 5 year Next business day with Defective Media Retention Color PageWide Enterprise 556 Hardware Support U9CW9PE HP 1 year Post Warranty Next business day with Defective Media Retention Color PageWide Enterprise 556 Hardware Support U9CX1PE HP 1 year Post Warranty Next business day color PageWide Enterprise 556 Hardware Support U9CX0PE HP 1 year Post Warranty Next business day color PageWide Enterprise 556 Hardware Support U9CX0PE HP 2 year Post Warranty Next business day with Defective Media Retention Color PageWide Enterprise 556 Hardware Support H2872E HP Network Installation mid-high Color LaserJet printer Service		

Technical specifications

Model	HP PageWide Enterprise Color 556dn	HP PageWide Enterprise Color 556xh	
Product number	G1W46A	G1W47A	
Functions	Print	·	
Control panel	10.92 cm (4.3") Colour Graphics Display (CGD) with touchscreen; Rc USB High-speed 2.0 port; Hardware Integration Pocket	10.92 cm (4.3") Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	
Print			
Print technology	HP PageWide Technology with pigmented inks	HP PageWide Technology with pigmented inks	
Print speed ¹	Black (A4, normal) Up to 50 ppm; Colour (A4, normal): Up to 50 ppm; Black (A4, duplex): Up to 38 ipm; Colour (A4, duplex): Up to 25 ipm; Black (General Office): Up to 75 ppm; Colour (General Office): Up to 75 ppm;		
First page out ²	Black (A4, ready): As fast as 7.1 sec; Colour (A4, ready): As fast as 7 Black (A4, sleep): As fast as 12.2 sec;	Black (A4, ready): As fast as 7.1 sec; Colour (A4, ready): As fast as 7.3 sec; Black (A4, sleep): As fast as 12.2 sec;	
Print resolution	Black (best): Up to 1200 x 1200 optimised dpi black (when printing from a computer on HP ColorLok paper, HP Premium Inkjet Presentation Paper Matte, and HP Inkje Brochure Paper Matte and 600 x 600 input dpi); Colour (best): Up to 2400 x 1200 optimised dpi colour (when printing from a computer on HP Advanced Photo Papers and 600 x 600 input dpi);		
Monthly duty cycle ³	Up to 80,000 pages A4; Recommended monthly page volume ⁴ : 2,000 to 7,500		
Printer smart software features	HP ePrint; Apple AirPrint [™] ; Mopria-certified; Open Extensibility Platform; FutureSmart Firmware, Schedule On and Off Technology; HP Auto-Off Technology; Easy Access USB; Two-Sided Printing; Hardware Integration Pocket; Online help; Store print jobs		
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4)		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode font (Andale Monochrome World Type); 2 internal Windows Vista/8 fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Print area	Print margins Top: 4.2 mm, Bottom: 4.2 mm, Left: 4.2 mm, Right: 4.2 mm; Maximum print area: 201.6 x 347.1 mm		
Duplex printing	Automatic (Standard)	Automatic (Standard)	

Model	HP PageWide Enterprise Color 556dn	HP PageWide Enterprise Color 556xh
Product number	G1W46A	G1W47A
Bit depth/ Grey scale levels	24-bit (colour) /	
Processor speed	1.2 GHz	
Connectivity		
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000 T network; 1 Hardware Integration Pocket	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000 T network; 1 Hardware Integration Pocket; 1 Wireless 802.11 b/g/n; NFC Interface
Optional	HP Jetdirect 3000w NFC/Wireless Accessory J8030A; HP Jetdirect 2900nw Print Server J8031A	
Wireless	No	Yes, built-in Wi-Fi 802.11b/g/n; NFC Interface
Mobile printing capability ⁵	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing; Google Cloud Print 2.0
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/ IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHC	v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; ;P, WINS, IP Direct Mode, WS Print; Other: ePrint
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx , 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)	
Hard disk		Standard, embedded HP High-Performance Secure Hard Disk, minimum 500 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk).
Memory	Standard: 1280 MB; Maximum: 3328 MB	
Media handling		
Number of paper trays	Standard: 2 ; Maximum: 5	Standard: 3 ; Maximum: Up to 5: product bundle comes with 2 trays in base engine, plus 1 accessory Tray 3. If Tray 3 is removed and replaced with G1W45A (accessory with 3 trays), 5 trays available
Media types	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy brochure, matte brochure, tri-fold brochure, greeting cards, other inkjet specialty paper)	
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 297 mm; Optional Tray 3: 102 x 210 to 216 x 356 mm; Optional Tray 4: 102 to 216 x 356 mm; Optional Tray 5: 102 x 210 to 216 x 356 mm; Supported (metric): Tray 1: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, envelopes (B5, C5, C DL); Tray 2: A4, A5, B5 (JIS); envelopes (DL, B5, C5)	(210) Custom (neutr), hay 1, 76x 127 to 216x 356 https://doi.org/10.102/s210.02282 https://doi.org/10.102/s210.02282 https://doi.org/10.1028/s210.02282 https://doi.org/10.10282 https://doi.10282 https://doi.org/10.10282 https://doi.00282 https://doi.org

Product number Media handling Media weight ⁶ Input capacity Output capacity Compatible operating systems ⁷	G1W46A Standard onput: 500-sheet input tray, 50-sheet multipurpose tray Standard output: 300 sheet face-down output bin Optional input: Optional 500 sheet Tray 3; Optional integrated stand with 500 sheet Tray 3, 500 sheet Tray 4, and 500 sheet Tray 5 Tray 1: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (brochure), 163 to 200 g/m² (card); Optional Tray 5: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Optional Tray 5: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Optional Tray 5: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Optional Tray 5: 60 to 120 g/m² (card); Optional Tray 5: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Optional Tray 5: 60 to 120 g/m² (card); Optional Tray 5: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Optional Tray 5: 60 to 120 g/m² (card); Optional Tray 5: 60 to 120 g/m² (brochure), 163 to 200 g/m² (card); Optional Tray 5: 60 to 120 g/m² (brochure), 163 to 200 g/m² (card); Tray 1: Sheets: 500; Envelopes: 7; Cards: 25; Photo: 25; Labels: 25 Tray 2: Sheets: 500; Envelopes: 30; Cards: 100; Photo: 100; Labels: 100 Maximum: Up to 300 sheets Envelopes: Up to 30	G1W47A Standard input: 2 x 500-sheet input trays, 50-sheet multipurpose tray Standard output: 300 sheet face-down output bin Optional input: Optional 500 sheet Tray 3; Optional integrated stand with 500 sheet Tray 3, 500 sheet Tray 4, and 500 sheet Tray 5 Tray 1: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 3 - 5: 60 to 120 g/m² (brain paper), 125 to 250 g/m² (photo), 75 to 90 g/m² (brochure), 163 to 200 g/m² (card); Tray 3 or Trays 3 - 5: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 1: Sheets: 50; Envelopes: 7; Cards: 25; Photo: 25; Labels: 25 Tray 2: Sheets: 500; Cards: 100; Photo: 100; Labels: 100 Tray 3: Sheets: 500; Cards: 100; Photo: 100; Labels: 100 Maximum: Up to 2,050 sheets		
Media weight ⁶ Input capacity Output capacity	Standard output: 300 sheet face-down output bin Optional input: Optional 500 sheet Tray 3; Optional integrated stand with 500 sheet Tray 3, 500 sheet Tray 4, and 500 sheet Tray 5 Tray 1: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 75 to 90 g/m² (loplain paper), 125 to 250 g/m² (photo), 75 to 90 g/m² (loplain paper), 125 to 250 g/m² (photo), 72 to 90 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (loplain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 1: 50 to 120 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 1: Sheets: 50; Envelopes: 7; Cards: 25; Photo: 25; Labels: 25 Tray 2: Sheets: 500; Envelopes: 70; Cards: 100; Photo: 100; Labels: 100 Tray 3: Optional; Sheets: 500; Cards: 100; Photo: 100; Labels: 100 Tray 3: Optional 1; Sheets: 500; Cards: 100; Photo: 100; Labels: 100 Tray 3: Optional 5; Sheets Standard: Up to 300 sheets Envelopes: Up to 300 sheets Envelopes: Up to 300 sheets Cards: Up to 100 cards Maximum: Up to 300 sheets Windows OS compatible with In-Box Driver, Windows 10 all 32-bit/64-bit editions (editions (editions)	Standard output: 300 sheet face-downoutput bin Optional input: Optional 500 sheet Tray 3; Optional integrated stand with 500 sheet Tray 3, 500 sheet Tray 4, and 500 sheet Tray 5 Tray 1: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (bhot), 75 to 90 g/m² (envelope), 120 to 18 g/m² (brochure), 163 to 200 g/m² (card); Tray 3: 5: 60 to 120 to 18 g/m² (brochure), 163 to 200 g/m² (card); Tray 3 or Trays 3-5: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 1: Sheets: 50; Envelopes: 7; Cards: 25; Photo: 25; Labels: 25 Tray 2: Sheets: 500; Envelopes: 30; Cards: 100; Photo: 100; Labels: 100 Tray 3: Sheets: 500; Envelopes: 30; Cards: 100; Photo: 100; Labels: 100		
Input capacity Output capacity	g/m ² (plain paper), 125 to 250 g/m ² (photo), 75 to 90 g/m ² (envelope), 120 to 180 g/m ² (porchure), 163 to 200 g/m ² (card); 0ptional Tray 3: 60 to 120 g/m ² (plain paper), 125 to 250 g/m ² (photo), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); 0ptional Tray 4: 60 to 120 g/m ² (acard); 0ptional Tray 5: 60 to 120 g/m ² (photo), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); 0ptional Tray 5: 60 to 120 g/m ² (plain paper), 125 to 250 g/m ² (photo), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); 0ptional Tray 5: 60 to 120 g/m ² (card); 0ptional Tray 5: 60 to 120 g/m ² (card); 0ptional Tray 5: 60 to 120 g/m ² (card); 0ptional; Thexets: 50; Envelopes: 7; Cards: 25; Photo: 25; Labels: 25 Tray 2: Sheets: 500; Envelopes: 30; Cards: 100; Photo: 100; Labels: 100 Tray 3: Optional; Sheets: S00; Cards: 100; Photo: 100; Labels: 100 Maximum: Up to 2,050 sheets Envelopes: Up to 300 sheets Envelopes: Up to 300 sheets Cards: Up to 100 cards Maximum: Up to 300 sheets Windows OS compatible with In-Box Driver, Windows 10 all 32-bit/64-bit editions (et al. 100)	g/m² (plain paper), 125 to 250 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 3 or Trays 3-5: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 1: Sheets: 50; Envelopes: 7; Cards: 25; Photo: 25; Labels: 25 Tray 2: Sheets: 500; Envelopes: 30; Cards: 100; Photo: 100; Labels: 100 Tray 3: Sheets: 500; Cards: 100; Photo: 100; Labels: 100		
Output capacity	Tray 2: Sheets: 500; Envelopes: 30; Cards: 100; Photo: 100; Labels: 100 Tray 3: Optional; Sheets: 500; Cards: 100; Photo: 100; Labels: 100 Maximum: Up to 2,050 sheets Standard: Up to 300 sheets Envelopes: Up to 300 sheets Labels: Up to 100 sheets Cards: Up to 100 sheets Windows OS compatible with In-Box Driver, Windows 10 all 32-bit/64-bit editions (editions)	Tray 2: Sheets: 500; Envelopes: 30; Cards: 100; Photo: 100; Labels: 100 Tray 3: Sheets: 500; Cards: 100; Photo: 100; Labels: 100		
	Envelopes: Up to 35 envelopes Labels: Up to 100 sheets Cards: Up to 100 cards Maximum: Up to 300 sheets Windows OS compatible with In-Box Driver, Windows 10 all 32-bit/64-bit editions (e			
Compatible operating systems ⁷	Windows OS compatible with In-Box Driver, Windows 10 all 32-bit/64-bit editions (e	Envelopes: Up to 35 envelopes Labels: Up to 100 sheets Cards: Up to 100 cards		
	Windows OS compatible with In-Box Driver, Windows 10 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit/64-bit editions, Windows Vista all 32-bit/64-bit editions (Home Basic, Premium, Professional, etc); Windows OS compatible with Universal Print Driver (From HP.com), Windows 10 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-bit			
Compatible network operating systems	Windows OS compatible with In-Box Driver: Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows OS compatible with In-Box Driver: Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows OS compatible with Universal Print Driver (UPD) or product-specific drivers from HP.com: Windows Server 2012/2012 R2 64-bit Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-bit (S4-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-bit (S4-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-bit (S4-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-bit (S4-bit (S71/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2), Citrix Ker Abar Service 30, Citrix KetaFrame Presentation Server 4008/2008 R2), Citrix XenApp 5.0 (Plus Feature Release 1, 2, and 3), Citrix Presentation Server 40/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3), Citrix NenApp 6.0/6.5/7.5, Citrix XenApp 5.0, Citrix Server 2012/2012 R2), Citrix XenApp 7.5, Citrix XenApp 5.0, Clus Feature Pack 2 & 3), Citrix Server 2012/2012 R2), Citrix XenApp 7.5, Citrix XenApp 5.0, Clus Feature Pack 2 & 3), Citrix XenApp 5.0, Clus Feature Pack 2 & 3), Citrix XenApp 5.0, Clus Feature Pack 2 & 3), Citrix XenApp 5.0, Clus Feature Pack 2 & 3), Citrix XenApp 5.0, Clus Feature Pack 2 & 3), Citrix XenApp 5.0, Clus Feature Pack 2 & 3), Citrix XenApp 5.0, Clus Feature Pack 2 & 3), Citrix XenApp 5.0, Clus Feature Pack 2 & 3), Citrix XenApp 5.0, Clus Feature Pack 2 & 3), Citrix XenApp 5.0, Clus Feature Pack 2 & 3), Citrix XenApp 5.0, Clus Feature Pack 2 & 3), Citrix XenApp 5.0, Clus Feature Pack 2 & 3), Citrix XenApp 5.0, Clus Feature Pack			
Minimum system requirements	Windows: CD-ROM or DVD drive, or Internet connection; Dedicated USB, Network co hardware requirements see http://www.microsoft.com; Mac: Internet, USB, 1 GB available hard drive space; OS compatible hardware; See h			
Software included	For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Send Fax, HP Update, Product Registration Assist, HP Connected, Online user manuals; For Mac OS: Welcome screen directs users to HP.com or OS application source for printer software			
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in; access port for Kensington-style lock, HP Sure Start, intrusion detection, whitelisting			
Printer management	Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template, Add Print Model to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP Managed Printing Administration, PRNCON.EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove Plug and Play Drivers); HP Web Jetadmin Software, Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, HP WS Pro Proxy Agent), HP JetAdvantage Security Manager			
Dimensions and weight				
Printer dimensions (W x D x H)	Minimum 530 x 463 x 457 mm; Maximum: 934 x 745 x 457 mm, (with left door open, main paper tray open);	Minimum 530 x 463 x 597 mm; Maximum: 1038 x 745 x 597 mm, (with accessor tray 3 left door open, main paper tray open);		
Package dimensions (W x D x H)	603 x 565 x 553 mm	603 x 565 x 792 mm		
Printer weight	22.2 kg	28.8 kg		
Package weight	27.5 kg	35.4 kg		
Operating environment		55. r.kg		
Storage conditions	Temperature: 15 to 30°C; Humidity: 20 to 60% RH Temperature: Before initial setup (non-purged): -40 to 60°C; After initial setup (purged): 0 to 60°C; If stored below the lowest specified operating temperature, unit must slowly warm up to an approved operating temperature (HP recommends waiting 24 hours at approved operating temperature prior to using the printer); Humidity: 5 to 90% RH			
Acoustics	Acoustic power emissions: 6.9 B(A), printing colour simplex A4 at 50 ppm;			
Power ⁸	Requirements: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz). Not dual voltage, power supply varies by part number with # Option code identifier.; Consumption: 52 watts (printing), 12 watts (ready), 0.56 watts (min sleep), 6.3 watts (max sleep), 0.3 watts (manual-off), 0.3 watts (axes off/manual on); Typical Electricity Consumption (TEC): Blue Angel: 0.877 kWh/Week; Energy Star 3.0: 1.123 kWh/Week; Energy Star 3.0: 1.123 kWh/Week; Built-in power supply;	Requirements: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz). Not dual voltage, power supply varies by part number with # 0ption code identifier; Consumption: 52 watts (printing), 12 watts (ready), 0.56 watts (min sleep), 7.5 watts (max sleep), 0.3 watts (maual-off), 0.3 watts (auto-off/manual on); Typical Electricity Consumption (TEC): Blue Angel: 0.877 kWh/Week; Energy Star: 1.585 kWh/Week; Energy Star: 9 Dower supply type: Built-in power supply;		
Energy savings feature technology	HP Auto-Off Technology			
Certifications	CISPR 22:2008/EN 55022:2010 (Class A); EN 55024:2010; EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; Other EMC approvals as required by individual countries ENERGY STAR® qualified; EPEAT® Silver; CECP	CISPR 22:2008/EN 55022:2010 (Class A); EN 55024:2010; EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; Other EMC approvals as required by individual countries ENERGY STAR® qualified; EPEAT® Silver; CECP Telecom compliance: WFI: EN 301 489-1 v1.9.2; EN 301 489-17 v2.2.1; EN 300 328-v1.8.1; EN 62311:2008/IEC 62311:2007		
Blue Angel compliant	No; Please refer to the ECI document Yes, Blue Angel DE-UZ 205—only ensured when using Original HP suppl			
Country of origin	Made in China			
What's in the box	HP PageWide Enterprise Color 556dn printer; HP Setup Ink Cartridges (yield after setup 6,000 pages (MYK); Installation guide; Support flyer; Software drivers and documentation on CD-ROM; Power cord	HP PageWide Enterprise Color 556xh printer; HP Setup Ink Cartridges (yield after setup 6,000 pages (MYK); Installation guide; Support flyer; Software drivers and documentation on CD-ROM; Power cord		
		y product, country and local legal requirements. Go to http://www.hp.com/support		

Footnotes

¹ Comparison of Enterprise devices based on manufacturers' published specifications of fastest available colour mode of colour business A4 MFPs €1.000–€3.000 as of November 2015, excluding products with 1% or lower market share using market share as reported by IDC as of Q3 2015. HP PageWide speeds based on General Office mode and exclude first page. Learn more at hp.com/go/printerspeeds.

² Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/ao/PrintersThatProtect. For more information: hp.com/ao/printersecurityclaims.

³ Total cost of ownership Enterprise comparison based on 150,000 pages, manufacturers' published specifications for page yields and energy use, manufacturers' recommended street prices for HP hardware and supplies, average street prices for competitive devices, cost per page based on ISO yield with continuous printing in default mode with highest-available-capacity cartridges, and long-life consumables of all colour business A4 printers €500-€1,249 as of November 2015, excluding products with 1% or lower market share using market share as reported by IDC as of Q3 2015. Actual prices may vary. Learn more at hp.com/go/pagewideclaims and hp.com/go/learnaboutsupplies.

⁴ Yield based on ISO 24711 cartridge yields for HP 981Y Extra High Yield Original PageWide Cartridges, which are not included in printer purchase; purchase separately. Comparison based on ISO 24711 cartridge yields for HP 981Y

Extra High Yield Original PageWide Cartridges compared with HP 981 series Original PageWide Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies. ⁵ Based on ISO 24711 cartridge yields for HP 981 series High Yield Original PageWide Cartridges compared with HP 981 series Original PageWide Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies. ⁶ Less scheduled maintenance based on 150,000 pages printed, and published comparisons of majority of in-class colour laser printers and A4 MFPs €1,000–€3,000 as of November 2015; market share as reported by IDC as of Q3 2015. Learn more at hp.com/go/pagewideclaims.

Measured using ISO/IEC 17629. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Learn more at http://www.hp.com/go/printerclaims. ⁸ Touch-to-print capability is standard on the HP PageWide Enterprise Color 556xh only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for HP PageWide Enterprise Color 556dn. Mobile device

must support Near Field Communication (NFC)-enabled printing. For more information, see http://www.hp.com/go/businessmobileprinting. 9 Wireless direct capability is standard on the HP PageWide Enterprise Color 556xh only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP PageWide Enterprise Color 556dn. Mobile device needs to be connected directly to the Wi-Fi® network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see http://www.hp.com/go/businessmobileprinting. ¹⁰ Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity.

¹¹ HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin.

¹² Based on HP internal research on competitor offerings (Device Security Comparison January 2015), and Solutions Report on HP JetAdvantage Security Manager 2.1 from Buyers Laboratory LLC, February 2015. Requires separate purchase. For details, see http://www.hp.com/go/securitymanager.

13 Energy claim for Enterprise devices based on TEC data reported on energystar.gov. Data normalised to determine energy efficiency of majority of in-class colour laser MFPs €1,000–€3,000 and colour laser printers €500– €1,249 as of November 2015; market share as reported by IDC as of Q3 2015. Subject to device settings. Learn more at hp.com/go/pagewideclaims.

Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server, Wireless performance is dependent on physical environment and distance from access point, and it may be limited during active VPN connections.

Technical specifications disclaimers

¹ ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see http://www.hp.com/go/printerclaims

Exact speed varies depending on the system configuration, software application, driver and document complexity.

³ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

⁴ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

⁵ May require a firmware upgrade to be compatible, download at http://www.hp.com/go/support.

⁶ All HP media listed as compatible with the printer in the HP Designjet Printing Supplies Compatibility Guide, regardless of weight, may be used.

⁷ Not all "Compatible Operating Systems" are supported with inbox software. Full solution software available only for Windows 7 and newer. Legacy Windows Operating Systems (Vista and equivalent servers) get print and scan drivers only. Windows RT OS for Tablets (32-bit/64-bit) uses a simplified HP print driver built into the RT OS. UNIX modelscripts are available on http://www.hp.com (modelscripts are printer drivers for UNIX operating systems). Linux systems use in-OS HPLIP software. HP Software for Mac is no longer included on the CD, but can be downloaded from http://www.hp.com. The Mac printer drivers are installed for Mac operating systems.

⁸ For HP PageWide enterprise-class devices default power consumption during sleep device settings may vary by region. Settings may be changed by the user. Actual power consumption varies based on power settings selected, pages printed, and other factors.





http://www.hp.com/uk

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein



Published in EMEA April 2021