HP LaserJet Enterprise MFP M430 series



HP's entry-level Enterprise-class MFP with speeds up to 42 ppm⁸ and strongest security.¹

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds



HP LaserJet Enterprise MFP M430f

Easy to use, simple to manage

- HP FutureSmart firmware can be updated with the latest features² to optimize your investment for vears to come.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.3
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like
- Set up this MFP fast, and easily manage device settings to help increase efficiency.

The world's most secure printing¹

- The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.
- Common Criteria certified⁴ to continually monitor memory activity to detect and stop attacks in real
- Firmware is automatically checked during startup to determine if it's authentic code—digitally
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart

Enhanced productivity to empower work teams

- Give workgroups what they need to succeed with hundreds of HP and third-party solutions and card reader support.
- Optimize workflows, reduce steps and errors, and support mobile workers with optional MFP apps that meet your specific business needs.
- Help ensure the security of confidential information with PIN/Pull printing to retrieve print jobs.
- Stay connected with an optional accessory for wireless, ⁶ Bluetooth® Low Energy, and NFC touch-toprint.

Sustainability is smart business

- Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.⁷
- Help reduce wasted paper and toner by only printing jobs that are truly needed, using HP Secure
- Save energy without sacrificing performance—this MFP is ENERGY STAR® and Blue Angel certified.
- Remove barriers and help meet compliance and accessibility standards with the HP Accessibility Kit (includes Braille overlay and tactile adhesives, an HP Access Handle, and BigKeys LX Keyboard) and compatibility with HP Accessibility Assistant.

¹ HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a com of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit hp.com/go/PrintersThatProtect. For more information, visit hp.com/go/PrinterSecurityClaims

2 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

³ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin
⁴ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1
and later. For more information; https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

Use of the HP Trusted Platform Module may require a firmware upgrade.
Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.

Dependent upon country setup specifications 8 HP Secure Print is optional and requires a license

Product walkaround

- 1. 4.3-inch (10.9 cm) color touchscreen
- 2. Easy-access USB port⁶
- 3. 150-sheet output bin
- 4. Automatic two-sided printing (default)¹
- 5. 100-sheet multipurpose input tray 1
- 6. 250-sheet input tray 2
- 7. 50-sheet automatic document feeder (ADF)
- 8. Convenient front on/off switch
- 9. Right door, access to print path
- 10. Front door, access to Original HP Toner cartridges with JetIntelligence
- 11. Hi-Speed USB 2.0 port for third-party devices
- 12. Hi-Speed USB 2.0 printing port
- 13. Gigabit Ethernet network port



Series at a glance



Model	HP LaserJet Enterprise MFP M430f
Product number	3PZ55A
Print speed (Letter/A4) ²	Up to 40/38 ppm (default); 42/40 ppm (HP High Speed)
First page out (Letter/A4) ³	As fast as 6.3/6.5 seconds
Control panel	4.3" (10.9 cm) color touchscreen
Memory	2 GB
Storage	16 GB eMMC
Automatic two-sided printing (default)1	√
Input capacity (standard/maximum)	Up to 350/900 sheets
100-sheet input tray 1	√
250-sheet input tray 2	√
550-sheet input tray 3	Optional
Recommended monthly page volume (RMPV) ⁴	900 to 4,800 pages
Duty cycle	Up to 100,000 pages
Cartridge yields	3,000 pages (A) or 10,000 pages (X)
Dual-band Wi-Fi with Bluetooth® Low Energy, Wi-Fi Direct® ⁵	Optional
ENERGY STAR® qualified	√

¹ Automatic two-sided printing dependent upon country setup specifications.
2 Measured using ISO/IEC 24734 Office Suite and Feature Tests, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, document complexity, media size, media orientation, and media by per HP High Speed may require firmware upgrade to enable.
3 First page our measured using ISO/IEC 17629, For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
4 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
5 Mobile device needs to be connected directly to the signal of a Wi-Fi Direct supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance. For details, see hp.com/go/mobileprinting.
6 An administrator must enable the easy-access USB port before use.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc













Top features

Set up work teams for success without adding more to your plate. Help people handle business wherever it happens while giving IT fleet-wide control it needs, using a compact MFP built for simple use and management.

HP printers have the industry's strongest security because they're always on guard, continually stopping threats while adapting to new ones. And only HP printers can automatically self-heal from attacks, so IT doesn't need to intervene

Simplify collaboration and productivity with a streamlined MFP that supports how people work today: fast, nimble, and connected. Print sharp text and graphics businesses need to look professional day in and day out, plus scan and copy with

Business is all about resource management, and finding efficiencies is everyone's responsibility. This compact MFP is designed for low energy use, to help people complete tasks quickly while conserving wherever possible.

Accessories

2TD64A 3JN69A HP Accessibility Kit HP Jetdirect 3100w BLE/NFC/Wireless Accessory

4QL32A 8FP31A

HP Legic Secure USB Reader HP Jetdirect LAN Accessory HP Foreign Interface Harness

B5L31A CC543B D9P29A HP SmartCard NIPRNet Solution for US Government HP LaserJet Pro 550-sheet Feeder Tray

X3D03A Y7C05A HP USB Universal Card Reader HP HIP2 Keystroke Reader

Supplies

HP 58A Black Original LaserJet Toner Cartridge 1 Black (~3,000 pages) HP 58X High Yield Black Original LaserJet Toner Cartridge 1 Black (~10,000 pages) CF258A CF258X

Solutions

Overview: The HP Solutions portfolio provides a broad array of solutions designed to work with many HP printers and MFPs. They can help improve productivity, safeguard your data, and drive down costs. Helping employees and your IT team work more efficiently.

Workflow: HP Capture & Route; Embedded send-to-email

Security: HP JetAdvantage Security Manager fleet security compliance and management; HP Access Control; HP JetAdvantage Secure Print; Card readers: Secure Encrypted Print (UPD)

Mobile and universal print: HP Universal Print Driver (UPD)

Management: HP Web JetAdmin; HP JetAdvantage Security Manager; HP JetAdvantage Insights

Services

U11D7E - HP 3y NBD LJ Ent MFP M43x SVC

U11D8E - HP 4y NBD LJ Ent MFP M43x SVC

U11D9E - HP 5y NBD LJ Ent MFP M43x SVC

U11DBE - HP 3y 4h 9x5 LJ Ent MFP M43x SVC

U11DCE - HP 4y 4h 9x5 LJ Ent MFP M43x SVC

U11DDE - HP 5y 4h 9x5 LJ Ent MFP M43x SVC

U11DFE - HP 3y 4h 13x5 LJ Ent MFP M43x SVC

U11DGE - HP 4y 4h 13x5 LJ Ent MFP M43x SVC

U11DHE - HP 5y 4h 13x5 LJ Ent MFP M43x SVC U11DJE - HP 3y NBDOnsiteExch LJ Ent MFP M43x SVC

U11DKE - HP 4y NBDOnsiteExch LJ Ent MFP M43x SVC

U11DLE - HP 5y NBDOnsiteExch LJ Ent MFP M43x SVC

U11DME - HP 3y ChnlPartsOnly LJ Ent MFP M43x SVC

U11DNE - HP 4y ChnlPartsOnly LJ Ent MFP M43x SVC

U11DQE - HP 5y ChnlPartsOnly LJ Ent MFP M43x SVC

U11DRPE - HP 1y PW NBD LJ Ent MFP M43x SVC

U11DSPE - HP 2y PW NBD LJ Ent MFP M43x SVC

U11DTPE - HP 1y PW 4h 9x5 LJ Ent MFP M43x SVC

U11DVPE - HP 2v PW 4h 9x5 LJ Ent MFP M43x SVC

U11DWPE - HP 1y PW 4h 13x5 LJ Ent MFP M43x SVC

U11DXPE - HP 2y PW 4h 13x5 LJ Ent MFP M43x SVC

U11DYPE - HP1vPW NBDOnsiteExch LJ Ent MFP M43x SVC

U11DZPE - HP 1yPWChnlPartsOnly LJ Ent MFP M43x SVC U11EOPE - HP 2yPWChnlPartsOnly LJ Ent MFP M43x SVC

U9JT3E - HP Inst SVC w/nw Department Printer

¹ HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NISTSP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit hp.com/go/Printers EquityClaims
2 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

3 HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/spfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf Use of the HP Trusted Platform Module may require a firmware upgrade.

Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections. Dependent upon country setup specifications.

⁸ HP Secure Print is optional and requires a license

HP LaserJet Enterprise MFP M430 series

Product number 3PZ55A AIO functions Print, copy, scan, fax Print First page out letter & fact as 6 2 as Plade Electrope out Ad As fact as 6 5 cas Plade Letter In to 40 page (40 high to 6 as a 6 4 page (40 high page) and (40 high page)		
First Commission First Spage and Letters: As East as 6.3 are: Black First page and Africh fast as 6.5 are: Black Letters (to 10-40 ppm (defauld): Up to 42 ppm (IPP high speed mode) Black; African (Letters (to 10-50 ppm (defauld): Up to 42 ppm (IPP high speed mode) Black; African (Letters (to 10-50 ppm (defauld): Up to 40 ppm (defauld): Up to 42 ppm (IPP high speed mode) Black; African (Letters (to 10-50 ppm (defauld): Up to 40 ppm (defauld): Up to 42 ppm (IPP high speed mode) Black; African (Letters (to 10-50 ppm (defauld): Up to 40 ppm (defauld): Up	Model	HP LaserJet Enterprise MFP M430f
Print seed 1.5 Prints page out Letter As fast as 5 are Black First page out A4 As less as 6 Save Black Letter (b) to 40 ppm 6P high speed model Black A4 Lip to 38 pm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 pm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 pm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 pm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 pm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 pm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 pm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 pm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 pm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 pm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 pm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 pm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 ppm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 ppm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 ppm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 ppm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 ppm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 ppm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 ppm (lot fault). Up to 40 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model Black A4 Lip to 38 ppm 6P high speed model B		
Pirit speed 1 is 2 Pertage and Letters is for lat at 15 are flate. This tapp out At 15 are is 6.5 or flates is 15 are 6.5 or f	AIO functions	Print, copy, scan, fax
Priet sensition Back better (bit to 3 pm Black 2-steid Act (b	Print	
Print exchalogy Loser: Print resolution technology: 300 dp. 600 dp. 19P sattles 1200. 19P Pointing 1200 Print carbingtor, number: 3 L Block Loser: Print resolution technology: 300 dp. 600 dp. 19P sattles 1200. 19P pointing 16 17 J. Apple Air-Print* Printer smart software features Print	Print speed ⁷ , ⁸ , ⁶	
Piet carrisdges sumber 1 (Bask) 1 (Bask) 1 (British (Br PCLS, HP PCLS, HP PCLS, HP PCLS, HP PCLS, HP PotScript level 3 emulation, native PCF printing by 1.77, Apple AirPrint* Printer smit sphriter should be printed as sphriter should be printed should be print	Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi
Finite management Printer management Printer software features Printer forware from the printer forware features Printer forware forware forware features Printer forware	Print technology	Laser; Print resolution technology: 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200
Printer smart software features Printer smart software features Printer smart software features Printer management Printer printer management Printer management Printer management Printer management Printer p	Print cartridges number	1 (black)
Printer management IEP Printer Accidant, EP Wilds (Enderform Software, IP) Bethod various Schrick (Manage, EP SNRP) Proxy Agent (Part of IP) Web Jethdmin), IP WS Pro Proxy Agent (Part of IP) Web Jethdmin), Printer Administrator Resource Kit for IP Son For Technology Type: Flathed, ADF, Technology Type: Flathed, ADF, Technology: Contact image Sensor (CS); Twan version: Version 2.1 Son resolution Hardware Units of the Open Software (CS); Twan version: Version 2.1 ADF, 85 x 14 in Maximum; S x 7 in, Minimum; Flathed: 8.5 x 11.7 in Up to 31 pm/19 jm 18/wh, up to 32 jmm/19 jm 18/wh, up to 21 jmm/39 jm 16/wh, up to 32 jmm/19 jmm/	Standard print languages	HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Universal Prints Prints (Diversal Prints Prints Prints)) Soan Seas (San Sea April 1997) Soan Installation (San Sea Sea April 1997) Soan Sea Sea April 1997 (San Sea Sea) April 1997 (San Sea	Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Scan to E-mail: Save-to-Network Polder; Seve-to-Used discislents of Sara to Surface (Sara to Surface) Speed 1 Letter: Up to 40 pm Black; A4-Up to 38 pm Black; Estandardit; 203 x 98 epi Para speed 2 Letter: Up to 40 pm Black; A4-Up to 38 pm Black; Estandardit; 203 x 98 epi Para speed 3 Up to 33 pm/49 pm (black), up to 22 pm/37 pm (color) Letter; Up to 29 pm/46 pm (black), up to 20 pm/35 pm (color) A4; Duplec Up to 49 pm (black), up to 37 pm (color) Letter; Up to 46 pm (black), up to 35 pm (color) A4 Scance advanced features Black depth / Crayscale levels 24-bit; 225 Digital sending standard Scan to E-mail: Save-to-Network Polder; Save-to-UsB drive; Scan-to-Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Crop To Content; Compact features Son to E-mail: Save-to-Network Polder; Save-to-UsB drive; Scan-to-Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Crop To Content; Compact features Son to E-mail: Save-to-Network Polder; Save-to-UsB drive; Scan-to-Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Crop To Content; Compact features Fax To E-mail: Save-to-Network Polder; Save-to-UsB drive; Scan-to-Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Crop To Content; Compact features Fax To E-mail: Save-to-Network Polder; Save-to-UsB drive; Scan to Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Crop To Content; Compact Features Fax To E-mail: Save-to-Network Polder; Save-to-UsB drive; Scan to Sharepoint; Send to FTP; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Crop To Content; Compact Features Fax To E-mail: Save-to-Network Polder; Save-to-UsB drive; Scan to Sharepoint; Send to FTP; Send to FTP; Se	Printer management	HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator);
Scan resolution Hardware: Up to 600 x 600 dpc Optical: Up to 600 dpl ADR: 8 x 14 la Maximum; 5 x 7 in. Minimum; Ratbeet 8.5 x 11.7 in Scan speed 11 Up to 31 pm/49 jmm (8wk), up to 21 pm/37 jmm (color) Letter; Up to 29 pm/46 jmm (8wk), up to 29 pm/35 jmm (color) A4; Duplee: Up to 49 jmm (8wk), up to 37 jmm (color) Letter; Up to 46 jmm (8wk), up to 37 jmm (color) Letter; Up to 46 jmm (8wk), up to 37 jmm (color) Letter; Up to 46 jmm (8wk), up to 37 jmm (color) Letter; Up to 46 jmm (8wk), up to 37 jmm (color) Letter; Up to 46 jmm (8wk), up to 37 jmm (color) A4; Duplee: Up to 49 jmm (8wk), up to 37 jmm (color) Letter; Up to 46 jmm (8wk), up to 37 jmm (color) A4; Duplee: Up to 49 jmm (8wk), up to 37 jmm (color) Letter; Up to 46 jmm (8wk), up to 37 jmm (color) A4; Duplee: Up to 49 jmm (8wk), up to 37 jmm (color) Letter; Up to 46 jmm (8wk), up to 37 jmm (color) A4; Duplee: Up to 49 jmm (8wk), up to 37 jmm (color) Letter; Up to 46 jmm (8wk), up to 37 jmm (color) A4; Duplee: Up to 40 jmm (8wk), up to 35 jmm (color) A4; Duplee: Up to 40 jmm (8wk), up to 35 jmm (color) A4; Duplee: Up to 40 jmm (8wk), up to 36 jmm (8wk), up to 38 jmm (8w	Scan	
ADP, 8.5 x 14 in Maximum; 5.x 7 in, Minimum; Platbed: 8.5 x 11.7 in Son speed 1 Up to 31 gpm/40 jpm (88/w), up to 21 gpm/37 jpm (color) Letter; Up to 29 gpm/46 jpm (88/w), up to 20 gpm/35 jpm (color) A4; Duplec Up to 49 jpm (88/w), up to 37 jpm (color) Letter; Up to 46 jpm (88/w), up to 35 jpm (color) A4 Scanner advanced features Optimize text/picture; Image adjustments; Nob build; Output quality setting; Selectable scan resolution 75 to 600 dpt; Auto detect color; Edge Erase; Nob notification; Blank page suppression; HP Quick Sets; PDF; GF; JPG; MTIFF Bit depth / Grayscale levels 24 bit 256 Digital sending standard Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Scan-to-Sharepoint, Send to FTP, Send to Internet Fax; Local Address Book; SMTP over SSI; Blank Page Removal; Edge Erase, Auto Color Sense; Auto Crop To Content; Compact features **PDF; Scan to Cheridave, Scan to Driedhive for Business; Scan to Sharepoint Online Corpy Corpy Corpy Letter: Up to 40 cpm Black; Ak: Up to 38 cpm Black; First corpy out Letter: As fast as 6.8 sec Black; First corpy out A4: As fast as 7.2 sec Black; 2-sided Letter: Up to 33 cpm Black; 2-sided A4: Up to 31 cpm Black Fax resolution Black Destit Up to 30 ox 300 obj. Black (standards; 203 x 99 dp) Fax smart software features Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax resolution Fax features Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax resolution Fax memory; Dependent on the amount of available disk space; Auto Exception promode supported: Viss, Auto-redialing; Viss; Fax delayed sending; NO; Districtive ring detection supported: No; Fax forwarding supported: Viss; Fax phone TAM Fax refoutive Scandard Comectivity 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigable Ethernet 10/100/1000T network; 1 Fax Network capabilities Sec. Supported:	Scan type / Technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS); Twain version: Version 2.1
Scan speed. 1 Up to 31 ppm/49 ipm (b&w), up to 21 ppm/37 ipm (color) Letter; Up to 29 ppm/46 ipm (b&w), up to 20 ppm/45 ipm (color) A4; Duplec Up to 49 ipm (b&w), up to 37 ipm (color) Letter; Up to 46 ipm (b&w), up to 37 ipm (color) Letter; Up to 46 ipm (b&w), up to 37 ipm (color) Letter; Up to 46 ipm (b&w), up to 37 ipm (color) A4; Scan advanced features Bit depth / Grayscale levels 24-bit / 256 Digital sending standar Scan to 5-mail; Save-to-Network Folder; Save-to-USB drive; Scan to-Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact Features if PP; Scan to One-drive; Scan to One-drive; Scan to Sharepoint Online Copy Copy Letter: Up to 40 cpm Black; A4: Up to 38 cpm Black; First copy out Letter: As fast as 6.8 sec Black; First copy out A4: As fast as 7.2 sec Black; 2-sided Letter: Up to 33 cpm Black; 2-sided A4: Up to 31 cpm Black Fax resolution Black (best): Up to 300 x 300 dyi; Black (Standard): 201 x 98 dpi Fax smart software features Stored Faxes; Save archiving; Eax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory, Dependent on the amount of available disk space, Auto fax reduction supported. Yes, Auto-redailing; Yes; Fax delayed sending No. Distinctive ring detection supported. No. Fax forwarding supported. Yes; Pp interface supported. Yes, Save politic years of the proper of the compact of the proper of t	Scan resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi
Scanner advanced features Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpt; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets, PDF; GHF; MTGF Bit depth / Grayscale levels 24-bit / 256 Digital sending standard Entertures 12 Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Scan-to-Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact Teatures 12 Copy Copy Letter: Up to 40 cpm Black; A4: Up to 38 cpm Black; First copy out Letter: As fast as 6.8 sec Black; First copy out A4: As fast as 7.2 sec Black; 2-sided Letter: Up to 33 cpm Black; 2-sided A4: Up to 31 cpm Black Fax speed ⁵ Up to 33.6 kbps (maximum); 14.4 kbps (default) / Letter3 sec per page Fax resolution Black (best): Up to 300 x 300 dpi; Black (standard); 203 x 98 dpi Fax smart software features Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet Fax; Fax number confirmation; Holiday fax schedule Fax Features Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet Fax; Fax number confirmation; Holiday fax schedule Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet Fax; Fax number confirmation; Holiday fax schedule Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet Fax; Fax number confirmation; Holiday fax schedule Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet Fax; Fax number confirmation; Holiday fax schedule Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet Fax; Fax number confirmation; Holiday fax schedule Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet Fax; Fax number confirmation; Holiday fax schedule Stored faxes; Fax archiving; Fax forward	Scan Size	ADF: 8.5 x 14 in Maximum; 5 x 7 in. Minimum; Flatbed: 8.5 x 11.7 in
Bit depth / Grayscale levels 24-bit / 256 Digital sending standard pp: Scan to E-mail: Save-to-Network Folder; Save-to-USB drive; Scan-to-Sharepoint; Send to FTP, Send to Internet Fax, Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact features 12 Copy Copy Speed Letter: Up to 40 cpm Black; A4: Up to 38 cpm Black; First copy out Letter: As fast as 6.8 see Black; First copy out A4: As fast as 7.2 see Black; 2-sided Letter: Up to 33 cpm Black; 2-sided A4: Up to 31 cpm Black Fax Speed V Ly to 33.6 kbps (maximum); 14.4 kbps (defauld) / Letter3 see per page Fax resolution Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Fax smart software features Stored faxes; Fax archiving: Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax Features Fax resolution Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Fax Features Fax resolution Place of faxes; Fax archiving: Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax Features Page Fax archiving: Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax Features Page Fax archiving: Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax Features Stored faxes; Fax archiving: Fax forwarding supported: Yes; Ray phone Tode supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Ray phone Tode supported: No; Fax beliephone mode supported: No; Jax	Scan speed ¹¹	Up to 31 ppm/49 ipm (b&w), up to 21 ppm/37 ipm (color) Letter; Up to 29 ppm/36 ipm (b&w), up to 20 ppm/35 ipm (color) A4; Duplex: Up to 49 ipm (b&w), up to 37 ipm (color) Letter; Up to 46 ipm (b&w), up to 35 ipm (color) A4
Digital sending standard PDF; Scan to E-mail: Save-to-Network Folder; Save-to-Sharepoint: Send to FTP; Send to Internet Fax; Local Address Book: SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Scan to Onedrive; Scan to Onedrive for Business; Scan to Sharepoint Online Copy Copy Copy Speed Letter: Up to 40 cpm Black: A4: Up to 38 cpm Black; First copy out Letter: A9 fast as 6.8 sec Black; First copy out A4: As fast as 7.2 sec Black; 2-sided Letter: Up to 33 cpm Black; 2-sided A4: Up to 31 cpm Black Fax Fax speed Up to 33.6 kbps (maximum); 14.4 kbps (default) / Letter3 sec per page Fax resolution Black (best): Up to 300 x 300 dp; Black (standard); 203 x 98 dpi Fax resolution Slack (best): Up to 300 x 300 dp; Black (standard); 203 x 98 dpi Fax remony: Dependent on the amount of available disk space; Auto fax reduction supported: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: No; Fax forwarding supported: No; Fax forwarding: Supported: No; Fax fo	Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; PDF; GIF; IPG; MTIFF
Fax peed 2 Up to 33.6 kbps (maximum); 14.4 kbps (default) / Letter: 4s fast as 6.8 sec Black; First copy out A4: As fast as 7.2 sec Black; 2-sided Letter: Up to 33 cpm Black; 2-sided A4: Up to 31 cpm Black Fax peed 3 Up to 33.6 kbps (maximum); 14.4 kbps (default) / Letter:3 sec per page Fax resolution Black (best): Up to 300 x 300 dpi; Black (standard); 203 x 98 dpi Fax smart software features Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax Features Brace and a supported: Ves; Sax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Ves; Fax place and supported: Ves; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Ves; Fax place and supported: No; Fax forwarding supported: Ves; Fax place and supported: No; Fax forwarding supported: Ves; Fax place and supported: No; Fax forwarding supported: Ves; Fax place and supported: No; Fax forwarding supported: Ves; Fax place and supported: No; Fax forwarding supported: Ves; Fax place and supported: No; Fax forwarding supported: Ves; Fax place and supported: No; Fax forwarding supported: Ves; Fax place and supported: No; Fax forwarding supported: Ves; Fax place and supported: No; Fax forwarding supported: No; Fax forward	Bit depth / Grayscale levels	24-bit / 256
Letter: Up to 40 cpm Black; A4: Up to 38 cpm Black; First copy out Letter: As fast as 6.8 sec Black; First copy out A4: As fast as 7.2 sec Black; 2-sided Letter: Up to 33 cpm Black; 2-sided A4: Up to 31 cpm Black Fax Fax speed Up to 33.6 kbps (maximum); 14.4 kbps (default) / Letter: 3 sec per page Fax resolution Black (best): Up to 300 x 300 dpi; Black (standard); 203 x 98 dpi Fax smart software features Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax Features Fax Features Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax Features Fax Features Fax pendent on the amount of available disk space; Auto fax reduction supported; Yes; Auto-redialing; Yes; Fax delayed sending; No: Distinctive ring detection supported; No; Fax forwarding supported; Yes (pol to receive only); Fax telephone mode supported; No; Junk barrier supported; Yes, as blocked fax numbers; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported; Yes, software not included; Remote retrieval capability supported; No; Telephone handset supported; No; Junk barrier supported; Yes, as blocked fax numbers; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported; No; Supported; No; Supported; No; Supported; No; Supported; No; Telephone handset supported; No; Junk barrier supported; No; Supported;		
Fax speed 5 Up to:33.6 kbps (maximum); 14.4 kbps (default) / Letter:3 sec per page Fax resolution Black (best): Up to 300 x 300 dpj; Black (standard); 203 x 98 dpi Fax menory: Dependent on the amount of available disk space, Auto fax reduction supported: Yes; Auto-redulling: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes (poll to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes, as blocked fax numbers; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported: No; Fax polling supported: No; Take telephone handset supported: No; Sax polling supported: Yes, software not included; Remote retrieval capability supported: No; Telephone handset supported: No Connectivity Standard connectivity 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Fax Network capabilities Yes, via HP Jetdirect Ethernet embedded print severe (standard) which supports: 10Base-Tr, 100Base-Tr, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional); second Ethernet port (Optional); Microsoft Universal Print (MUP) support Wireless capability Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A Memory Standard; 2 GB; Maximum: 2 GB Processor speed 800 MHz Storage 16 GB eMMC Hard disk: Not available on this product	Сору	
Fax speed S Up to:33.6 kbps (maximum); 14.4 kbps (default) / Letter:3 sec per page Fax resolution Black (best): Up to 300 x 300 dp); Black (standard): 203 x 98 dpi Fax smart software features Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory: Dependent on the amount of available disk space; Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes, fool to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes, as blocked fax numbers, Maximum speed dialing numbers: Up to 1000 numbers, PC interface supported: Yes, software not included; Remote retrieval capability supported: No; Telephone handset supported: No Connectivity Standard connectivity 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Fax Network capabilities Yes, Via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-Tr, 100Base-Tr, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional); second Ethernet port (Optional); Microsoft Universal Print (MUP) support Wireless capability Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A Memory Standard: 2 GB; Maximum: 2 GB Processor speed 800 MHz Storage 16 GB eMMC Hard disk: Not available on this product	Copy speed	Letter: Up to 40 cpm Black; A4: Up to 38 cpm Black; First copy out Letter: As fast as 6.8 sec Black; First copy out A4: As fast as 7.2 sec Black; 2-sided Letter: Up to 33 cpm Black; 2-sided A4: Up to 31 cpm Black
Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Fax smart software features Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory: Dependent on the amount of available disk space; Auto fax reduction supported: Yes; Auto-redialing; Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes; Fool to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes, as blocked fax numbers; Maximum speed daling numbers: Up to 1000 numbers; PC interface supported: Yes, software not included: Remote retrieval capability supported: No; Telephone handset supported: No Connectivity Standard connectivity Z Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Fax Network capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 108ase-T, 100Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional); second Ethernet port (Optional); Microsoft Universal Print (MUP) support Wireless capability Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A Memory Standard: 2 GB; Maximum: 2 GB Processor speed 800 MHz Storage 16 GB eMMC Hard disk: Not available on this product	Fax	
Fax smart software features Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory; Dependent on the amount of available disk space; Auto fax reduction supported: Yes; Auto-redialing; Yes; Fax delayed sending; No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM Interface supported: No; Fax polling supported: Yes; Fax plot to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes, as blocked fax numbers; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Remote retrieval capability supported: No; Telephone handset supported: No Connectivity Standard connectivity 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Fax Network capabilities Yes, via HP, Jetdirect Ethernet embedded print server (standard) which supports: 10Base-Tr, 100Base-Tr, 100Base-Tr, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional); Microsoft Universal Print (MulP) support Wireless capability Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A Memory Standard: 2 GB; Maximum: 2 GB Processor speed 800 MHz Storage 16 GB eMMC Hard disk: Not available on this product	Fax speed ⁵	Up to: 33.6 kbps (maximum); 14.4 kbps (default) / Letter:3 sec per page
Fax memory: Dependent on the amount of available disk space; Auto fax reduction supported: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes; Fax polling supported: No; Junk barrier supported: Yes, as blocked fax numbers; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Remote retrieval capability supported: No; Telephone handset supported: No; Junk barrier supported: Yes, as blocked fax numbers; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Remote retrieval capability supported: No; Telephone handset supported: No; Junk barrier supported: Yes, as blocked fax numbers; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Remote retrieval capability supported: No; Junk barrier supported: Yes, as blocked fax numbers; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Remote retrieval capability supported: Yes, software not included; R	Fax resolution	Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi
Fax Features interface supported: No; Fax polling supported: Yes, fool to 'receive only); Fax telephone' mode supported: No; Junk barrier supported: Yes, as blocked fax numbers; Maximum' speed dialing numbers: Up to 1000 numbers; PC interface supported: No; Junk barrier supported:	Fax smart software features	Stored faxes; Fax archiving: Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
Standard connectivity 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Fax Network capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional); second Ethernet port (Optional); Microsoft Universal Print (MUP) support Wireless capability Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A Mobile printing capability HP ePrint; Apple AirPrint™, NFC Touch-to-print (optional); PrinterOn Print; Mopria™ certified Memory Standard: 2 GB; Maximum: 2 GB Processor speed 800 MHz Storage 16 GB eMMC Hard disk: Not available on this product	Fax Features	interface supported: No; Fax polling supported: Yes (poll to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes, as blocked fax numbers; Maximum speed dialing numbers: Up to 1000 numbers; PC interface
Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional); second Ethernet port (Optional); Microsoft Universal Print (MUP) support Wireless capability Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A Mobile printing capability HP ePrint; Apple AirPrint™, NFC Touch-to-print (optional); PrinterOn Print; Mopria™ certified Memory Standard: 2 GB; Maximum: 2 GB Processor speed 800 MHz Storage 16 GB eMMC Hard disk: Not available on this product	Connectivity	
second Ethernet port (Optional); Microsoft Universal Print (MUP) support Wireless capability Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A Mobile printing capability HP ePrint; Apple AirPrint™, NFC Touch-to-print (optional); PrinterOn Print; Mopria™ certified Memory Standard: 2 GB; Maximum: 2 GB Processor speed 800 MHz Storage 16 GB eMMC Hard disk: Not available on this product	Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Fax
Mobile printing capability HP ePrint; Apple AirPrint;**, NFC Touch-to-print (optional); PrinterOn Print; Mopria** certified Memory Standard: 2 GB; Maximum: 2 GB Processor speed 800 MHz Storage 16 GB eMMC Hard disk: Not available on this product	Network capabilities	
Memory Standard: 2 GB; Maximum: 2 GB Processor speed 800 MHz Storage 16 GB eMMC Hard disk: Not available on this product	Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Processor speed 800 MHz Storage 16 GB eMMC Hard disk: Not available on this product	Mobile printing capability	HP ePrint; Apple AirPrint ^{TIN} ; NFC Touch-to-print (optional); PrinterOn Print; Mopria TM certified
Storage 16 GB eMMC Hard disk: Not available on this product	Memory	Standard: 2 GB; Maximum: 2 GB
	Processor speed	800 MHz
Duty cycle (monthly) Letter: Up to 100,000 pages; A4: Up to 100,000 pages; Recommended monthly page volume: 900 to 4,800 Pages	Storage	16 GB eMMC Hard disk: Not available on this product
	Duty cycle (monthly)	Letter: Up to 100,000 pages; A4: Up to 100,000 pages; Recommended monthly page volume: 900 to 4,800 Pages

HP LaserJet Enterprise MFP M430 series

Model	HP LaserJet Enterprise MFP M430f
Product number	3PZ55A
Paper handling	
Input	Standard: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF); Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets); Up to 900 sheets (with Optional 550-sheet tray); Maximum: Up to 10 envelopes
Output	Standard: 150-sheet output bin; Up to 150 sheets Standard
Duplex Options	Automatic (default)
Auto document feeder capacity	Standard, 50 sheets; Duplex ADF scanning: Yes, single pass duplexing ADF
Envelope feeder	No
Standard paper trays	Standard: 2; Maximum: 3
Media types	Paper (plain, ecoefficient, light, heavy, bond, colored, letterhead, pre-printed, pre-punched, recycled, rough); envelopes; labels
Media weight	Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to 32 lb
Media sizes	Tray 1: letter, legal, oficio, executive, statement, 4 x 6, 3 x 5, 5 x 7, 5 x 8, postcard (JIS), double postcard (JIS), 8.5 x 13, envelope (commercial No. 9, No. 10, Monarch); Custom: 3 x 5 to 8.5 x 14 in; Tray 2: letter, executive, statement, 5 x 7, 5 x 8, double postcard (JIS); Custom: 4.1 x 5.8 to 8.5 x 14 in; Optional Tray 3: letter, executive, statement, 5 x 7, 5 x 8, double postcard (JIS); Custom: 4.1 x 5.8 to 8.5 x 14 in
Media Sizes Custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.1 x 5.8 to 8.5 x 14 in; Optional Tray 3: 4.1 x 5.8 to 8.5 x 14 in
Dimensions (W x D x H)	16.5 x 15.3 x 12.7 in; 420 x 390 x 323 mm; Maximum: 17.8 x 33 x 22.7 in (printer fully opened); 453 x 839 x 577 mm (printer fully opened)
Weight	28.68 lb; 13.01 kg
What's in the box ¹	HP LaserJet Enterprise MFP M430f printer; HP Black Original Laser Jet Toner Cartridge (~3,000 pages); Getting started Guide; 1 Power cord
Replacement cartridges ²	HP S8A Black Original LaserJet Toner Cartridge (~3,000 pages) CF258A, HP 58X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages) CF258X
Orderable supplies	
Warranty features	One-year, On-site Repair 24-hour / 7 day a week phone support
Energy star certified	Yes
Energy efficiency compliance ⁴	CECP; Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified
Control panel	4.3" Color Capacitive Touch Control Panel
Display	4.3* diagonal Color TFT-LCD back-lit 480 RGB (H) x 272 (V)
Software included	No software solutions are included in the Box only on http://hp.com or http://123.hp.com
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at Http://www.hp.com/go/laserjetfonts
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; mac0S 10.12 Sierra; mac0S 10.13 High Sierra; mac0S 10.14 Mojave; mac0S 10.15 Catalina
Compatible network operating systems	Windows 11; Windows Server; Linux; Citrix; UNIX; Novell
Minimum system requirements	PC.2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com
Power ¹⁰	Power supply type: Internal (Built-in) power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption (EEC) number 1:22 EWM/week (Blue Angel); 0.63 EWM/sweek (Energy Star 3.0).
Acoustics	Acoustic power emissions: 6.4 B(A) @ 38 ipm
Operating environment	Operating temperature range: 50 to 90.5%; Recommended operating temperature: 59 to 80.6%; Storage temperature range: 4 to 104%; Operating humidity range: 30 to 70% RH; Recommended operating humidity range: 10 to 90% RH
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WIA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Country of origin	Made in China; Made in Mexico (#201)

Data sheet | HP LaserJet Enterprise MFP M430 series

- For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

- Collared yields based on ISO/EC 19752 and continuous prinning, Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield

 Declared yields based on ISO/EC 19752 and continuous prinning, Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield

 Declared yields based on ISO/EC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/tearnaboutsupplies

 EPEPAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

 Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

 Measured using ISO/EC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document
- ^o Measured using ISO/IEL. 247.34 reature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 ⁷ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 ⁸ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 ⁸ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 ⁹ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 ⁹ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information, driver, and document complexity.

 ⁹ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information, driver, and document complexity.

 ⁹ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information, driver, and document complexity.

 ⁹ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 24735, excludes first set of t

- ¹⁰ Sample Data: Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

 ¹¹ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

 ¹² Scan to Onedrive, scan to Onedrive for Business, and scan to Sharepoint Online requires HP FutureSmart 5.8 or later.
- 13 Requires HP FutureSmart 5.8.1.1 or later.

To learn more, visit hp.com