



GEFORCE

GEFORCE® GTX 1660 SUPER™ **VENTUS XS**







DUAL FAN THERMAL DESIGN

SPECIFICATION

Model Name	GeForce [®] GTX 1660 SUPER™ VENTUS XS
Graphics Processing Unit	NVIDIA [®] GeForce [®] GTX 1660 SUPER™
Interface	PCI Express x16 3.0
Cores	1408Units
Core Clocks	Boost:1785MHz
Memory Speed	14 Gbps
Memory	6GB GDDR6
Memory Bus	192-bit
Output	DisplayPort x 3 (v1.4) / HDMI 2.0b x 1
HDCP Support	2.2
Power consumption	125 W
Power connectors	8-pin x 1
Recommended PSU	450 W
Card Dimension(mm)	204 x 128 x 42 mm
Weight (Card / Package)	669 g / 1028 g
DirectX Version Support	12 API
OpenGL Version Support	4.5
Maximum Displays	4
VR Ready	Y
G-SYNC [®] technology	Y
Digital Maximum Resolution	7680x4320

CONNECTIONS



1.	DisplayPort
2.	HDMI

_

FEATURE




TORX FAN 2.0

efficiently.

Award-winning fan design combining two different fin designs for cool & quiet gaming.

Dual fans covers more area of heatsink to take heat away more

SOLID BACKPLATE



MSI Afterburner

The ultimate overclocking software with advanced control options and real-time hardware monitor.

VR Ready



🖉 RVIDIA.

G-SYNC

Certified to provide the performance required for a smooth experience in your VR adventures.

NVIDIA® G-SYNC®

Gives you more of what you want in a gaming experience. Incredibly smooth, tear-free gameplay at refresh rates up to 240 Hz.

the latest

check for

