HP LaserJet Enterprise M406dn



Small and mighty: HP's smallest Enterprise printer

HP's entry-level Enterprise-class printer with speeds up to 40 ppm⁹ and strongest security. ¹





This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Easy to use, simple to manage

- HP FutureSmart firmware can be updated with the latest features¹ to optimise your investment for years to come
- Centralise control of your printing environment with HP Web Jetadmin and help build business efficiency.²
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons.
- Set up this printer fast, and easily manage device settings to help increase efficiency.

The world's most secure printing³

- The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.
- Common Criteria certified⁴ to continually monitor memory activity to detect and stop attacks in real time.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Safeguard data stored on this printer keys, passwords, certificates, and more with the embedded HP Trusted Platform Module.⁵

Enhanced productivity to empower work teams

- Give workgroups what they need to succeed with hundreds of HP and third-party solutions and card reader support.
- $\bullet \quad \text{Help ensure the security of confidential information with PIN/Pull printing to retrieve print jobs.}\\$
- $\bullet \quad \text{Stay connected with an optional accessory for wireless,} \\ ^6 \text{ Bluetooth} \\ ^8 \text{ Low Energy, and NFC touch-to-print.}$
- Print directly from the 6.9 cm (2.7 inch) colour display.

Sustainability is smart business

- Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.⁷
- Help reduce wasted paper and toner by only printing jobs that are truly needed, using HP Secure Print.⁸
- Save energy without sacrificing performance this printer is ENERGY STAR® and Blue Angel certified.
- Remove barriers and help meet compliance and accessibility standards with the HP Accessibility Kit (which
 includes Braille overlay and tactile adhesives, an HP Access Handle, and BigKeys LX Keyboard)
 and compatibility with HP Accessibility Assistant.

Product walkaround

HP LaserJet Enterprise M406dn shown

- 1. 150 sheet output bin
- 2. Front door, access to Original HP toner cartridges with JetIntelligence
- 3. Automatic two-sided printing (default)
- 4. 100 sheet multipurpose input tray 1
- 5. 250 sheet input tray 2
- 6. 6.9 cm colour graphics display
- 7. Convenient front on/off switch
- 8. Right door, access to print path
- 9. Hi-Speed USB 2.0 port for third-party devices
- 10. Hi-Speed USB 2.0 printing port
- 11. Gigabit Ethernet network port



Accessories, Supplies and Support

Supplies	CF259A HP 59A Black Original LaserJet Toner Cartridge (~3,000 pages)
	CF259X HP 59X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages)
Service and Support	U11XBE HP 3 year Next Business Day Laser let Enterprise M40x service U11XBE HP 4 year Next Business Day Laser let Enterprise M40x service U11XBE HP 5 year Next Business Day Laser let Enterprise M40x service U11XNE HP 3 year Channel Parts Only Laser let Enterprise M40x service U11XNE HP 3 year Channel Parts Only Laser let Enterprise M40x service U11XRE HP 5 year Channel Parts Only Laser let Enterprise M40x service U11XPE HP 5 year Channel Parts Only Laser let Enterprise M40x service U11XPE HP 1 year Post Warranty Next Business Day Laser let Enterprise M40x service U11XPE HP 2 year Post Warranty Next Business Day Laser let Enterprise M40x service U11XPE HP 1 year Post Warranty Channel Parts Only Laser let Enterprise M40x service U11XPPE HP 2 year Post Warranty Channel Parts Only Laser let Enterprise M40x service

Technical specifications

Model	HP Laser Jet Enterprise M406dn
Product number	19 DEZES A STATE OF THE STATE O
Functions	Print Print
Control panel	6.85 cm Colour Non-Touch Control Panel with 24 Keypad
Print	*
Print technology	Laser
Print speed ¹	Black (A4, normal): Up to 38 ppm (default): Up to 40 ppm (HP high speed mode); Black (A4, duplex): Up to 31 ipm
First page out ²	Black (A4, ready): As fast as 6.5 sec; Black (A4, sleep): As fast as 8.8 sec
Print resolution	Black (best): Up to 1200 x 1200 dpi; Technology: 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200
Monthly duty cycle	Up to 100,000 pages A4; Recommended monthly page volume: 900 to 4,800 pages
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Standard print languages	HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Fonts and typefaces	105 internal True Type fonts scalable in HP PCL, 92 internal scalable fonts in HP PCL, 92 internal Scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPOS Emulation available at http://www.hp.com/gp/laserjetfonts
Print area	Print margins Top: 2 mm, Bottom: 2 mm, Left: 2 mm, Right: 2 mm, Maximum print area: 212 x 352 mm
Duplex printing	Automatic (default)
Processor speed	800 MHz
Connectivity	
Standard	1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/10001 network
Optional	HP Jetdirect LAN Accessory BFP31A; HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3.N69A
Mobile printing capability ³	HP ePrint; Apple AirPrint™; Mopria™ Certified; PrinterOn Print
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD, Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint; Discovery: SLP, Bonjour, Web Services Discovery: IP Config: IPv4 (BootP, DHCP, AutolP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMIPv2/v3, HTTP/HTTPS, Syslog; Security: SNMIPv3, SSL Cert Management, IPSec(IKEv1 and IKEv2), Firewall, 802.1x
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional), Second Ethernet port (Optional).
Hard disk	Not Applicable to this product
Memory	Standard: 1 GB; Maximum: 1 GB
Media handling	
Number of paper trays	Standard: 2;Maximum: 3
Media types	Paper (plain, EcoEFFICIENT, light, heavy, bond, coloured, preprinted, prepunched, recycled, rough); Ervelopes; Labels
Media size	Oustom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); B6 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 105 x 148 to 216 x 356 mm; A5 x 148 to 216 x
Media handling	Standard input: 100 sheet tray 1, 250 sheet input tray 2 Standard output: 150 sheet output bin Optional input: Optional third 550 sheet tray
Media weight	Tray 1: 60 to 175 g/m²; Tray 2, optional 550 sheet tray 3: 60 to 120 g/m² -
Input capacity	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550 sheet tray)
Output capacity	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets
Compatible operating systems	Windows 11; Windows 10; Windows 81; Windows 81; Windows 81; Windows 81; Windows Client 0S; Android; (OS; Mobile 0S; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina
Compatible network operating systems	Windows 11; Windows 10; Windows 81; Window
Minimum system requirements	Windows: 2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see http://www.microsoft.com Mac 2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see http://www.apple.com
Software included	No software solutions are included in the Box only on http://www.hp.com or http://www.123.hp.com
Security management	Identify management: Kerberos authentication, LDPA authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: Psec/firewall with Certificate, Areas Control Lust; Data Storage Encryption Encrypted PIA Enail Lusses PIFS 140 validated cryptographic libraries from Microsoft). SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Withtelsting (loads only known good code), Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Printer management	HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SIMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Dimensions and weight	
Printer dimensions (W x D x H)	Minimum 381 x 357 x 220 mm; Maximum: 381 x 781 x 241 mm (printer fully opened)
Printer weight	-8.5 kg
Operating environment	Temperature: 15 to 32.5°C Humidity: 10 to 90% RH
Storage conditions	Temperature: -20 to 40°C
Acoustics	Acoustic power emissions: 6.5 B(A) at 38 ipm Acoustic pressure emissions: 54 dB(A) at 38 ipm
Power	Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz); Consumptior: 51 wasts (active printing), 8.1 watts (ready), 1.2 watts (sleep), 0.07 watts (auto-off/manual-on), 0.07 watts (manual off); Typical Electricity Consumption (TECP: Blue Angel: 1.189 kWh/Week; Energy Star 3.0: 0.462 kWh/Week; Power supply type: Internal (built-in) Power Supply
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy
Certifications ⁵	TUV and GS Mark (Germany): Eastern European country approvals; CE Marking Other Safety & EMC Certification approvals as required by individual countries. Electromagnetic emission standard: CSPR 22:2008 (International) Class A, CISPR 32:2012 (International) Ft S503:22012, CISPR 35:2016 (International) Ft S503:2017, EN 5503:2017, EN 5503
Sustainable impact specifications	Mercury-free
Country of origin	Made in Philippines
What's in the box ⁷	3PZ1SA HP Laser.let Enterprise M406dn printer; HP Black Original Laser.let Toner Cartridge (~3,000 pages); Getting started Guide; 1 Power cord in box cartridge yields 3,000 black pages based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: http://www.hp.com/go/toneryield. Pages may vary based on customer printing conditions and usage.
Warranty	One-year, On-site Repair 24-hour / 7 day a week phone support
Engine life	100000

Footnotes

- 1 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- ² HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin.
- ³ HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit http://www.hp.com/go/PrintersThatProtect. For more information, visit http://www.hp.com/go/PrinterSecurityClaims.

 4 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Managed and Enterprise devices running HP
- FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf.
- ⁵ Use of the HP Trusted Platform Module may require a firmware upgrade.
- ⁶ Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.
- Dependent upon country setup specifications.
- ⁸ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/go/roam.
- 9 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/qo/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and

Technical specifications disclaimers

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and
- ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 ³ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB. Subscription may be required. For more information, visit http://www.hp.com/go/roam.
- ⁴ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- 5 EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- ⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.
- ⁷ For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.
- B Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield.
- 9 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

