



auxiliary switch, group half module

Model	
product brand name	SENTRON
product designation	Remote control switch
design of the product	auxiliary switch, group
latching relay design	Mechanical for group control
General technical data	
galvanic isolation between magnet coil and contact	Yes
switching voltage of the contacts at AC minimum	10 V
switching current at AC per contact minimum	100 mA
Voltage	
type of voltage of the operating voltage	AC
Protection class	
protection class IP	IP20
Switching capacity	
switching capacity current	
• at cos phi 0.6	16 A
Product details	
number of NC contacts	0
number of NO contacts	0
number of CO contacts	0
Product function	
product function direct operation	Yes
pulse duration minimum	50 ms
Mechanical Design	
height	90 mm
width	9 mm
width of opening of the contacts	1.2 mm
depth	73 mm
mounting height	90 mm
installation depth	73 mm
number of modular width units	0.5
fastening method	DIN rail
mounting position	Horizontal and vertical
net weight	47 g
Environmental conditions	
ambient temperature during operation	
• minimum	-25 °C
• maximum	70 °C
Approvals Certificates	

[Confirmation](#)[Miscellaneous](#)[Confirmation](#)

Environment

[Environmental Confirmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TT4932>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TT4932>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT4932

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

4/20/2023 