# HP PageWide XL Pro 5200 40-in **Multifunction Printer**



Expand into new short-term applications with instant printing



#### Respond faster to customer demands

- Respond to your customers' requests right away with print speeds up to 20 A1 pages/minute.1
- Offer a combination of technical prints and short-term retail posters, and meet the different demands quickly.
- Deliver full projects 2X faster by printing mixed outputs of both CAD drawings and presentation boards.

### Expand your offering, printing board applications

- Gain the ability to print on boards, cardstock, and paper from A2 to B1, and thickness up to
- Expand into two-sided, short-term retail posters, and send them to print easily through HP SmartStream.
- Get intuitive workflows for a fast learning curve with simple application instructions through HP Learn.3
- Use responsibly sourced FSC®-certified papers, make recyclable prints, enjoy waterbased HP pigment inks.4

## Help increase revenues and cut costs

- Enable rapid return on investment—grow your offering with a single HP-branded
- Accept new orders and, at the same time, reduce manual work—save up to 50% preparation and finishing costs.
- Save further—up to 10X lower energy consumption<sup>6</sup>, free supply take-back program<sup>7</sup>, HP Eco-Carton cartridge.

#### For more information, please visithttp://www.hp.com/go/pagewidexlpro5200

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

<sup>1</sup> The HP PageWide XL Pro 5200 Multifunction Printer delivers 20 CAD output A1 prints in 1 minute. Number of pages will vary depending on the print mode and application printed.

2 Based on testing commissioned by HP and performed by 5 ogetiin September, 2020 comparing the HP PageWide XL Pro 8200 Printer and a comparable competitive printer that represents the majority market share of LED printers worldwide as of 2019 according to BC. Test performed by by printing 3 B1 posters on B1 foam and 3 copies of a6-page file combining sizes A0, A1 and plain, coated paper types. Measuring time from cikking "send" button until last page gets out from out of the printer. Using equivalent typind the print OS. Requires an HP PrintOS account, hternet connection, and connected internet-capable device. Formore information, see http://www.printos.com.

3 HP Leam is accessible through HP PrintOS. Requires an HP PrintOS account, hternet connection, and connected internet-capable device. Formore information, see http://www.printos.com.

4 HB Cata make accessible through HP PrintOS. Requires an HP PrintOS account, hternet connection, and connected internet-capable device. Formore information, see http://www.printos.com.

4 HB Cata make accessible through HP PrintOS. Requires an HP PrintOS. Requires and HP PrintOS. Requires an H

# **Technical specifications**

General	
Description	Large-format colour MFP
Technology	HPPageWide Technology
Applications	Line drawings; Maps; Orthophotos; Posters; Double-sided posters; Presentation boards; Wrapping paper
Ink types	Pigment-based (C, M, Y, K)
Ink cartridges	4(C, M, Y, K)
Cartridge size	1L
Printheads	8(C, M, Y, K)
Average printhead life	32L
Printhead warranty	12 months from the date of installation, or 16 L, or until the Warranty Ends date printed on the packaging, whichever comes first
Print resolution	1200 x 1200 dpi
Minimum line width	0.02 mm (HP-GL/2 addressable)
Line accuracy	±0.1% <sup>1</sup>
Print speed	
Technical documents (from roll)	Up to 1100 A1 pages/hr, 20 A1 pages/min Up to 600 A0 pages/hr, 11 A0 pages/min
Poster full coverage (from roll)	Up to 400 m²/hr, 600 B1 pages/hr, 12 B1 pages/min
Poster full coverage (from input tray)	Up to 100 m²/hr, 3 B1 pages/min
Maximum print speed	15m/min
Warm-up time	Nowarmup
First page out	18 sec(from roll and USB), 50 sec(from input tray and USB)
Media	
Media rolls	2 rolls default with auto-switching, expandable to 4 rolls
Rollsize	279 to 1016 mm
Roll diameter	Up to 177 mm
Roll core diameter	7.6cm
Sheet/board size	297 to 1020 mm (width), 450 <sup>2</sup> to 765 <sup>3</sup> mm (length)
Standard sheets/boards	SRA3 <sup>4</sup> ,A2,A1,B2,B1
Grammage	70 to 200 g/m² (roll); 80 to 1050 g/m² (sheet/board)
Media thickness	Up to 0.4mm (roll); up to 10 mm (sheet/board)
Media types	Bond and recyded papers, poster papers, polypropylene, Tyvek papers, matte film
Media input (standard)	Roll, input tray
Media input (optional)	Prosheet feeder
Media output (standard)	Basket
Media output (optional)	Top stacker (100-page capacity), pro stacker (500-page capacity), online folder
Scanner	who are an in the base when the base when the same and th
Description	36-in (91-cm) CIS scanner
Speed	Colour: up to 15.24 cm/sec
	Greyscale: up to 25.4 cm/sec
Optical resolution	1200 dpi
Scan width	Upto914mm
Original thickness	0.26mm
Maximum copy length	95m
Maximum scan length	50m (PDF), 12m (TIFF),8m (JPEQI <sup>5</sup>
Scan format Scan features	JPEG, TIFF, multi-TIFF, PDF, PDFA, multi-PDF, multi-PDFA (with Post Script/PDF upgrade) Live preview, scan quidssets, smart background removal, black enhancement, automatic de-skew, reduce conserved and most relitionations (constructions) before relative to the construction of the construction.
Scan destination	scan speed, post-edit settings (contrast, brightness, rotation, α opping and skew)  Printer storage, USB drive, network folder (SMB), My home folder, scan to email, scan to HP SmartStream
Embedded controller	software
Processor	IntelCore i3
Memory	16@DDR4
Hard drive	1x128 GBSSD,1x500 GBHDD, both self-enaypted with AES-256  HD.Cl. /2 TIFF IDEG
Native print languages	HP-GL/2, TFF, JPEG  Adaba Dest Coiet 3, Adaba DDC 1.7 (with Dest Coiet / DDC ungrade)
Print languages (optional)	Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade)
Remote management	HPPartner Link, HPEmbedded Web Server, HPWeb Jetadmin, PrintOS
Connectivity	Clark's Charges (1000 Date of 1100 D O heart
nterfaces	Ggabit Ethernet (1000Base-T), USB 2.0 host
Printing paths	HPSmartStream software (optional), HPPageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrin
User interface	
to an internet and	15 C (a-t-) 20C (a-a-) TET (15D black light) 15 O (a-a-a-t-) D (a-a-a-t-) (a-t-) (a-a-a-t-)

Dimensions (WxDxH)	
Printer	1955 x 785 x 1414 mm
Shipping	2257 x 1040 x 1595 mm
Weight	
Printer	490 kg
Shipping	574kg
Environmental	
Operating temperature	5 to 40°C
Operating humidity	20 to 80% RH, depending on media type
Acoustics	
Sound pressure	≤60 dB(A) (operating), ≤36 dB(A) (idle), ≤20 dB(A) (sleep)
Sound power	≤7.8 B(A) (operating), ≤5.5 B(A) (idle), ≤3.5 B(A) (sleep)
Power	
Consumption	0.29 kW (typical); 0.9 kW (max printing); 100 W (ready); <18 W (sleep)
Requirements	Input voltage (autoranging) 200-240 V (±10%), 50/60 Hz (±3 Hz), 5 A
Certification	
Safety	IEC 60950-1+A1+A2 and IEC 62368-1 2nd ed. compliant; USA and Canada (CSA listed); EU (LVD and EN 60950- 1 and 62368-1 compliant); Russia, Belarus, and Kazakhstan (EAC); China (CCC)
Electromagnetic	Compliant with Class Arequirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCCI), Korea (KC)
Environmental	ENERGY STAR, EPEAT Registered, UL 2801 ECOLOGO, CE marking (induding RoHS, WEEE, REACH). In compliance with MW RoHS materials restriction requirements in China, Korea, India, Vietnam, Turkey, Serbia, and Ukrain.
Warranty	90 days

# **Ordering information**

4VW19A	HP PageWide XL Pro 5200 40-in Multifunction Printer		
Accessories			
2NH46AAE	HPSmartStream Document Organizer Module		
2NH47AAE	HPSmartStream Pixel Analysis Module		
SEKOOA	HPHD Pro 2 42-in Scanner		
6UA02AAE	HPSmartStream Workflow Management Module		
8SB02A	HPPageWide XL Drawer		
8SB04A	HP PageWide XL Pro Stacker		
8SB05A	HP PageWide XL Pro Sheet Feeder		
8SB07A	HP PageWide XL PostScript/PDF Upgrade Kit		
8SB09A	HP PageWide XL Folder Upgrade Kit for Long Plots		
8SF40A	HPF40Folder		
8SF61A	HP F60 Folder with Tab Applicator		
8SF70A	HPF70Folder		
8SF71A	HP F70 Folder with Tab Applicator		
8SW00AAE	HPSmartStream Preflight Manager		
8SW05AAE	HP Smart Stream Print Controller for HP PageWide XL Pro 5/8000 Printer series		
8SW07AAE	HP SmartStream Print Controller Upgrade for HP PageWide XL Pro Printer series		
8SW15AAE	HPSmartTracker for HPPageWide XL Pro 5/8000 Printer series		
CZ320B	HP PageWide XL Top Stacker		
G6H50B	HPSD Pro 44-in Scanner		

#### Original HP printing supplies

312Z2A	HP 878 1-liter Cyan PageWide XL Ink Cartridge
312Z3A	HP 878 1-liter Magenta PageWide XL Ink Cartridge
312Z4A	HP 878 1-liter Yellow PageWide XL Ink Cartridge
3ED94A	HP 866 1-liter Black PageWide XL Ink Cartridge
3WW73A	HP 874/876 PageWide XL Cleaning Container
3WW75A	HP 876 PageWide XL Pro Printhead
3/Λ//Λ/QQΔ	HD 9/11/97//976 DargoWide XI Maintenance Cartridge

#### Original HP large format printing materials

HPUniversal Bond Paper, 3-in Core (FSC® certified)<sup>6</sup> (recydable)<sup>7</sup> HP Production Matte Poster Paper, 3-in Core (FSC® certified)<sup>6</sup> (recydable)<sup>7</sup> HP Production Satin Poster Paper, 3-in Core (FSC® certified)<sup>6</sup> (recydable)<sup>7</sup> HPUniversal Heavyweight Costed Paper, 3-in Core (FSC® certified)<sup>6</sup> (recydable)<sup>7</sup> HP Matte Polypropylene, 3-in Core

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

- 1 ±0.1% of the spedified vector length or ±0.2 mm (whichever greater) at 23°C, 50-60% relative humidity, on A0 printing material in Best or Normal mode with HP Matte Polypropylene and HP PageWide XL pigment ink.
  2 420 mm supported only in boards.
  3 Longer lengths may be supported depending on the accessories installed.
  4 A3 supported only in boards.
  5 Scanned at 200 dp; PDF scanning available on PostScript models only.
  6 BMGtrademark kiense ode FSC®-C115319, see http://www.fscorg.HP trademark license ode FSC®-C017543, see http://www.fscorg.Not all FSC®-crifited products are available in all regions. For information about HP large format printing materials, please visit http://www.fscorg.Not all return/www.HP.CPMedia.com.
  7 Can be recycled through commonly available recyding programs.



User interface



15.6-inch (396-mm) TFT (LED blacklight) 16:9-format HD capacitive touchs creen



























