Fujitsu recommends Windows 10 Pro for business.

## Data Sheet FUJITSU Tablet STYLISTIC Q7310

### Tablet Mobility Meets Notebook Productivity

The FUJITSU Tablet STYLISTIC Q7310 is a highly durable and secure 2–in-1 detachable that meets the demands of today's mobile professionals. Its 33.8 cm (13.3-inch) FHD anti-glare display comes with pen and touch support. The latest 10th generation Intel<sup>®</sup> Core<sup>™</sup> i7 processor technology ensure excellent performance, even when you're on the go.

### Combined tablet mobility and notebook productivity in one device

- Allows you to be productive even in unconventional working environments
- Highly durable 2-in-1 detachable with reinforced corners
- Robust housing which is Military Standard 810G compliant
- Port caps that protect the interfaces from water spills (IP42 compliant)
- Additional backlit keyboard dock with LAN and charging port
- Optional TPU cover for more robustness
- Always connected and instantly ready thanks to the new Modern Standby technology

### Convenience at work

Enjoy the viewing angle of a large screen even when you are mobile

- 33.8 cm (13.3-inch) Full HD anti-glare touch display
- Supporting pen with 4K pressure levels
- Pen garage with inductive charging function

### Lean and agile

More freedom to work from anywhere at anytime

• Weight starting at 796 grams, the device offers you ultimate portability

### Long battery life

All-day battery life lets you be productive even when you are on the move

Up to 10 hours of battery backup

### **Ultimate Security Options**

Secure your device from unauthorized access

- IR Camera supporting Windows Hello
- Fingerprint sensor
- Smartcard reader
- Kensington lock support







# FUjitsu

### Components

Base unit	STYLISTIC Q7310
Operating systems	
Operating system pre-installed	Windows 10 Pro
Operating system compatible	Windows 10
Operating system notes	Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at http://support.ts.fujitsu.com.
Processor	Intel® Core™ i7-10610U processor (4 Cores / 8 Threads, 1.9 GHz, up to 4.8 GHz)
	Intel® Core™ i5-10310U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.1 GHz)
	Intel® Core™ i5-10210U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.1 GHz)
	*Processor only for retail, SMB, education and government
Memory	8 GB onboard Memory LPDDR3 16 GB onboard Memory LPDDR3
	No DIMM
WLAN	Intel WiFi 6 AX201 & BT5
Bluetooth	V5.0
3G/4G	Sierra Wireless EM7455 (Cat 6)
Hard disk drives (internal)	SSD SATA III, 1024 GB, M.2 module, OPAL capable
	SSD SATA III, 512 GB, M.2 module, OPAL capable
	SSD SATA III, 256 GB, M.2 module, OPAL capable
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: M.2 SATA
Interface add on cards/components (optional)	
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)
Multimedia	
Camera	Front: HD Cam (0.9M) with LED Front: IR (0.9M) supporting Windows Hello and SecureBIO with LED Rear: 5M with LED

### Base unit

Base unit	STYLISTIC Q7310
General system information	
Chipset	Integrated in CPU
Supported capacity RAM (min.)	8 GB
Supported capacity RAM (max.)	16 GB
Memory slots	0 LPDDR3 (2133 MHz)
Memory notes	8 GB onboard or 16 GB onboard LPDDR3 (2,133 MHz)

General system information	
LAN notes	LAN connector via optional keyboard dock, cradle or optional USB adapter cable, virtual MAC address
Integrated WLAN	Intel WiFi 6 AX201 with integrated BT 5.0
BIOS version	UEFI Specification 2.7
BIOS features	InsydeH2O BIOS
Audio type	On board
Audio codec	Realtek ALC255
Audio features	Built-in array microphone, 2x built-in speakers (stereo)
MIL-STD tested	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
Display	
Display	33.8 cm (13.3-inch),IPS,Full HD,Anti-glare touchscreen,1,920 x 1,080 pixel,1500:1,400 cd/m <sup>2</sup>
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	Ambient Light Sensor Compass Gyroscope Proximity
Aspect ratio	16:9
Brightness - typical	400 cd/m <sup>2</sup>
Contrast - typical	1500:1
Digitizer / Touch Technology	Wacom Digitizer for pen (AES) input plus capacitive 10 finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	178°/178°
Graphics	
Base unit	STYLISTIC Q7310
TFT resolution (HDMI)	up to 4,096 x 2,160 @ 60Hz
TFT resolution (VGA)	1,920 x 1,200 pixel
Graphics brand name	Intel® UHD Graphics
Graphics features	3 Display Support (2 external, 1 internal) HDCP support DirectX® 12 OpenGL® 4.5
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator
Interfaces	
DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	2x digital array microphones
USB 3.1 Gen1 (USB 3.0) total	1
USB 3.1 Gen2 total	1 (USB Type C)
USB Туре-С	1 with power delivery
micro HDMI	1
Ethernet (RJ-45)	1
Memory card slots	1 (USH-II) SD 4.0 Standard SD/microSD card: 2GB
	SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB Speed Class: up to UHS-II (156MB/s)

Interfaces	
Interfaces SIM card slot	1 (MicroSIM only for models with integrated (C/LTE)
eSIM card	1 (MicroSIM - only for models with integrated 4G/LTE) supported
Interface Module notes	supported LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)
Docking connector for Port Replicator Kensington Lock support	1
Port Replicator interfaces (optional)	
DC-in	1 (19V)
Audio: line-in	1
Audio: line-out	1
USB 3.1 Gen1 (USB 3.0) total	3
DisplayPort	1
VGA	1
Kensington Lock support	
Interface Module notes	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.
Wireless technologies	
Antennas	2x dual band for WLAN, 2x for LTE, Bluetooth shared with WLAN
Integrated WLAN	Intel WiFi 6 AX201 with integrated BT 5.0
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
Integrated LTE or UMTS	LTE Sierra Wireless EM7455 (Cat. 6)
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations. LTE Connection Manager (if configured with 4G/LTE)
GPS	Embedded in 4G module if configured with WWAN
Power supply	
AC adapter	19 V / 65 W (3.42 A)#20 V / 65 W (3.25 A) Type C
Notes	65W AC Adapter for usage with system/ min. 90W AC Adapter for usage with Cradle
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery	Li-Ion battery 3-cell, 38 Wh, 38 Wh
Battery features	Quick Charge: 80% in 1h
Runtime 1st battery	10 h
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco. com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	315 x 200.9 x 10.5 mm
	12.4 x 0.79 x 0.42 inch
Weight	from 0.796 kg slate only, weight of keyboard docking from 0.568 kg
Weight (lbs)	from 1.75 lbs slate only , weight of keyboard docking from 1.25 lbs
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	5 - 35 °C (41 - 95 °F); Packed -10 - 60 °C (14 - 140 °F)
Operating relative humidity	Running: 20 - 80% (relative humidity); Packed: 20 - 80% (relative humidity)
Product	STYLISTIC Q7310
Model	7Q13A1

RoHS (Restriction of hazardous substances)
WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL)
TCO Certified 8.0 in progress https://sp.ts.fujitsu.com/sites/certificates
חנוףא.אאראראנווונאע.נטוואאנפאגברווונאנפא
Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Fujitsu Display Manager Fujitsu DeskUpdate (driver and utility tool) ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.)
Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) optional CyberLink PowerDVD BD (playback software for Blu-ray Disc™) CyberLink PowerDVD DVD (playback software for DVD) CyberLink YouCam (webcam software) Nero (backup and burning software)
DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology iAMT 14.0 ( depending on processor)
DeskView Client DeskView Instant BIOS Management
Inventory Management BIOS Management Driver Management Security Management Alarm Management
WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) WBEM (Web Based Enterprise Management) BootP (made4you)
http://www.fujitsu.com/fts/manageability
Kensington Lock support
Absolute Persistence® technology capable BIOS EraseDisk Trusted Platform Module (TPM 2.0)
Embedded fingerprint sensor (optional) Smartcard reader (optional) Hard disk password User and supervisor BIOS password SystemLock BIOS SmartCard security Workplace Protect (secure authentication solution)

Warranty	
Warranty period	2 years (for countries within EMEIA)

Warranty	
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions Product Support Services - the perfe	http://www.fujitsu.com/warranty ect extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

### **Recommended Accessories**

### More information

#### Fujitsu products, solutions & services

In addition to FUJITSU Tablet STYLISTIC Q7310, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### **Computing Products**

www.fujitsu.com/global/products/computing/

#### Software

www.fujitsu.com/software/

### More information

Learn more about FUJITSU Tablet STYLISTIC Q7310, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

https://www.fujitsu.com/emeia/products/ computing/pc/tablets

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment/



### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www. fujitsu.com/emeia/resources/navigation/termsof-use.html

Copyright 2020 Fujitsu Technology Solutions GmbH

### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2020-07-03 EM-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/ navigation/terms-of-use.html

Copyright 2020 Fujitsu Technology Solutions GmbH