

Product datasheet

Specifications



Wall Mount, Security and Environmental Appliance, NetBotz, 756 with PoE Injector

NBWL0756

Overview

Presentation The NetBotz Room Monitor 755 provides integrated surveillance, sensing, access control, and advanced alerting for IT environments of all sizes where IT rack space is unavailable.

Main

Product or component type Industrial rack PC

Range of product Netbotz

General

Camera frame rate Up to 30 fps

Universal sensor supported
0-5V
Door contact
Dry contact
Fluid spot leak
Humidity
Smoke
Temperature
Vibration

Number of universal sensor ports 4

Physical

Colour Black

Mounting mode Not rack-mountable

Environmental

Ambient air temperature for operation 0...45 °C

Operating altitude 0...3000 m

Ambient air temperature for storage -15...65 °C

Storage altitude 0...15000 m

Communications & Management

Communication network type 10/100/1000BASE-T

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 19.72 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	47.04 cm
Package 1 Length	72.35 cm
Package 1 Weight	4.446 kg

Logistical informations

Country of origin	PH
-------------------	----

Contractual warranty

Warranty (in months)	24
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	1 493 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	46 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.7 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.7 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	1 438 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	8 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	3160e3ed-e229-4ab1-993b-c72e3b6adfac
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	49
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins