HP Elite Slice G2 with Zoom Rooms



How conferencing should be

Simplify meetings and seamlessly connect² with the HP Elite Slice G2 with Zoom Rooms.



*Product image may differ from actual product

Windows 10 IoT Enterprise¹

Ready to go

 Simplify your Zoom Rooms deployment with a compute device pre-imaged with Zoom Rooms software and packaged with an easy to use, moveable 12.3-inch diagonal Center of Room Control display, HDMI adapters, and a port cover.

One-touch collaboration

 Enjoy on-demand calling and flexible accessibility. Easily add attendees and share content with one touch of the anti-glare screen on the Center of Room Control with dual viewing angels and the familiar Zoom Rooms interface.²

Crisp, clear audio and video

 Isolate voices with advanced noise cancellation for clear communication and cast your team in the best light with optional cameras.³

Stress free. Worry free.

- Get setup quickly with hassle-free installation and intuitive user operation—no assembly or specialized skills required. Easily manage, deploy, and secure your meeting room system.
- Cut the cable and easily present content wirelessly from your laptop or mobile device to the Zoom meeting.²
- Call control is easier than ever with controls on the HP Elite Slice for G2 with Zoom Rooms and the Zoom Rooms System Center of Room Control.
- The bright tri-colored light ring lets everyone in the room know the status of the call.
- HP Noise Cancellation improves collaboration by applying industry-leading noisefiltering technology to all inbound and outbound audio for effective online calls and meetings.
- Make sure that people calling into your conference can be heard and can hear you.
 Clearly communicate on your call with 90dB of space-filling audio and far-field mic pick up allowing everyone on the call to participate in the conversation.
- One-touch capacitive controls launch conference calls quickly, saving you time and boosting productivity.
- The port cover on the HP Elite Slice G2 with Zoom Rooms and the optional HP Keyed Cable Lock 10 mm help secure your system in the conference room.⁴
- Protect your PC from the ground up with a self-healing BIOS. HP Sure Start Gen3 automatically recovers the BIOS from malware, rootkits or corruption to help increase security, minimize downtime, and prevent breaches.⁵

HP Elite Slice G2 with Zoom Rooms Specifications Table







*Product image may differ from actual product

Available Operating Systems	Windows 10 IoT Enterprise 64 ¹
Processor family ²	7th Generation Intel® Core™ i5 processor (i5-7500T); 7th Generation Intel® Core™ i7 processor (i7-7700T)
Available Processors ^{3,4,5,28}	Intel® Core™ i5-7500T with Intel® HD Graphics 630 (2.7 GHz base frequency, up to 3.3 GHz with Intel® Turbo Boost Technology, 6 MB cache, 4 cores) supports Intel® vPro™ Technology; Intel® Core™ i7-7700T with Intel® HD Graphics 630 (2.9 GHz base frequency, up to 3.8 GHz with Intel® Turbo Boost Technology, 8 MB cache, 4 cores), supports Intel® vPro™ Technology
Chipset ²⁸	Intel® Q170
Form factor	Ultra-small form factor
Maximum memory	32 GB DDR4-2666 SDRAM Transfer rates up to 2666 MT/s.
Memory slots	2 DIMM
Internal storage	128 GB up to 256 GB PCle® NVMe™ TLC M.2 SSD ⁷ 128 GB up to 256 GB SATA SSD ⁷
Display	12.3" diagonal FHD LCD touch screen (1440 x 960) ¹⁵ 31.2 cm (12.3") diagonal FHD LCD touch screen (1440 x 960) ¹⁵
Available Graphics	Integrated: Intel® HD Graphics 630 ¹¹
Audio	Conexant CX7501 codec, 4 x 2 W internal speakers, universal audio jack that is retaskable, HP Audio Module 2.0
Expansion slots	1 M.2 2230; 1 M.2 2280 ⁸
Ports and Connectors	Side: 1 audio-in/out; 1 SuperSpeed USB Type-C® 5Gbps signaling rate Back: 1 DisplayPort™; 1 HDMI; 1 power connector; 1 RJ-45; 1 SuperSpeed USB Type-C® 5Gbps signaling rate (alternate mode DisplayPort™); 2 SuperSpeed USB 5Gbps signaling rate ⁹
Input devices	HP Wired Desktop 320K Keyboard; HP USB Slim Business Keyboard ^{12,13} ; HP USB Mouse; HP USB optical mouse; HP Wired Desktop 320M mouse ^{12,14} ;
Communications	LAN: Integrated Intel® I219LM GbE LOM; WLAN: Intel® Dual Band Wireless-AC 7265 802.11a/b/g/n/ac (2x2) Wi-Fi® and Bluetooth® 4.2 combo, non-vPro®; Intel® Dual Band Wireless-AC 8260 802.11a/b/g/n/ac (2x2) Wi-Fi® and Bluetooth® 4.2 combo, vPro®;
Available software	Absolute Persistence module; HP Connection Optimizer; HP Noise Cancellation Software; HP Notifications; HP Support Assistant; Zoom Rooms ^{16,17}
Security management	HP Active Health; HP Dual Head Keyed Cable Lock Kit; Sure Start 3.0; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10 (Common Criteria EAL4+ Certified)(FIPS 140-2 Level 2 Certified); ²⁰
Management features	HP Image Assistant
Power	90 W external power adapter, up to 85% efficiency ²⁴
Dimensions	16.5 x 16.5 x 11.2 cm
Weight	1.58 kg (Exact weight depends on configuration.)
Ecolabels	ENERGY STAR® certified; EPEAT® 2019 registered where applicable ²⁵
Sustainable impact specifications	Low halogen ²⁶
What's in the box	HP Cable and Port Cover; HP Center of Room Control; HP DisplayPort™ to HDMI True 4K Adapter; HP Elite Slice G2 with Zoom Rooms; HP VESA Plate; HP Video Ingest Module
Warranty	3 year (3-3-3) limited warranty and service offering includes 3 years of parts, labor and on-site repair. Terms and conditions vary by country. Certain restrictions and exclusions apply.

HP Elite Slice G2 with Zoom Rooms

Accessories and services (not included)

HP USB Business Slim Keyboard



Get fast data entry and quick USB connectivity with the HP USB Business Slim Keyboard, designed to complement the 2015 class of HP Business PCs. **Product number:** N3R87AA

HP Keyed Cable Lock 10 mm



Help keep your notebook safe in the office and high-traffic areas by tethering it to a secure surface with the HP Master Keyed Cable Lock 10mm, designed specifically for ultra-thin profile notebooks.

Product number: T1A62AA

HP 5 year Next Business Day Onsite Hardware Support for Desktops



Receive 5 years of next business day onsite HW Support from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. **Product number: U7899E**

HP Elite Slice G2 with Zoom Rooms

Messaging Footnotes

- ¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers and/or software to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.
- Internet connection required and sold separately
- Cameras are sold separately as an optional feature.
- Sold separately or as an optional feature.
- 5 Available on HP Elite products equipped with Intel® 7th generation processors.

Technical Specifications Footnotes

- Not all fleatures are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com
 2 NOTE: Your product does not support Windows 8 or Windows 7 and additional requirements may apply over time for updates. See http://www.windows.com
 2 NOTE: Your product does not support Windows 8 or Windows 9 drivers on http://www.support.hp.com.
 3 Multicore is designed to improve performance of certain software products. Not all customers or software applications will be added and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
 4 Intel® Turbo Boost technology requires a PC with a processor with Intel Turbo Boost apability. Intel Turbo Boost performance varies depending on hardware, software and overall system configurations. See www.intel.com/technology/turboboost for more information.
- Some functionality of vPro. such as Intel Active Management Technology and Intel Virtualization technology, requires additional 3rd party software in order to run. Availability of future "virtual appliances" applications for Intel vPro technology is dependant on 3rd
- Party software providers. Compatibility with future "virtual appliances" is yet to be determined.

 For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows 10) is reserved for system recovery software.

 (1) M.2 2230 PCle for WLAN; (1) M.2 2280 PCle for NVMe SSD.

 (1) USB 3.1 Type-C*. 60 W input.

 Wireless access point and internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 5 (802.11 ac) is backwards compatible with prior 802.11 specs.

 14 Keyboards and mice are sold separately or as an optional feature.

- ** Regulators and runting early our as an option a reactive.

 ** 13 USB Business Slim Wired Keyboard: China only.

 ** 14 PUSB Mouse: China only.

 ** 14 PUSB Mouse: China only.

 ** 15 Center of Room Control weight: 1.04 kg (2.3 lb): Dimensions: width (X) 30.17 cm (11.88 in), height(Y) 21.97 cm (8.65 in), depth (Z) 8.08 cm (3.17 in).

 ** 16 Absolute firmware module is shipped turned off and can only be activated with the purchase a license subscription and full activation of the software agent. License subscriptions can be purchased for terms ranging multiple years. Service is limited, check with Absolute for availability outside the U.S. Certain conditions apply. For full details visit: https://www.absolute.com/about/legal/agreements/absolute/

 ** 17 Hp Support Assistant: requires Windows and Internet access.

 ** 26 Firmware TPM is version 2.0. Hardware TPM is v1.2, which is a subset of the TPM 2.0 specification version with 18 and 19 and 19
- version v0.89 as implemented by Intel Platform Trust Technology (PTT). $^{\rm 24}$ All power supplies are not available in every region.

- The power supprise all fold available in levely region.

 Se Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more information.

 External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripherals are not Low Halogen.

 External power supplies, power cords, cables and peripheral peri

Sign up for updates hp.com/go/getupdated

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. Bluetooth is a trademark of its proprietor used by HP Inc. under license. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. Intel, Core, vPro, and Intel Unite are trademarks of Intel Corporation in the U.S. and other countries. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. All other trademarks are the property of their

respective owners.

