

Philips
Dual grounding block

Digital

SDW5003O



Prevent static electricity build-up

on cable and satellite systems

High frequency grounding blocks effectively guard against static electricity build-up on cable and satellite systems.

Enjoy extended durability

• Corrosion-resistant connections

Safeguard against static electricity

• High frequency grounding block



Dual grounding block Digital

Specifications

Packaging

- Quantity: IGross Weight: 0.45 kg
- Tare Weight: 0.05 kg
- Net Weight: 0.40 kg
 Length: 6.30 cm
- Width: 4.40 cm
- Height: 2.50 cm

Packaging Data

• EAN/UPC/GTIN: 6 09585 11985 7

Inner Carton

- EAN/UPC/GTIN: I 06 09585 11985 4
- Quantity: 6
- Gross Weight: 0.80 kg

- Tare Weight: 0.15 kg
- Net Weight: 0.65 kg
- Length (cm): 15.7 cm
- Width (cm): 10.8 cm
- Height (cm): 10.2 cm

Outer Carton

- EAN/UPC/GTIN: 2 06 09585 11985 I
- Quantity: 72
- Gross Weight: 5.05 kg
 Tare Weight: 1.05 kg
- Net Weight: 4.00 kg
 Length (cm): 34.9 cm
- Width (cm): 34.3 cm
- Height (cm): 22.2 cm

SDW5003O/17

Product highlights

Corrosion-resistant connection

24K gold-electroplated connectors create secure and extremely durable connections that optimize signal quality and deliver the best picture and data transfer.



Issue date 2008-01-01

© 2008 Koninklijke Philips Electronics N.V. All Rights reserved.

Version: 5.0.7

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 9082 100 09847 UPC: 6 09585 11985 7

www.philips.com