Dell G7 15 7500

Setup and Specifications



Notes, cautions, and warnings

i NOTE: A NOTE indicates important information that helps you make better use of your product.

CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

MARNING: A WARNING indicates a potential for property damage, personal injury, or death.

© 2020 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

Contents

Chapter 1: Set up your Dell G7 15 7500	4
Chapter 2: Views of Dell G7 15 7500	6
Right	
Left	
Back	
Base	
Display	
Bottom	
Chapter 3: Specifications of Dell G7 15 7500	11
Dimensions and weight	11
Processor	11
Chipset	12
Operating system	12
Memory	12
External ports	12
Internal slots	13
Communications	14
Audio	14
Storage	
Intel Optane Memory H10 with Solid State Storage (optional)	15
Media-card reader	
Keyboard	16
Camera	17
Touchpad	17
Power adapter	18
Battery	18
Display	19
Fingerprint reader (optional)	20
GPU—Integrated	20
GPU—Discrete	20
Operating and storage environment	20
Chapter 4: Keyboard shortcuts	22
Chapter 5: Getting help and contacting Dell	24

Set up your Dell G7 15 7500

- i NOTE: The images in this document may differ from your computer depending on the configuration you ordered.
- 1. Connect the power adapter and press the power button.



- NOTE: The battery may go into power-saving mode during shipment to conserve charge on the battery. Ensure that the power adapter is connected to your computer when it is turned on for the first time.
- 2. Finish Windows setup.

Follow the on-screen instructions to complete the setup. When setting up, Dell recommends that you:

- · Connect to a network for Windows updates.
 - NOTE: If connecting to a secured wireless network, enter the password for the wireless network access when prompted.
- · If connected to the Internet, sign in with or create a Microsoft account. If not connected to the Internet, create an offline account.
- · On the **Support and Protection** screen, enter your contact details.
- 3. Locate and use Dell apps from the Windows Start menu—Recommended.

Table 1. Locate Dell apps


Resources	Description
	My Dell
Derr	Centralized location for key Dell applications, help articles, and other important information about your computer. It also notifies you about the warranty status, recommended accessories, and software updates if available.

Table 1. Locate Dell apps (continued)

Resources	Description
	SupportAssist
OF .	Proactively checks the health of your computer's hardware and software. The SupportAssist OS Recovery tool troubleshoots issues with the operating system. For more information, see the SupportAssist documentation at www.dell.com/support .
	i NOTE: In SupportAssist, click the warranty expiry date to renew or upgrade your warranty.
	Dell Update
40	Updates your computer with critical fixes and latest device drivers as they become available. For more information about using Dell Update, see the knowledge base article SLN305843 at www.dell.com/support.
	Dell Digital Delivery
	Download software applications, which are purchased but not pre-installed on your computer. For more information about using Dell Digital Delivery, see the knowledge base article 153764 at www.dell.com/support.

Views of Dell G7 15 7500

Right



1. SD-card slot


Reads from and writes to the SD card. The computer supports the following card types:

- · Secure Digital (SD)
- · Secure Digital High Capacity (SDHC)
- · Secure Digital Extended Capacity (SDXC)

2. USB 3.2 Gen 1 port

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

Left



1. Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

2. Power and battery-status light/hard-drive activity light

Indicates the battery-charge status or the hard-drive activity.

(i) NOTE: Press Fn+H to toggle between the power and battery-status light, and hard-drive activity light.

Hard-drive activity light

Turns on when the computer reads from or writes to the hard drive.

Power and battery-status light

Indicates the power and battery-charge status.

Solid white — Power adapter is connected and the battery has more than 5% charge.

Amber — Computer is running on battery and the battery has less than 5% charge.

Off

- · Power adapter is connected and the battery is fully charged.
- · Computer is running on battery and the battery has more than 5% charge.
- Computer is in sleep state, hibernation, or turned off.

3. USB 3.2 Gen 1 port with PowerShare

Connect peripherals such as external storage devices and printers.

Provides data transfer speeds up to 5 Gbps. PowerShare enables you to charge your USB devices even when your computer is turned off.


- NOTE: If your computer is turned off or in hibernate state, you must connect the power adapter to charge your devices using the PowerShare port. You must enable this feature in the BIOS setup program.
- NOTE: Certain USB devices may not charge when the computer is turned off or in sleep state. In such cases, turn on the computer to charge the device.

4. Headset port

Connect headphones or a headset (headphone and microphone combo).

Back

Computers shipped with NVIDIA GeForce GTX 1650 Ti



1. USB 3.2 Gen 2 Type-C port with DisplayPort

Connect peripherals such as external storage devices, printers, and external displays. Provides data transfer rate of up to 10 Gbps. Supports DisplayPort 1.4 and also enables you to connect an external display using a USB Type-C to DisplayPort adapter.

i NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

2. HDMI port

Connect to a TV or another HDMI-in enabled device. Provides video and audio output.


3. USB 3.2 Gen 1 port

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

4. Network port

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or Internet access.

Computers shipped with NVIDIA GeForce GTX 1660 Ti/NVIDIA GeForce RTX 2060/NVIDIA GeForce RTX 2070 with Max-Q Design



1. Thunderbolt 3 USB Type-C port

Connect peripherals such as external storage devices, printers, and external displays. Provides data transfer rate of up to 40 Gbps. Supports DisplayPort 1.4 and also enables you to connect an external display using a USB Type-C to DisplayPort adapter.

NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

2. Mini DisplayPort

Connect to a TV or another DisplayPort-in enabled device. Provides video and audio output.

3. HDMI port

Connect to a TV or another HDMI-in enabled device. Provides video and audio output.

4. USB 3.2 Gen 1 port

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

5. Network port

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or Internet access.

Base



1. Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click and two finger tap to right-click.

2. Left-click area

Press to left-click.

3. Right-click area

Press to right-click.

4. Power button with optional fingerprint reader


Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

When the computer is turned on, press the power button to put the computer into sleep state; press and hold the power button for 4 seconds to force shut-down the computer.

If the power button has a fingerprint reader, place your finger on the power button to log in.

NOTE: You can customize power-button behavior in Windows. For more information, see *Me and My Dell* at www.dell.com/support/manuals.

Display



1. Left microphone

Provides digital sound input for audio recording and voice calls.

2. Camera

Enables you to video chat, capture photos, and record videos.

3. Camera-status light

Turns on when the camera is in use.

4. Right microphone

Provides digital sound input for audio recording and voice calls.

5. Dynamic chassis light

Dynamic lighting that can be controlled using the Alienware Command Center.

Bottom



1. Left speaker

Provides audio output.

2. Service Tag label

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

3. Right speaker

Provides audio output.

Specifications of Dell G7 15 7500

Dimensions and weight

The following table lists the height, width, depth, and weight of your Dell G7 15 7500.

Table 2. Dimensions and weight

Description	Values
Height:	
Front height	18.33 mm (0.72 in.)
Rear height	18.80 mm (0.74 in.)
Width	357.20 mm (14.06 in.)
Depth	267.70 mm (10.54 in.)
Weight (maximum)	2.56 kg (5.64 lb)
	NOTE: The weight of your computer depends on the configuration ordered and manufacturing variability.

Processor

The following table lists the details of the processors supported by your Dell G7 15 7500.

Table 3. Processor

Description	Option one	Option two	Option three	
Processor type	10 th Generation Intel Core i5-10300H	10 th Generation Intel Core i7-10750H	10 th Generation Intel Core i9-10885H	
Processor wattage	45 W	45 W	45 W	
Processor core count 4		6 8		
Processor thread count 8		12	16	
Processor speed Up to 4.50 GHz		Up to 5 GHz	Up to 5.30 GHz	
Processor cache 8 MB		12 MB 16 MB		
Integrated graphics Intel UHD Graphics		Intel UHD Graphics	Intel UHD Graphics	

Chipset

The following table lists the details of the chipset supported by your Dell G7 15 7500.

Table 4. Chipset

Description	Values
Chipset	HM470
Processor	10 th Generation Intel Core i5/i7/i9
DRAM bus width	64-bit
Flash EPROM	24 MB
PCle bus	Up to Gen3

Operating system

Your Dell G7 15 7500 supports the following operating systems:

- · Windows 10 Home (64-bit)
- · Windows 10 Pro (64-bit)

Memory

The following table lists the memory specifications of your Dell G7 15 7500.

Table 5. Memory specifications

Description	Values	
Memory slots	Two SODIMM slots	
Memory type	DDR4	
Memory speed	2933 MHz	
Maximum memory configuration	32 GB	
Minimum memory configuration	8 GB	
Memory size per slot	4 GB, 8 GB, 16 GB	
Memory configurations supported	 8 GB DDR4 at 2933 MHz (2 x 4 GB), dual-channel 12 GB DDR4 at 2933 MHz (1 x 4 GB + 1 x 8 GB) 16 GB DDR4 at 2933 MHz (2 x 8 GB), dual-channel 32 GB DDR4 at 2933 MHz (2 x 16 GB), dual-channel 	

External ports

The following table lists the external ports of your Dell G7 15 7500.

Table 6. External ports

Description	Values
Network port	One RJ45 port

Table 6. External ports (continued)

Description	Values	
USB ports	 One USB 3.2 Gen 1 port with PowerShare Two USB 3.2 Gen 1 ports One USB 3.2 Gen 2 Type-C port with Power Delivery and DisplayPort Alt-Mode (only on computers that are shipped with graphics card NVIDIA GeForce GTX 1650Ti) One Thunderbolt 3 USB 3.2 Gen 2 Type-C port (only on computers that are shipped with NVIDIA GeForce GTX 1660 Ti or NVIDIA GeForce RTX 2060 or NVIDIA GeForce RTX 2070 with Max-Q Design) NOTE: Your computer supports either one USB 3.2 Gen 2 Type-C port with Power Delivery and DisplayPort Alt-Mode or one Thunderbolt 3 port depending on the configuration. 	
Audio port	One headset (headphone and microphone combo) port	
Video port	One HDMI 2.0 port One Mini DisplayPort 1.4 (only on computers shipped with NVIDIA GeForce GTX 1660 Ti or NVIDIA GeForce RTX 2060 or NVIDIA GeForce RTX 2070 with Max-Q Design)	
Media-card reader	One SD-card slot	
Docking port	Supported through USB Type-C port	
Power-adapter port	One 7.40 mm x 5.10 mm power-adapter port	
Security	Not supported	

Internal slots

The following table lists the internal slots of your Dell G7 15 7500.

Table 7. Internal slots

Description	Values
M.2	 One M.2 2230 slot for WiFi and Bluetooth combo card One M.2 2230/2280 slots for solid-state drive/Intel Optane storage
	NOTE: To learn more about the features of different types of M.2 cards, see the knowledge base article SLN301626 at www.dell.com/support.

Communications

Ethernet

Table 8. Ethernet specifications

Description	Values
Model number	 Killer E2500V2 PCI-e Gigabit ethernet controller (only on computers shipped with graphics card NVIDIA GeForce GTX 1660Ti, RTX 2060, RTX 2070, or RTX 2070 Max-Q Design) Realtek RTL8111H Gigabit ethernet controller (only on computers shipped with graphics card NVIDIA GeForce GTX 1650Ti)
Transfer rate	10/100/1000 Mbps

Wireless module

Table 9. Wireless module specifications

Description	Options			
Model number	Killer 1650i	Intel 9560	Intel AX201	Qualcomm QCA61x4A
Transfer rate	Up to 2400 Mbps	Up to 1733 Mbps	Up to 2400 Mbps	Up to 867 Mbps
Frequency bands supported	2.4 GHz/5 GHz	2.4 GHz/5 GHz	2.4 GHz/5 GHz	2.4 GHz/5 GHz
Wireless standards	 WiFi 802.11a/b/g Wi-Fi 4 (WiFi 802.11n) Wi-Fi 5 (WiFi 802.11ac) Wi-Fi 6 (WiFi 802.11ax) 	 WiFi 802.11a/b/g Wi-Fi 4 (WiFi 802.11n) Wi-Fi 5 (WiFi 802.11ac) 	 WiFi 802.11a//b/g Wi-Fi 4 (WiFi 802.11n) Wi-Fi 5 (WiFi 802.11ac) Wi-Fi 6 (WiFi 802.11ax) 	 WiFi 802.11a/b/g Wi-Fi 4 (WiFi 802.11n) Wi-Fi 5 (WiFi 802.11ac)
Encryption	64-bit/128-bit WEP AES-CCMP TKIP	64-bit/128-bit WEP AES-CCMP TKIP	Output O	Output O
Bluetooth	Bluetooth 5.1	Bluetooth 5.0	Bluetooth 5.1	Bluetooth 5.0

Audio

The following table lists the audio specifications of your Dell G7 15 7500.

Table 10. Audio specifications

Description	Values
Audio controller Realtek ALC3281 with Nahimic 3D audio for Gamers	
Stereo conversion Supported	
Internal audio interface	High-definition audio (HDA)

Table 10. Audio specifications (continued)

Description		Values
External audio interface		Universal audio jack
Number of speakers		Two
Internal-speaker amplifie	r	Supported (audio codec integrated amplifier)
External volume controls		Keyboard shortcut controls
Speaker output:		
	Average speaker output	2 W
	Peak speaker output	2.5 W
Subwoofer output		Not supported
Microphone		Dual-array microphones

Storage

This section lists the storage options on your Dell G7 15 7500.

Your Dell G7 15 7500 supports one of the following storage options:

- · One M.2 2230/2280 solid-state drive
- · One M.2 Intel Optane Memory H10 with solid-state storage

Table 11. Storage specifications

Storage type	Interface type	Capacity
M.2 2230 solid-state drive	PCle Gen3 x4 NVMe, up to 32 Gbps	Up to 256 GB
M.2 2230 solid-state drive	PCle Gen3 x4 NVMe, up to 32 Gbps	Up to 512 GB
M.2 2230 solid-state drive	PCle Gen3 x4 NVMe, up to 32 Gbps	Up to 1 TB
M.2 2280 solid-state drive	PCle Gen3 x4 NVMe, up to 32 Gbps	Up to 256 GB
M.2 2280 solid-state drive	PCle Gen3 x4 NVMe, up to 32 Gbps	Up to 512 GB
M.2 2280 solid-state drive	PCle Gen3 x4 NVMe, up to 32 Gbps	Up to 1 TB

Intel Optane Memory H10 with Solid State Storage (optional)

Intel Optane Memory technology utilizes 3D XPoint memory technology and functions as a non-volatile storage cache/accelerator and/or storage device depending on the Intel Optane Memory installed in your computer.

Intel Optane Memory H10 with Solid State Storage functions as both a non-volatile storage cache/accelerator (enabling enhanced read/write speeds for hard-drive storage) and a solid-state storage solution. It neither replaces nor adds to the memory (RAM) installed on your computer.

Table 12. Intel Optane Memory H10 with Solid State Storage specifications

Description	Values
Interface	PCle 3 x4 NVMe

Table 12. Intel Optane Memory H10 with Solid State Storage specifications (continued)

Description	Values	
	One PCle 3 x2 for Optane memoryOne PCle 3 x2 for solid-state storage	
Connector	M.2	
Form factor	2280	
Capacity (Intel Optane memory)	Up to 32 GB	
Capacity (solid-state storage)	Up to 512 GB	

- NOTE: Intel Optane Memory H10 with Solid State Storage is supported on computers that meet the following requirements:
 - 9th Generation or higher Intel Core i3/i5/i7 processors
 - Windows 10 64-bit version or higher (Anniversary Update)
 - Intel Rapid Storage Technology driver version 15.9.1.1018 or higher

Media-card reader

The following table lists the media cards supported by your Dell G7 15 7500.

Table 13. Media-card reader specifications

Description	Values
Media-card type	One SD card
Media-cards supported	Secure Digital (SD)Secure Digital High Capacity (SDHC)Secure Digital Extended Capacity (SDXC)

(i) NOTE: The maximum capacity supported by the media-card reader varies depending on the standard of the media card installed in your computer.

Keyboard

The following table lists the keyboard specifications of your Dell G7 15 7500.

Table 14. Keyboard specifications

Description	Values	
Keyboard type	Four-zone RGB backlit keyboard	
Keyboard layout	QWERTY	
Number of keys	United States and Canada: 82 keysUnited Kingdom: 83 keysJapan: 86 keys	
Keyboard size	X =19.05 mm key pitch Y =19.05 mm key pitch	
Keyboard shortcuts	Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift	

Table 14. Keyboard specifications (continued)

Description	Values
	and the desired key. To perform secondary functions, press Fn and the desired key. (i) NOTE: You can define the primary behavior of the function keys (F1–F12) changing Function Key Behavior in BIOS setup program. For more information, see Keyboard shortcuts.

Camera

The following table lists the camera specifications of your Dell G7 15 7500.

Table 15. Camera specifications

Description		Values
Numl	per of cameras	One
Camera type		HD RGB camera
Camera location		Front
Camera sensor type		CMOS sensor technology
Camera resolution:		
	Still image	0.92 megapixel
	Video	1280 x 720 (HD) at 30 fps
Diago	nal viewing angle:	74.9 degrees

Touchpad

The following table lists the touchpad specifications of your Dell G7 15 7500.

Table 16. Touchpad specifications

Description		Values
Touchpad resolution:		
	Horizontal	1349
	Vertical	929
Touchpad dimensions:		
	Horizontal	115 mm (4.53 in.)
	Vertical	80 mm (3.15 in.)
Touchpad ge	estures	For more information about touchpad gestures available on Windows 10, see the Microsoft knowledge base article 4027871 at support.microsoft.com.

Power adapter

The following table lists the power adapter specifications of your Dell G7 15 7500.

Table 17. Power adapter specifications

Description		Option one	Option two
Туре		E4 130 W	E4 240 W
Conn	ector dimensions:	·	
	External diameter	7.40 mm	7.40 mm
	Internal diameter	5.10 mm	5.10 mm
Input	voltage	100 VAC-240 VAC	100 VAC-240 VAC
Input frequency		50 Hz-60 Hz	50 Hz-60 Hz
Input current (maximum)		· 1.80 A · 2.50 A	3.50 A
Output current (continuous)		6.70 A	12.31 A
Rated output voltage		19.50 VDC	19.50 VDC
Temperature range:			
	Operating	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)
	Storage	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)

Battery

The following table lists the battery specifications of your Dell G7 15 7500.

Table 18. Battery specifications

Description	Option one	Option two
Battery type	3-cell (56 WHr) "smart" lithium-ion	6-cell (86 WHr) "smart" lithium-ion
Battery voltage	13.20 VDC	13.20 VDC13.35 VDC
Battery weight (maximum)	0.26 kg (0.57 lb)	0.34 kg (0.75 lb)
Battery dimensions:	•	
Height	7.56 mm (0.30 in.)	7.56 mm (0.30 in.)
Width	295.20 mm (11.62 in.)	295.20 mm (11.62 in.)
Depth	77.70 mm (3.06 in.)	77.70 mm (3.06 in.)
Temperature range:		
Operating	0°C to 35°C (32°F to 95°F)	0°C to 35°C (32°F to 95°F)
Storage	-40°C to 65°C (-40°F to 149°F)	-40°C to 65°C (-40°F to 149°F)

Table 18. Battery specifications (continued)

Description	Option one	Option two
Battery operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.
Battery charging time (approximate) (i) NOTE: Control the charging time, duration, start and end time, and so on using the Dell Power Manager application. For more information on the Dell Power Manager see, Me and My Dell on www.dell.com.	 4 hours (when the computer is off) 2 hours (ExpressCharge) 	4 hours (when the computer is off)
Coin-cell battery	CR2032	CR2032

Display

The following table lists the display specifications of your Dell G7 15 7500.

Table 19. Display specifications

Descripti	ion	Option one	Option two	Option three
Display typ	ре	Full High Definition (FHD)	Full High Definition (FHD)	Ultra High Definition (UHD)
Display-pa	anel technology	Wide-Viewing Angle (WVA)	Wide-Viewing Angle (WVA)	OLED
Display-pa (active are	anel dimensions ea):			
	Height	193.60 mm (7.62 in.)	193.60 mm (7.62 in.)	193.62 mm (7.62 in.)
	Width	344.16 mm (13.55 in.)	344.16 mm (13.55 in.)	344.22 mm (13.55 in.)
	Diagonal	394.87 mm (15.55 in.)	394.87 mm (15.55 in.)	394.94 mm (15.55 in.)
Display-pa	anel native resolution	1920 x 1080	1920 x 1080	3840 x 2160
Luminance	e (typical)	300 nits	300 nits	400 nits
Megapixe	ls	2.07	2.07	3.29
Color gam	nut	72% NTSC (Typical)	100% sRGB (Typical)	DCI-P3
Pixels Per	Inch (PPI)	141	141	282
Contrast r	ratio (typ)	800:1	1000:1	100K:1
Response	time (max)	19 ms	3 ms	2 ms
Refresh ra	ate	144 Hz	300 Hz	60 Hz
Horizonta	l view angle	80 degrees (minimum)	80 degrees (minimum)	80 degrees (minimum)
Vertical vi	ew angle	80 degrees (minimum)	80 degrees (minimum)	80 degrees (minimum)
Pixel pitch	1	0.18 mm	0.18 mm	0.09 mm
Power cor	nsumption (maximum)	7.80 W	6.30 W	17.30 W

Table 19. Display specifications (continued)

Description	Option one	Option two	Option three
Anti-glare vs glossy finish	Anti-glare	Anti-glare	TrueLife
Touch options	No	No	No

Fingerprint reader (optional)

The following table lists the specifications of the optional fingerprint-reader of your Dell G7 15 7500.

Table 20. Fingerprint reader specifications

Description	Values
Fingerprint-reader sensor technology	Capacitive
Fingerprint-reader sensor resolution	500 dpi
Fingerprint-reader sensor area	11.92 mm x 7.42 mm
Fingerprint-reader sensor pixel size	80 x 64

GPU—Integrated

The following table lists the specifications of the integrated Graphics Processing Unit (GPU) supported by your Dell G7 15 7500.

Table 21. GPU—Integrated

Controller	External display support	Memory size	Processor
Intel UHD Graphics	HDMI 2.0 port	Shared system memory	10 th Generation Intel Core i5/i7/i9

GPU—Discrete

The following table lists the specifications of the discrete Graphics Processing Unit (GPU) supported by your Dell G7 15 7500.

Table 22. GPU—Discrete

Controller	External display support	Memory size	Memory type
NVIDIA GeForce GTX 1650 Ti	HDMI 2.0 port	4 GB	GDDR6
NVIDIA GeForce GTX 1660 Ti	HDMI 2.0 port Mini DisplayPort 1.4 port	6 GB	GDDR6
NVIDIA GeForce RTX 2060	HDMI 2.0 port Mini DisplayPort 1.4 port	6 GB	GDDR6
NVIDIA GeForce RTX 2070 with Max-Q Design	HDMI 2.0 port Mini DisplayPort 1.4 port	8 GB	GDDR6

Operating and storage environment

This table lists the operating and storage specifications of your Dell G7 15 7500.

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

Table 23. Computer environment

Description	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G†	160 G†
Altitude (maximum)	-15.2 m to 3,048 m (-49.87 ft to 10,000 ft)	-15.2 m to 10,668 m (-49.87 ft to 35,000 ft)

 $[\]ensuremath{^{*}}$ Measured using a random vibration spectrum that simulates user environment.

 $[\]dagger$ Measured using a 2 ms half-sine pulse when the hard drive is in use.

Keyboard shortcuts

Function keys

NOTE: Keyboard characters may differ depending on the keyboard language configuration. Keys used for shortcuts remain the same across all language configurations.

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. The symbol shown on the lower part of the key refers to the character that is typed out when the key is pressed. If you press $\bf Shift$ and the key, the symbol shown on the upper part of the key is typed out. For example, if you press $\bf 2$, $\bf 2$ is typed out; if you press $\bf Shift + \bf 2$, $\bf 0$ is typed out.

The keys **F1** to **F12** at the top row of the keyboard are function keys for multi-media control, as indicated by the icon at the bottom of the key. Press the function key to invoke the task represented by the icon. For example, pressing **F3** mutes the audio (refer to the table below).

However, if the function keys F1 to F12 are needed for specific software applications, multi-media functionality can be disabled by pressing fn + Esc. Subsequently, multi-media control can be invoked by pressing fn and the respective function key. For example, mute audio by pressing fn + F3.

NOTE: You can also define the primary behavior of the function keys (F1 to F12) by changing Function Key Behavior in the BIOS setup program.

Table 24. List of keyboard shortcuts

Function key	Redefined key (for multimedia control)	Behavior
X F2	fn + "I" F2	Toggle between enabling and disabling wireless connection
□ □ □ </td <td>fn + <a>C × F3</td> <td>Toggle between muting and unmuting audio</td>	fn + <a>C × F3	Toggle between muting and unmuting audio
□ □ □ □ □ □ □ □ □ □ □ □	fn + <->	Decrease volume
(1))) _{F5}	fn + □□) _{F5}	Increase volume
	fn + \(\bar{\bar{\bar{\bar{\bar{\bar{\bar{	Toggle between enabling and disabling the Windows key
ČĞ _{F7}	fn + 当F7	Toggle between turning keyboard backlight on and off
	fn + 🗗	Switch to external display
· · · F9	fn + 6	Decrease brightness
F10	fn + ***	Increase brightness

Table 24. List of keyboard shortcuts (continued)

Function key	Redefined key (for multimedia control)	Behavior
T-PAD F11	fn + T-PAD F11	Toggle between enabling and disabling the touchpad

The \mathbf{fn} key is also used with selected keys on the keyboard to invoke other secondary functions.

Table 25. List of keyboard shortcuts

Function key	Behavior
fn + H	Toggle between power and battery-status light/hard-drive activity light
fn + S	Toggle between scroll lock on and scroll lock off
fn + B	Toggle between Break and Pause
fn + R	Initiate system request
fn + ctrl	Open application menu
fn + esc m	Toggle between locking and unlocking the fn key
fn + spacebar	Open the Emoji window

G key

Table 26. G key

Function key	Behavior
رهم المحادث ال	Toggle between Windows power settings and the thermal setting for optimal gaming performance.

Getting help and contacting Dell

Self-help resources

You can get information and help on Dell products and services using these self-help resources:

Table 27. Self-help resources

Self-help resources	Resource location
Information about Dell products and services	www.dell.com
My Dell	DELL
Tips	
Contact Support	In Windows search, type Contact Support, and press Enter.
Online help for operating system	www.dell.com/support/windows
	www.dell.com/support/linux
Troubleshooting information, user manuals, set up instructions, product specifications, technical help blogs, drivers, software updates, and so on.	www.dell.com/support
Dell knowledge base articles for a variety of computer concerns	 Go to www.dell.com/support. On the menu bar at the top of the Support page, select Support > Knowledge Base. In the Search field on the Knowledge Base page, type the keyword, topic, or model number, and then click or tap the search icon to view the related articles.
Learn and know the following information about your product: Product specifications Operating system Setting up and using your product Data backup Troubleshooting and diagnostics Factory and system restore BIOS information	See Me and My Dell at www.dell.com/support/manuals. To locate the Me and My Dell relevant to your product, identify your product through one of the following: Select Detect Product. Locate your product through the drop-down menu under View Products. Enter the Service Tag number or Product ID in the search bar.

Contacting Dell

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

- i NOTE: Availability varies by country/region and product, and some services may not be available in your country/region.
- NOTE: If you do not have an active Internet connection, you can find contact information about your purchase invoice, packing slip, bill, or Dell product catalog.