# C8130/C8135/C8145/C8155/C8170

# Xerox<sup>®</sup> AltaLink<sup>®</sup> Color Multifunction Printer

The Ideal Digital Workplace Assistant for Demanding Teams







# Xerox<sup>®</sup> AltaLink<sup>®</sup> C8130/C8135/C8145/C8155/C8170 Color Multifunction Printer

Want work done right? AltaLink<sup>®</sup> will help you do a lot more than just print. You can automate document workflows and connect to the systems that run your business – seamlessly. Protected by comprehensive security features, they are true Workplace Assistants that will free up time for you to do more of what really matters.

## A PRODUCTIVE WORK EXPERIENCE FOR ALL

Feel right at home instantly with AltaLink®.

The intuitive and personalized tablet-like interface balances simplicity and efficiency, and reduces steps to complete tasks with a single tap.

Native mobility features, like Wi-Fi Direct (optional), make it easy for workers to print from their mobile devices and access the advanced AltaLink<sup>®</sup> capabilities such as Xerox<sup>®</sup> @PrintByXerox App, Xerox<sup>®</sup> Print Service Plug-in for Android<sup>™</sup> or AirPrint<sup>®</sup>.

AltaLink<sup>®</sup> devices bridge the physical and digital worlds with apps and advanced scanning capabilities that allow you to digitize, route and process information in a snap. Automate tedious tasks to save time and reduce errors.

Translate documents to 50+ languages with the Xerox® Translate and Print App. Convert hard copy to audio for easy listening on the go with the Xerox® Audio Documents App. And get your handwritten note off the page and into the digital world with the Xerox® Note Converter App.

### **RIGHT FIT FOR EVERY NEED**

Big jobs, small jobs and everything in between — AltaLink<sup>®</sup> can be customized to do it all. Your choice of finishing options and accessories means you can configure your device for any type of document.

The speed of business has never moved so fast, but the AltaLink® makes it easy to keep up.

Stay in the fast lane with access to the Xerox® App Gallery. It's your gateway to an evergrowing collection of apps designed to simplify time-consuming, repetitive or complex processes as your business evolves.

Simplify IT support as your fleet grows. Fleet Orchestrator allows you to adjust configurations and settings on all your devices at once. Perform interactive training and support your users right from your desktop with the Remote Control Panel.

### COMPREHENSIVE SECURITY

Stop threats where they start with the comprehensive protection that's trusted by the most security-minded businesses and governments.

Built-in security, including the AltaLink® Trusted Boot that protects the integrity of the device start-up process from malicious actions, McAfee® whitelisting and integrations with McAfee ePO and Cisco ISE that neutralize threats instantly at the device and protect the network. Configuration Watchdog monitors and automatically remediates critical IT-defined security settings.

Native Security Information and Event Management (SIEM) simplifies reporting and management of security events. And integration with Xerox® Printer Security Audit Service, available as part of Xerox® Intelligent Workplace Services, helps maximize printer fleet, document and content security.

### COLOR WHERE IT COUNTS

High-resolution output of 1200 x 2400 dpi and best-in-class HD Super Fine EA Toner plus superior color rendering and consistency will give your documents clarity and impact. You can also upgrade your AltaLink® C8100 Series with the Xerox® EX-c C8100 Print Server Powered by Fiery®, delivering more options for professional-looking documents.

### XEROX<sup>®</sup> CONNECTKEY<sup>®</sup> TECHNOLOGY

#### Intuitive User Experience

Enjoy a tablet-like experience with gesturebased touchscreen controls and easy personalization, plus simple workflows and functions.

#### Mobile and Cloud Ready

Be more mobile with cloud-hosted services and instant connectivity to cloud and mobile devices right from the user interface.

#### **Comprehensive Security**

Prevent unauthorized access, detect threats and protect data and documents with built-in comprehensive security features.

#### **Enables Intelligent Workplace Services**

Seamless integration with Xerox Intelligent Workplace Services delivers next-level workplace efficiency, employee productivity and security.

#### **Gateway to New Possibilities**

Transform the way you work with the apps in the Xerox App Gallery. Or have one of our partners develop a custom solution for you.

Find out more about how you'll work smarter at www.ConnectKey.com.



# Xerox<sup>®</sup> AltaLink<sup>®</sup> C8130/C8135/C8145/C8155/C8170 Color Multifunction Printer



# LONG SHEET PRINTING

to 6,140 sheets.

**Long Sheet Feed Kit** (optional) provides the ability to print up to 12.6 x 52 in. / 320 x 1,320 mm media.



advanced finishing gi functions, optional fi crease/score and at saddle-stitch booklet, making it capable of 60-page booklets (2 to 15 sheets).

**Dual Offset Catch Tray** 

with finishers).

(available when no finishers are

installed; Single Offset Catch Tray



Maker Finisher.

Integrated Office Finisher (optional with C8130/C8135/ C8145/C8155) provides 500-sheet stacking and 50-sheet, 2-position stapling.



**Convenience Stapler** (optional) staples up to 50 sheets of 20 lb. / 75 gsm media.

<sup>1</sup> Paper capacities are based on 20 lb. / 75 gsm stock; capacities will vary with different weight stocks

# Xerox<sup>®</sup> AltaLink<sup>®</sup> C8130/C8135/C8145/C8155/C8170

# Color Multifunction Printer

ConnectKey®

Technology

DEVICE SPECIFICATIONS	ALTALINK <sup>®</sup> C8130	ALTALINK <sup>®</sup> C8135	ALTALINK <sup>®</sup> C8145	ALTALINK <sup>®</sup> C8155	ALTALINK <sup>®</sup> C8170
Speed (Color/Black-and-White)	Up to 30/30 ppm	Up to 35/35 ppm	Up to 45/45 ppm	Up to 55/55 ppm	Up to 70/70 ppm
1 Ionthly Duty Cycle <sup>1</sup>	Up to 90,000 pages	Up to 110,000 pages	Up to 200,000 pages	Up to 300,000 pages	Up to 300,000 pages
ard Drive/Processor/Memory	Minimum 128 GB SSD; Opt	ional: 500GB HDD / INTEL ATOM	A Quad Core, 1.9GHz/4 GB system r	nemory (8 GB system memory Alt	aLink® C8170)
onnectivity			int, WiFi/WiFi Direct with optional )		
ptional Controller	Xerox® EX-c C8100 Print Server Powered by Fiery®				
opy and Print		0 x 600 dpi; Print Resolution: U	p to 1200 x 2400 dpi		
irst-Copy-Out Time (as fast as)	6.10 seconds color/4.50 sec	onds black-and-white	5.50 seconds color/4.40	4.70 seconds color/3.70	4.00 seconds color/3.20
from platen/warmed-up state)			seconds black-and-white	seconds black-and-white	seconds black-and-white
First-Print-Out Time (as fast as)	5.70 seconds color/4.20 seconds black-and-white		4.90 seconds color/3.80	4.50 seconds color/3.20	3.80 seconds color/3.00
			seconds black-and-white	seconds black-and-white	seconds black-and-white
<sup>p</sup> age Description Languages Paper Input <sup>2</sup> Standard	Adobe® PostScript® 3 <sup>ss</sup> , Adobe® PDF, PCL® 5c / PCL® 6   Single-Pass Duplex Automatic Document Feeder (DADF): Up to 82 ppm simplex / 141 ipm duplex (200 dpi). 130-sheet capacity for AltaLink® C8130/C8135/ C8145/C8155. Paper sizes: 3.4 x 4.9 in. to 11.7 x 17 in. / 85 x 125 mm to 297 x 432 mm. Up to 135 ppm simplex / 270 ipm duplex (200 dpi). 250-sheet capacity for AltaLink® C8170. Paper sizes: 3.4 x 4.9 in. to 11.7 x 17 in. / 85 x 125 mm to 297 x 432 mm.   Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.9 to 12.6 x 52 in. / 89 x 98 mm to 320 x 1,320 mm (SEF)   Tray 1: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in. / 140 x 182 mm to SRA3 (SEF)   Tray 2: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in. / 140 x 182 mm to SRA3 (SEF)				
Choose One	Four Tray Module: (Trays 3 and 4 — available with AltaLink® C8130/C8135): 1,040 sheets; 520 sheets each; Custom sizes: 5.5 x 7.2 to 12 x 18 in. / 140 x 182 mm to SRA3 (SEF). Total standard paper capacity: 2,180 sheets. High Capacity Tandem Tray Module: 2,000 sheets; Sizes: 8.5 x 11 in. / A4. Total standard paper capacity: 3,140 sheets.				
Optional	High-Capacity Feeder (HCF): Up to 3,000 sheets; Size 8.5 x 11 in. / A4 long edge feed. Max paper capacity with HCF: 6,140 sheets. Envelope Tray (replaces Tray 1): Up to 60 envelopes with Auto Size detection of some sizes Long Sheet Feed Kit (banner printing): 12.6 x 52 in. / 320 x 1,320 mm				
Paper Output/ Standard	Dual Offset Catch Tray (standard when finishers are not attached): 250 sheets each; Face-up Tray: 100 sheets				
<b>inishing</b> <sup>2</sup> Optional	Integrated Office Finisher: Available with AltaLink® C8130/C8135/C8145/C8155, staple positions: front and rear straight. 500 sheets stacker, 50 sheets staplin 2-position stapling. Office Finisher: 2,000-sheet stacker, 50 sheets stapled, 2-position stapling, optional hole punch, optional booklet maker (score, saddle stitch 2 to 15 sheets (60 pages)) BR Finisher: 3,000-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch booklet making (2 to 16 sheets, 64 pages) and V-folding C-Fold/Z-Fold Unit: Adds Z-folding, Letter Z-folding and Letter C-folding to the BR Finisher and BR Booklet Maker Finisher				
NTUITIVE USER EXPE		sheet stapling, includes Work Sur	face <sup>5</sup>		
ustomize		ow/hide functions personalize	user experience with authentication	create 1-Touch Apps auto wake	up with Smart Proximity Senso
rint Drivers					
Kerox® Embedded Web Server	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver®, Application Defaults, Xerox® Pull Print Driver PC or Mobile — Status Information, Settings, Device Management, Cloning, Fleet Orchestrator, Configuration Watchdog, Remote Control Panel				
Print Features	Print from USB, Print from Cloud Repositories (Dropbox, One Drive and Google Drive), Sample Set, Saved Job, Booklet Creation, Store and Recall Driver Se				
	Scaling, Job Monitoring, Application Control, Two-sided Printing, Draft Mode, Long Sheet (Banner) Printing				
ican and Fax	Scan Preview, Scan to USB/Email/Network (FTP/SFTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPG, TIFF; Convenience Features: Scan to Home, Searchable PD Single/Multi-page PDF/XPS/TIFF, Password-protected PDF; Fax Features: Walk-up Fax (one-line or two-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCR), Server Fax, TWAIN driver (scan); <b>Optional:</b> Scan To Cloud Repositorie (Dropbox, One Drive and Google Drive) <sup>3</sup>				
MOBILE AND CLOUD R					
1obile Connectivity		(NFC): Optional: Wi-Fi Direct, W	/i-Fi (802.11 b/a/n/ac). AirPrint (iOS)	including iBeacon (Bluetooth)	
1obile Printing	Near-Field Communication (NFC); <b>Optional:</b> Wi-Fi Direct, Wi-Fi (802.11 b/g/n/ac), AirPrint (iOS) including iBeacon (Bluetooth) AirPrint, Mopria®, Xerox® Print Service (Android), @PrintByXerox; <b>Optional:</b> Xerox® Workplace Mobile App (iOS/Android)				
Nobile Scanning	AirPrint, Mopria <sup>®</sup> , <b>Optional</b> : Xerox <sup>®</sup> Workplace Mobile App (iOS/Android)				
Cloud Ready	Remote services enabled, native "Print from" Cloud repositories (Dropbox, One Drive, Google Drive). <b>Optional:</b> Native "Scan to" cloud repositories (Dropbox, One Drive, Google Drive), direct connection to cloud hosted services via optional apps (accessed via Xerox® App Gallery app or visit xerox.com/AppGallery).				
COMPREHENSIVE SECU	1	ned Francisco de la Maria de 🦔 🔿		in Constitution 21 DL 11	CTEM3 Columb CTEM2 March
Network Security	802.1x, IPsec, HTTPS, SFTP and Encrypted Email, McAfee® ePolicy Orchestrator®, McAfee Enterprise Security Manager <sup>3</sup> , LogRhythm SIEM <sup>3</sup> , Splunk SIEM <sup>3</sup> , Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, TLS 1.1/1.2, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco <sup>®</sup> Ident Services Engine (ISE) integration, automated threat response through McAfee DXL/Cisco pxGrid integration, Local Authentication (Internal Database), FIPS 140-2				
Device Access	User Access and Internal Firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Configuration Watchdog, TPM; <b>Optional:</b> Smart Co Enablement Kit (CAC/PIV/.NET/SIPRNet) <sup>4</sup> , Xerox <sup>®</sup> Integrated RFID Card Reader, NFC standard (authentication via optional Xerox <sup>®</sup> Workplace Cloud/Suite Pr Management and Content Security; learn more at <b>xerox.com/WorkplaceSolutions</b> ).				
Data Protection	McAfee Embedded Control Whitelisting, Firmware Verification, Trusted Boot, Job Level Encryption via HTTPS and Drivers, Encrypted Storage Drive (AES 256-bi FIPS 140-2), Encrypted and Signed Email; <b>Optional:</b> Xerox <sup>®</sup> Workplace Cloud/Suite Content Security, Encrypted Hard Disk (AES 256-bit, FIPS 140-2) with Imag Overwrite, McAfee Integrity Control				
ocument Security	Under evaluation Common	Critera Ceritfication (ISO 15408	) full system against the HCP PP, En	crypted Secure Print, FIPS 140-2 E	ncrypted Data with Print Drive
NABLES INTELLIGEN	WORKPLACE SERV	ICES			
rint Management	Xerox <sup>®</sup> Standard Accountin	g; <b>Optional:</b> Xerox® Workplace S	uite/Cloud, Xerox® Virtual Print Ma	nagement Service, more at <b>xerox</b>	.com/PrintManagement
leet / Device Management	Xerox® CentreWare® Web, Xerox® Support Assistant, Automated Meter Read, Xerox® Cloud Fleet Management Solution, Fleet Orchestrator, Configuration Cloning, Intelligent Workplace Services Tool Suite				
ecurity	Secure Device Management: Xerox® Printer Security Audit Service (auto-configuration of security settings, monitoring, and auto-remediation), Digital Certificat Management, SIEM Reporting, Interactive Dashboard Reports				
GATEWAY TO NEW POS	SIBILITIES				
Xerox App Gallery	Automate everyday proces	ses with apps that translate, redo	act, eSign, personalize print, conver	, route, collaborate and communi	cate.

<sup>1</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

<sup>2</sup> Paper capacities are based on 20 lb. / 75 gsm stock; capacities will vary with different weight stocks

<sup>3</sup> Available post-launch via software update

<sup>4</sup> Not available in all geographies

<sup>5</sup> Sold separately in some geographies

Certifications: xerox.com/OfficeCertifications

### More information is available at **xerox.com/AltaLink.**

©2020 Xerox Corporation. All rights reserved. Xerox®, AltaLink®, CentreWare®, ConnectKey®, DocuShare® and Global Print Driver® are trademarks of Xerox Corporation in the United States and/or other countries XMPie® is a trademark of XMPie, Inc. Mopria® is a trademark of the Mopria Alliance. The information in this brochure is subject to change without notice. 09/20 TSK-858 BR29460 AC8BR-05UB

