HP LaserJet MFP M141 Printer Series



The world's smallest multifunction laser in its class designed for efficient performance.

An efficient, high-quality multifunction laser printer that fits your space. Get fast printing from the world's smallest laser in its class, ¹ plus the time-saving HP Smart app.^{2,3} Count on professional-quality laser printing and seamless setup.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness* of these measures and block cartridges that previously worked. A reused HP chip enables the Productivity from your phone use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds.







The world's smallest multifunction laser in its class¹

- The world's smallest multifunction laser in its class¹ designed for efficient performance.
- Easy copy both sides of ID cards, or other small-size documents, onto the same side of one sheet of paper.
- Easily handle tasks and get a lot from one device print, scan, and copy.
 - Get wireless with self-reset to help you stay connected. ¹
- Smartly and elegantly designed, so it's simple and intuitive to use.

- Get high-quality scanning, and share to Dropbox, Google Drive or cloud from your phone with HP Smart app.
- Quickly access and print documents on your smartphone, from Dropbox and Google Drive, using HP Smart app.
- With HP Smart app, take a photo as a copy, and send it to your printer from your smartphone.2
- Eliminate steps in repetitive tasks with Shortcuts. 2 Scan to the cloud, email, and more in just a tap.²

- Never run out ⁹ and save up to 50%¹⁰ with Instant Ink for laser printing

 Never run out of toner for your laser printer. ⁹ Convenient toner replacements and smart delivery included.
- Save up to 50% with Instant Ink. 10 Enroll to get toner, delivery and recycling starting at \$1.99 a month.
- Peace of mind with plan flexibility to change or cancel anytime at no cost. 11
- Help us put plastic back into printers with prepaid recycling service included. 12

Help save resources without sacrificing performance

- HP Auto-On/Off Technology intelligence can turn your printer on when you need it and off when you don't.
- This HP LaserJet meets ecolabel requirements, including ENERGY STAR® and BLUE ANGEL.
- Help stop deforestation and protect forests and wildlife using HP FSC®-certified paper.

Product walkaround

HP LaserJet MFP M141w Printer

- 1. LED buttons with LCD display control panel
- 2. Hi-Speed USB connection
- 3. Wireless connection with self-reset (w model)
- 4. Up to 20/21 ppm, A4/Letter
- 5. Consistent print quality, crisp black text
- 6. Up to 150-sheet input tray



Series at a glance





Model	HP LaserJet MFP M141a Printer	HP LaserJet MFP M141w Printer	
Product number	7MD73A	7MD74A	
Functions	Print, co	Print, copy, scan	
Connectivity	Hi-Speed USB (compatible with USB 2.0 specifications)	Hi-Speed USB (compatible with USB 2.0 specifications); 802.11b/g/n (2.4 GHz) Wi-Fi radio + BLE	
Print speeds	Up to 20	Up to 20 ppm, A4	
Paper handling	150-shee	150-sheet input tray	

Configurable Items, Accessories, Supplies and Support

Supplies	W1500A HP 150A Black Original LaserJet Toner Cartridge (~975 pages)
Service and Support	UH757E HP 3 Year Care Pack Next Day Exchange for Cons LaserJet MFP E-SVC UH764E HP 3 Year Care Pack Return to Depot Support for Cons LaserJet MFP E-SVC UH769E HP 3 Year Care Pack Pick Up and Return Support for Cons LaserJet MFP E-SVC UH773E HP 3 Year Care Pack Onsite Exchange Support for Cons LaserJet MFP E-SVC U6N05E HP Installation with Networking Service for Consumer Printer

Technical specifications

Product number	7MD73A	7MD74A	
Functions	Print, copy, scan		
Control panel	3 LEDs (Toner. Attention, Ready); 3 buttons (Cancel, Copy, Power)	8 buttons (Power, Cancel, Copy, ID Copy, Wireless, Copy setting, Up, Down), 4 LEDs	
Print		(Ready/Power, Error, Toner, Wireless)	
Print technology	Laser		
Print speed ⁸	Black (A4, normal) Up to 20 ppm;		
First page out ⁹	Black (A4, ready): As fast as 8.5 sec; Black (A4, sleep): As fast as 9.1 sec;		
Print resolution	Black (best): Up to 600 x 600 dpi; Technology: HP FastRes 600;		
Monthly duty cycle	Up to 8,000 pages A4; Recommended monthly page volume: 100 to 1000		
Printer smart software features ^{1,2}	HP Auto-On/Auto-Off ¹ , HP Smart App ²		
Standard print languages	PCLm/PCLmS; URF; PWG		
Print area	Print margins Top: 2 mm, Bottom: 2 mm, Left: 2 mm, Right: 2 mm; Maximum print	t area: 216 x 355.6 mm	
Duplex printing	No		
Copy Speed ¹⁰	District (Ad) II + 20		
Copier specifications	Black (A4): Up to 20 cpm	In to 00 series Padus / Enlarge 25 to 4000/.	
Scan	Number of Copies; Lighter/Darker; Optimize; Paper; Maximum number of copies: U	up to 99 copies; Reduce/Enlarge : 25 to 400%;	
Scan file format	JPG, RAW (BMP), PNG, TIFF, PDF		
Scanner specifications	Scanner type: Flatbed; Scan technology: CIS; Scan input modes: Scanning via HP LaserJet Software Scan or TWAIN-compliant or WIA-compliant software; Twain version: Version 2.1 (Windows 7 or higher); Scan size maximum (flatbed): 216 to 297 mm; Optical scan resolution: Up to 600 ppi		
Scanner advanced features	No		
Recommended monthly scan volume	250 to 2000		
Scannable area	Maximum media size (flatbed): 216 to 297 mm;		
Bit depth/ Grey scale levels	24 bit / 256		
Processor speed	500 MHz		
Connectivity		1 Hi Spood HSD (compatible with HSD 2.0 coordinations), 002 11h late 12.4 CH-1	
Standard	1 Hi-Speed USB (compatible with USB 2.0 specifications)	1 Hi-Speed USB (compatible with USB 2.0 specifications); 802.11b/g/n (2.4 GHz) Wi-Fi radio + BLE; Wireless	
Wireless	No	Yes	
Mobile printing capability ⁶		HP Smart App; Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing	
Supported network protocols		TCP/IP; IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; BOOTP/DHCP/AutoIP; SNMP v 1/2/3; HTTP/HTTPS; WS Transfer; FQDN; DNS	
Memory	Standard: 64 MB; Maximum: 64 MB Flash ROM; 64MB DDR1; 32 KB NVRAM	BOOTF/BITCF/MULDIF, SININF V 1/2/3, 111 F/111 F-3, W3 Hallslet, I QDIN, BN3	
Media handling	Standard, GTTIB, Flatimani, GTTIB Flatimani, GTTIB BBKT, SE KB NVIVIII		
Number of paper trays	Standard: 1 input tray ; Maximum: 1 input tray		
Media types	Plain paper, envelope, postcard, label		
Media size	Custom (metric): 105 x 148 to 216 to 355.6mm; Supported (metric): A4; A5; A6; envelopes (C5, DL); custom		
Media handling	Standard input: 150-sheet input tray Standard output: 100-sheet output bin		
Media weight	65 to 120 g/m²;		
Input capacity	Tray 1: Sheets: 150; Envelopes: 10 Maximum: Up to 150 sheets		
Output capacity	Standard: Up to 100 sheets Envelopes: Up to 10 envelopes Maximum: Up to 100 sheets		
Compatible operating systems	Windows 11; Windows 10; Windows 7; macOS 10.14 Mojave; macOS 10.15 Catalin	na; Linux	
Compatible network operating systems	Windows 11; Windows Server; Linux Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available	T	
		Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge; Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey	
	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or		
Minimum system requirements	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge.;	Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey	
	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or		
Minimum system requirements Software included	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge.; Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey	Mac. Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required	
	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; , Mac Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB	Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network	
Software included	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge.; Mac Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server	Mac. Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required	
Software included Security management	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge.; Mac Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com	Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network	
Software included Security management Printer management	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge.; Mac Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server	Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network	
Software included Security management Printer management Dimensions and weight	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox	Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H)	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm;	Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; . Mac Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg	Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; . Mac Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH	Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge;. Mac Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz n ominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, provided in the control of t	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server, enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, lower supply varies by part number with # Option code identifier.; lkWh/Week Glue Anaelb:	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, p Typical Electricity Consumption (TEC) 11.0255 kWh/Week (Energy Star 3.0), 0.259 Power supply type: Power requirements are based on the country/region where the	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, power supply varies by part number with # Option code identifier.:	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge;. Mac Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz n ominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, provided in the control of t	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server, enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, lower supply varies by part number with # Option code identifier.; lkWh/Week Glue Anaelb:	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz n ominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, prover supply type: Power requirements are based on the country/region where the void the product warranty.;	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, lower supply varies by part number with # Option code identifier.; kWh/Week (Blue Angel); ne printer is sold. Do not convert operating voltages. This will damage the printer and	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, proving Electricity Consumption (TEC) 1: 0.255 kWh/Week (Energy Star 3.0); 0.259 Power supply type: Power requirements are based on the country/region where the void the product warranty; HP Auto-On/Auto-Off Technology	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, lower supply varies by part number with # Option code identifier.; kWh/Week (Blue Angel); he printer is sold. Do not convert operating voltages. This will damage the printer and RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC. Eastern European approvals, CE Marking, FCC, UL, Singapore, etc.	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, proving light in the control of the product warranty; HP Auto-On/Auto-Off Technology RCM (Ausstralia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine: FAC. Fastern European approvals. CF Marking, FCC. Ul. Singapore, etc.	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, lower supply varies by part number with # Option code identifier; kWh/Week (Blue Angel); eprinter is sold. Do not convert operating voltages. This will damage the printer and Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2012 & CISPR32:2013 (215) (22014; EN	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, por Typical Electricity Consumption (TEC) 11: 0.255 kWh/Week (Energy Star 3.0); 0.259 Power supply type: Power requirements are based on the country/region where the void the product warranty.; HP Auto-On/Auto-Off Technology RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:20115 KENS5032:2012 & RISPS32:2013 (EASS BE NE) 61000-3-2:2014; EN	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, ower supply varies by part number with # Option code identifier.; kWh/Week (Blue Angel); ne printer is sold. Do not convert operating voltages. This will damage the printer and RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2015 (FNS5032:2012 & ENS5032:2015 + AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/CES-003, Issue 6	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz n pominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, p Typical Electricity Consumption (TEC) ¹¹ : 0.255 kWh/Week (Energy Star 3.0); 0.259 Power supply type: Power requirements are based on the country/region where th void the product warranty; HP Auto-On/Auto-Off Technology RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2015 (ENS5032:2012 & ENS5032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 (FR, Part 15 Class B/ICES-003, Issue 6	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, ower supply varies by part number with # Option code identifier.; kWh//Week (Blue Angel); ne printer is sold. Do not convert operating voltages. This will damage the printer and RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2015 (See NS5032:2015 & CISPR32:2011 & CISPR32:2011 & CISPR32:2011 & CISPR32:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, proprioral Electricity Consumption (TEC) 1: 0.255 kWh/Week (Energy Star 3.0); 0.259 Power supply type: Power requirements are based on the country/region where the void the product warranty.; HP Auto-On/Auto-Off Technology RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2015 (ELGSS B/ICES-003, ISsue 6 EPCAT® Silver registered in the U.S.: IT ECO Declaration: Blue Angel: EPEAT® Silver Pagistered in the U.S.: IT ECO Declaration: Blue Angel: EPEAT® Silver	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, ower supply varies by part number with # Option code identifier.; kWh/Week (Blue Angel); ne printer is sold. Do not convert operating voltages. This will damage the printer and RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2013 & CISPS32:2015 (SSD32:2015+AC:2016 - CISS B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/CES-003, ISsue 6 EPEAT® Silver registered in the U.S.; IT ECO Declaration; Blue Angel; EPEAT® Silver India; EPEAT® Silver Canada; EPEAT® Silver US Telecom compilance: Wireless: EU RED 2014/5/3/EU; EN 301 489-1 V2.2.3 / EN	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz n pominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, p Typical Electricity Consumption (TEC) ¹¹ : 0.255 kWh/Week (Energy Star 3.0); 0.259 Power supply type: Power requirements are based on the country/region where th void the product warranty; HP Auto-On/Auto-Off Technology RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2015 (ENS5032:2012 & ENS5032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 (FR, Part 15 Class B/ICES-003, Issue 6	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V – 240V nominal @ +/-10% (min 198V, ower supply varies by part number with # Option code identifier.; kWh/Week (Blue Angel); ne printer is sold. Do not convert operating voltages. This will damage the printer and Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: (ISPR32:2012 & CIV, Singapore, etc. Electromagnetic emission standard: (ISPR32:2015 & CIV, Singapore, etc. Electromagnetic emission standard: (ISPR32:2015 & CIV, Singapore, etc. Electromagnetic emission standard: (ISPR32:2015 & CIV, Singapore, etc. Electromagnetic emission standard: (ISPR32:2016 & CIV, Singapore, e	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, p Typical Electricity Consumption (TEC) 11: 0.255 kWh/Week (Energy Star 3.0); 0.259 Power supply type: Power requirements are based on the country/region where the void the product warranty.; HP Auto-On/Auto-Off Technology RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR3:22012 & CISPR3:22012 & CISPR3:22013 & RSSO32:2015 * CHASCO32:2014 & CISPR3:22012 & CISPR3:22013 & CISPR3:22	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, ower supply varies by part number with # Option code identifier; kWh/Week (Blue Angel); ne printer is sold. Do not convert operating voltages. This will damage the printer and Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR3:2:2012 & CISPR32:2015 / FNS5032:2012 & ENS5032:2015 + AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6 EPEAT® Silver registered in the U.S.; IT ECO Declaration; Blue Angel; EPEAT® Silver India; EPEAT® Silver Australia; EPEAT® Silver Canada; EPEAT® Silver US. Telecom compilance: Wireless: EU RED 2014/53/EU; EN 301 489-1 V2.2.3 / EN 301 489-17: V3.1.1; EN 300 328: V2.1.1 / EN 301 893 V2.1.1; FCC Title 47 CFR,	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, proprioral Electricity Consumption (TEC) 1: 0.255 kWh/Week (Energy Star 3.0); 0.259 Power supply type: Power requirements are based on the country/region where the void the product warranty.; HP Auto-On/Auto-Off Technology RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2015 (ELGSS B/ICES-003, ISsue 6 EPCAT® Silver registered in the U.S.: IT ECO Declaration: Blue Angel: EPEAT® Silver Pagistered in the U.S.: IT ECO Declaration: Blue Angel: EPEAT® Silver	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, ower supply varies by part number with # Option code identifier.; kWh/Week (Blue Angel); eprinter is sold. Do not convert operating voltages. This will damage the printer and Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2013 E NS5032:2015+AC:2016 - CISS B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55032:2015+AC:2016 - CISS B; EN 61000-3-2:2014; EN 61000-3-3:2014; EN 61000-3-3:	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications Blue Angel compliant	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, p Typical Electricity Consumption (TEC) 1: 0.255 kWh/Week (Energy Star 3.0); 0.259 Power supply type: Power requirements are based on the country/region where the void the product warranty.; HP Auto-On/Auto-Off Technology RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015 + AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ECE5-003, Issue 6 EPEAT® Silver registered in the U.S.; IT ECO Declaration; Blue Angel; EPEAT® Silver India; EPEAT® Silver Australia; EPEAT® Silver Canada; EPEAT® Silver US Recyclable through HP Planet Partners; Contains post-consumer recycled plastic	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V – 240V nominal @ +/-10% (min 198V, ower supply varies by part number with # Option code identifier.; kWh/Week (Blue Angel); ne printer is sold. Do not convert operating voltages. This will damage the printer and Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: (ISPR32:2012 & CIV, Singapore, etc. Electromagnetic emission standard: (ISPR32:2015 & CIV, Singapore, etc. Electromagnetic emission standard: (ISPR32:2015 & CIV, Singapore, etc. Electromagnetic emission standard: (ISPR32:2015 & CIV, Singapore, etc. Electromagnetic emission standard: (ISPR32:2016 & CIV, Singapore, e	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications Blue Angel compliant Country of origin	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 1100 × 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, propriate Electricity Consumption (TEC) 1: 0.255 kWh/Week (Energy Star 3.0); 0.259 Power supply type: Power requirements are based on the country/region where the void the product warranty; HP Auto-On/Auto-Off Technology RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2015 (ELGSS B/ICES-003, ISSUe 6 EPSAT® Silver registered in the U.S.; IT ECO Declaration; Blue Angel; EPEAT® Silver India; EPEAT® Silver Australia; EPEAT® Silver Canada; EPEAT® Silver US Make in Vietnam	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, ower supply varies by part number with # Option code identifier.; kWh/Week (Blue Angel); ne printer is sold. Do not convert operating voltages. This will damage the printer and RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2015 (Seption 2012), ENS5032:2015 (Seption 2013), ENS5032:2015 (Seption 2014), ENS5032:2015 (Seption 201	
Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications Blue Angel compliant	hard disk space, Internet connection, USB port, Microsoft® Internet Explorer or Edge; Mac: Apple® macOS Catalina (v10.15) macOS Big Sur (11.0) macOS Monterey (v12.0); 2 GB HD; Internet required; USB No CD in box. Download software from hp.com or 123.hp.com Password-protected network embedded Web server HP Printer Assistant (UDC), HP Device Toolbox Minimum 360 x 264 x 197 mm; Maximum: 360 x 427 x 347 mm; 5.39 kg Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH Temperature: -20 to 60°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 51 dB(A) Requirements: 110V - 127V nominal @ +/-10% (min 99V, max 140V), 50 - 60Hz n Max 264V), 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz). Not dual voltage, p Typical Electricity Consumption (TEC) 1: 0.255 kWh/Week (Energy Star 3.0); 0.259 Power supply type: Power requirements are based on the country/region where the void the product warranty.; HP Auto-On/Auto-Off Technology RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), KC (South Korea), Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015 + AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ECE5-003, Issue 6 EPEAT® Silver registered in the U.S.; IT ECO Declaration; Blue Angel; EPEAT® Silver India; EPEAT® Silver Australia; EPEAT® Silver Canada; EPEAT® Silver US Recyclable through HP Planet Partners; Contains post-consumer recycled plastic	Mac Apple® macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0); 2 GB HD; Internet required Password-protected network embedded Web server; enable/disable Network ports; SNMPv1/2/3 community password change nominal +/- 3Hz (min 47Hz, max 63Hz), 220V - 240V nominal @ +/-10% (min 198V, ower supply varies by part number with # Option code identifier.; kWh/Week (Blue Angel); he printer is sold. Do not convert operating voltages. This will damage the printer and Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Singapore, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2013 E NS5032:2015+AC:2016 - CISS B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55032:2015+AC:2016 - CISS B; EN 61000-3-2:2014; EN 61000-3-3:2014; EN 5032:2015-4C:2016 - CISS B; EN 61000-3-2:2014; EN 61000-3-3:2014; EN 5032:2015-4C:2016 - CISS B; EN 61000-3-2:2014; EN 61000-3-3:2014; EN 610	

Footnotes

- 1 Smallest in-class footprint compared only to dimensions of majority of personal monochrome laser printers and MFPs less than \$179 USD or 152€ and less than \$249 USD or 211€, respectively. Minimum dimensions used in this analysis. Buyers Lab August 2020 study commissioned by HP, based on a research survey DEM published specifications publicly available information as of 07/31/2020. Per HP, measured footprint for the HP Laser Jet MFP M139–M142 series is 147.226 square inches. Market share as reported by IDC Quarterly Hardcopy Peripherals Tracker Final Historical 2020Q1 Worldwide. For details, please see: www.keypointintelligence.com/HPSmallestLaser.
- ² Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at www.hpsmart.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only. After 24 months, monthly fee applies to continue advanced features with HP Smart Advance. HP Smart Advance is not available in all countries. For more information, see www.hpsmart.com.
- ³ Based on internal HP testing. Average timing estimate based on: 1) downloaded HP Smart app on mobile or desktop device, 2) setting up Shortcut, 3) scanning jobs which have more than 2-3 tasks associated with them (scan to email, save and rename, store to cloud, etc.). Average timing savings comparison based on using printer and desktop scan software to complete similar scanning tasks. Requires the HP Smart app download and supported HP internation and in
- printer. For details on local printing requirements see www.hp.com/go/mobileprinting.

 4 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, host OS, port-monitor, software application, driver, and document complexity.
- ⁵ Compared to OEM printing apps for the majority of top-selling inkjet/laser printers and all-in-ones for the home and office, priced less than or equal to \$449.99 USD. Market share as reported by IDC CYQ4 2019 Hardcopy Peripherals Tracker. Claim based on research of printer manufacturer's print apps and Keypoint Intelligence Buyers Lab hands-on testing and study commissioned by HP. For details, please see: keypointintelligence.com/HPSmartApp.
- ⁶ Wireless operations are compatible with 2.4 GHz operations only. Learn more at hp.com/go/mobileprinting. Internet access required and must be purchased separately.
- ⁷ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
- ⁸ USB cable not included; purchase separately.
- 9 Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.?
- ¹⁰ Based on monthly subscription cost for U.S. and Canada for toner HP Instant Ink 1,500 page plan vs. transactional cost per page of in-class monochrome A4 laser printers and MFPs < \$450 USD that use original, standard-capacity integrated cartridges (toner and drum in one cartridge). Buyers Lab April 2020 study commissioned by HP, based on research of publicly available information as of 04/24/2020. Printers selected by market share as reported by IDC Quarterly Hardcopy Peripherals Tracker Final Historical 2019Q4 for U.S. and Canada. For details and latest report, see: www.keypointintelligence.com/HPTonerService.
- 11 Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink plan you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to instantink hyconnected.com/terms. 12 Through the HP Planet Partners program (where available), recycled plastics are used as raw material and combined with other materials to help make new Original HP cartridges and other everyday products. For details: www.hp.com/hprecycle

Technical specifications disclaimers

- ¹ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
- ² Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Instant Ink subscription may be required. Instant Ink not available in all countries. See details at www.hptonerservice.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only, and may require additional purchase. For more information, see: www.hpsmart.com/mobile-fax
- ³ For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.
- ⁴ Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies ⁵ Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
- ⁶ Wi-Fi[®] is a registered trademark of Wi-Fi Alliance. Wireless operations are compatible with 2.4 GHz operations only. Learn more at www.hp.com/go/mobileprinting. Wireless operations are compatible with 2.4 GHz operations only. Learn more at www.hp.com/go/mobileprinting. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint and the AirPrint Logo are trademarks of Apple® Inc. The Mopria® Logo is a registered and/or unregistered trademark of Mopria Alliance, Inc. in the United States and other countries. Unauthorized use is strictly prohibited. Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Instant Ink subscription may be required. Instant Ink not available in all countries. See details at www.hptonerservice.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only, and may require additional purchase. For more information, see: www.hpsmart.com/mobile-fax
- ⁷ Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁸ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 9 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ¹⁰ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity.
- 11 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.







