HP Z8 G4 Workstation

HP's most powerful desktop workstation²

Top-of-the-line power to fuel those who reimagine our world. When you need a workstation with the capability to run complex simulations, handle advanced Machine Learning algorithms and process huge amounts of data, the HP Z8 doesn't disappoint.

*Product image may differ from actual product

HP recommends Windows 11 Pro for business

Extreme power

• Run 3D simulations and edit 8K video in real time with up to 56 processing cores and up to 1.5 TB high-speed memory. Certified for serious software, such as ANSYS or After Effects, you can ideate and iterate more to deliver better work in less time.

Industry-leading design and acoustics

• From the inside out, the Z8 is an engineering wonder. The modern exterior provides toolfree access to a clean, modular interior. Strategically placed vents and ducts throughout the system streamline airflow for ultra-quiet performance.

HP's most secure workstations

 Advanced security features come standard on every Z8. Rest assured your device, identity and data are safe with security software like HP Client Security Suite Gen3³ and HP Sure Start Gen3⁸, the industry's first self-healing BIOS with intrusion detection.

Featuring

- Support your unique user needs with a choice of Windows 10 Pro 64 or Linux[®] operating systems.¹
- Achieve the performance you need with the ability to support two next generation Intel[®] Xeon[®] processors for up to 56 total processor cores in one system.⁴
- Give ML developers high-performance GPU-accelerated algorithm development tools with support for the NVIDIA Deep Learning SDK and many widely used deep learning frameworks.
- Easily handle massive data sets with 24 memory slots supporting up to 3 TB of high-speed memory.⁷
- Get ultra-flexible configuration with 7 high-performance PCIe Gen3 slots and get additional expandability supporting up to 4 PCIe storage devices with optional slots.⁶
- Providing a choice of 1125W, 1450W and 1700W 90% efficient power supplies, the Z8 fires up the maximum levels of processing, memory, graphics, storage and I/O configurability.
- Designed with two ports of lightning-quick 10 GbE network connection at a lower cost than standard PCIe add-in cards and with Thunderbolt™ 3 technology for fast data transfers.^{5,7}
- The tool-less chassis lets you quickly and easily access the interior for upgrades and maintenance.
- The Z8 workstation's modern, sophisticated look features built-in handles for easy relocation.
- Innovative acoustic design allows full range configurations to run cool and quiet for maximized productivity.
- Future-proof your Z with Intel[®] Optane[™] DC Persistent Memory for the best price/performance with the ability to load large data sets entirely into memory for fast access and application responsiveness.⁹





HP Z8 G4 Workstation Specifications Table



*Product image may differ from actual product

Available Operating Systems	Windows 11 Pro for Workstations ^{12,122} Windows 10 Prof Workstations ^{12,122} Ubuntu 20.04 ITS ²⁵ HPI Installer Kit for Linux ⁴²³ Red Hat ⁴⁸ Enterprise Linux ⁴²³ (Ubuntu 20.04 LTS, 64 bit version, HP Linux-ready, Red Hat ⁴⁸ Enterprise Linux ⁴⁹ drop-in-box, 1 year entitlement)
Processor family	Intel® Xeon® Scalable processor
Available Processors ^{2,3}	Intel® Keen® 5liker 4210R (2.4 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 13.75 MB 13 cache, 10 cores); Intel® Xeen® 5liker 4214R (2.4 GHz base frequency, up to 3.5 GHz with Intel® Turbo Boost Technology, 15.5 MB 13 cache, 12 cores); Intel® Xeen® 5liker 4215 (2.3 GHz base frequency, up to 4.5 GHz with Intel® Turbo Boost Technology, 15.5 MB 13 cache, 12 cores); Intel® Xeen® 5liker 4216 (2.1 GHz base frequency, up to 3.5 GHz with Intel® Turbo Boost Technology, 11 MS 14 State 14.5 GHZ base frequency, up to 3.4 GHz with Intel® Turbo Boost Technology, 15.5 MB 13 cache, 12 cores); Intel® Xeen® 5liker 4216 (2.1 GHz base frequency, up to 3.4 GHz with Intel® Turbo Boost Technology, 15.5 MB 13 cache, 12 cores); Intel® Xeen® 5liker 4216 (2.1 GHz base frequency, up to 3.4 GHz with Intel® Turbo Boost Technology, 12.5 MB 13 cache, 10 cores); Intel® Xeen® 5liker 4216 (2.1 GHz base frequency, up to 3.4 GHz with Intel® Turbo Boost Technology, 12.5 MB 13 cache, 10 cores); Intel® Xeen® 6liker 4216 (2.1 GHz base frequency, up to 3.4 GHz with Intel® Turbo Boost Technology, 22.5 MB 13 cache, 10 cores); Intel® Xeen® 6liker 4216 (2.1 GHz base frequency, up to 3.5 GHz with Intel® Turbo Boost Technology, 12.5 MB 13 cache, 10 cores); Intel® Xeen® 6liker 4216 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 12.5 MB 12 cache, 10 cores); Intel® Xeen® 6liker 4216 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 12.5 MB 13 cache, 12 cores); Intel® Xeen® 6liker 4216 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 12.5 MB 13 cache, 12 cores); Intel® Xeen® 6liker 4216 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 12.5 MB 13 cache, 12 cores); Intel® Xeen® 6liker 4216 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 12.5 MB 13 cache, 12 cores); Intel® Xeen® 6liker 4216 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 3.5 SHZ BHZ cache, 26 crees); Intel® Xeen® 6lik
Chipset	Intel® (622
Maximum memory	3 TB DDR4-2666 ECC SDRAM; 1.5 TB DDR4-2933 ECC SDRAM ²⁰ Transfer rates up to 2933M/S.
Memory slots	24 DIMM with 2 processors
Internal storage	up to 300 GB SAS (1500 rpm) ⁴ 500 GB up to 218 SAN (7200 rpm) ⁴ up to 500 GB SAN SED (7200 rpm) ⁴ 1 TB up to 61 B S700 rpm SAN Enterprise ⁴ 256 GB up to 12 TB SAN SD ⁶ 256 GB up to 12 CB SAN SED Opal 2 SD ⁴ 240 GB up to 430 CB SAN Enterprise SD ⁴ 256 GB up to 171 BH /2 Turb Dirve PLe [®] NVM ^{em} SD ⁴ 256 GB up to 171 BH /2 Turb Dirve PLe [®] NVM ^{em} SD ⁴ 256 GB up to 171 BH /2 Turb Dirve PLe [®] NVM ^{em} SD M2 ⁴ 256 GB up to 171 BH /2 Turb Dirve PLe [®] NVM ^{em} SD M2 ⁴ 256 GB up to 181 BH /2 Turb Dirve PLe [®] NVM ^{em} SD M2 ⁴ 256 GB up to 181 BH /2 Turb Dirve Quad Pro PLe [®] SD ⁴
Additional storage	HP SD 4 Media Card Reader (optional)
Optical drive	HP Slim DVD-ROM; HP Slim Blu-ray Writer; HP Slim DVD-Writer ^{5,6}
Available Graphics	Entry 3D: NVDIA® Quadro® PE2012 G6 GDDR5 dedicated); NVDIA® 1600 (4 G6 GDDR6 dedicated); NVDIA® 1200 (2 G6 GDDR6 dedicated) Mid-range 3D: ANDR Adeom® Pex WX 3200 (4 G6 GDDR5 dedicated); NVDIA® Quadro® 11000 (4 G6 GDDR6 dedicated); NVDIA RTX [™] A2000 (6 G6 GDDR6 dedicated); High-end 3D: NVDIA® Quadro RTX [™] 4000 (3 G6 GDDR5 dedicated); NVDIA® TX [™] A4000 (16 G6 GDDR6 dedicated); AMD Radeom [®] Po W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5700 (8 G6 GDDR6 dedicated); NVDIA RTX [™] A5000 (16 G6 GDDR6 dedicated); NVDIA® Quadro® TX [™] 4000 (16 G6 GDDR6 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5700 (8 G6 GDDR6 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR6 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5700 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5700 (8 G6 GDDR6 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5700 (8 G6 GDDR6 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5700 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5700 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDDR5 dedicated); AMD Radeom [®] Pro W5500 (8 G6 GDD
Expansion slots	2 PCIe x4; 3 PCIe x8; 4 PCIe x16 (1 PCIe x8 has rear bulkhead access and 2 PCIe x8 are internal access only. Slot 1: Transforms to PCIe x8 when 2nd CPU is installed. Slots 3 and 6: are available only when 2nd processor is installed. PCIe x16 - Available only when 2nd processor is installed.
Ports and Connectors	Front: 1 headset connector: 4 USB 3.1 (1 charging); Rear: 6 USB 3.1 Gen 1:, 2 KJ-45 (1 GbE); 1 audio-in; 1 audio-au; 1 PS/2 mouse port; 1 PS/2 keyboard port; 1 serial; (Premium front Includes: 1 headset, 2 USB 3.1 Gen 1 (1 charging), 2 USB 3.1 Gen 2 Type-C ^m .)
Input devices	HP Wireless Business Slim Keyboard and Mouse Combo; HP USB Business Slim Keyboard; USB Premium wired keyboard; USB Smart Card (CCID) keyboard ¹⁰ ; 3Dconnexion CADMouse; HP USB Optical Mouse; HP PS/2 Mouse; HP USB Hardened Mouse ¹⁰ ;
Communications	LAN: HP dust-port 10GBase-TNIC; Integrated Intel [®] 1219-LM PCIe [®] GbE; Integrated Intel [®] X722 PCIe [®] GbE; Intel [®] 10 GbE SFP+ SR transceiver; Intel [®] 1210-T1 PCIe [®] GbE; Intel [®] 1350-T4 dual-port GbE NIC; Intel [®] X550-T2 dual-port GbE NIC; Intel [®] X710-DA2 dual-port GbE NIC; Intel [®] 1350-T2 GbE NIC [®] X4; WLAN: Intel [®] Dual Band Wireless-AC 8265 802.11 a/b/g/n/ac (2x2) Wi-Fi [®] and Bluetooth [®] 4.2 Combo, non-vPro [®] ; Intel [®] 1250-T2 Wireless-AC 9260 802.11 ac (2x2) and Bluetooth [®] S M2, non-vPro [®] ;
Drive Bays	Two 5.25°; Four 2.5° or 3.5° ¹⁶
Software	HP Performance Advisor; HP Remote Graphics Software (RGS);
Security management	HP Sure Start Gen3; Secure authentication; Kensington lock slot; Full volume encryption; HP Keyed Cable Lock Kit; TPM 2.0 certified; HP Secure Erase; ^{14,15,18}
Power	1700 W internal power supply, up to 90% efficiency, active PFC; 1450 W internal power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC
Dimensions	21.59 x 55.12 x 44.45 cm
Weight	Starting at 22.4 kg (Exact weight depends on configuration.)
Ecolabels	EPEAT [®] registered configurations available; TCO Certified configurations available ^{11,26}
Energy star certified (series fixed)	ENERGY STAR® certified
Sustainable impact specifications	Low halogen ¹²
Compatible displays	All HP Z Displays and HP DreamColor Displays are supported.
Warranty	3 year (3-3-3) limited warranty and service offering includes 3 years of parts, labor and on-site repair. Terms and conditions vary by country. Certain restrictions and exclusions apply.

HP Z8 G4 Workstation

Accessories and services (not included)

HP 5 year Next Business Day Onsite Hardware Support for Workstations



Receive 5 years of next business day onsite HW Support from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. **Product number: U7944E**

HP recommends Windows 11 Pro for business

HP Z8 G4 Workstation

Messaging Footnotes

¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com
² Based on desktop workstations as of June 14, 2017 and power based on processor, graphics, memory, and power supply.
³ HP Client Security Suite Gen3 requires Windows and Intel[®] or AMD 7th Gen processors.

⁴ Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your ^{An} Witticore is designed to improve performance of certain software products. Not all customers or software applications will necessarily bene hardware and software configurations. Intel® numbering, branding and/or naming is not a measurement of higher performance.
⁵ HP dual-port 10GBase-T NIC is sold separately or as an optional feature.
⁶ Sold separately or as an optional feature.
⁷ Available in the first half of 2018.
⁸ HP Sure Start Gen3 is available on HP EliteBook, HP ZBook, and HP Z Workstation products equipped with Intel® 7th generation processors.
⁸ Screen image courtes y of Renault Sport Racing

Screen image courtesy of Chris McLennan⁹ Supported only with Xeon 82xx, 62xx, 52xx and 4215 processors. Available as factory configured in Memory Mode or Storage Mode. See Quick Specs for more information.

Technical Specifications Footnotes

¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.
² Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
³ Some vPo functionality of this technology, such as Intel[®] Active management technology and Intel Virtualization technology, requires additional 3rd party software providers. Microsoft Windows required.
⁴ For storage drives, GB = 1 billion bytes. TB = 1 million bytes. Actual formatted capacity is less. Up to 35GB (for Windows) is reserved for system recovery software.
⁵ Duplication of copyrighted material is strictly prohibited. Actual speeds may vary. Double Layer media compatibility will widely vary with some home DVD players and DVD-ROM drives. Note that DVD-RAM cannot read or write to 2.6GB Single Sided/5.2 Double Sided/5.2 Double
⁵ With Blu-Bay certain disc. Groups is not quaranteed. In order for some Blu-ray titles to play, they are write a DIV or many require a DIV or many require a DIV or many requires a DIV or many apple.

⁵ Duplication of copyrighted material is strictly prohibited. Actual speeds may vary. Double Layer media compatibility will widely vary with some home DVD players and DVD-ROM drives. Note that DVD-RAM cannot read or write to 2.6GB Single Sided/S:2 Double Sided/VS:10 DMdb, Single Sided/S:2 Double Sided/VS:10 DMdb, Single Sided/S:2 Double Side/S:2 Dou

Sign up for updates hp.com/go/getupdated

Copyright © 2019 HP Development Company, L.P. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Xeon, Thunderbolt and Intel vPro are trademarks of Intel Corporation or isubsidiaries in the U.S. and/or other countries. Bluetooth is a trademark of its proprietor and used by HP Inc. under license. USB Type-C™ and USB-C™ are trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPortTM (ggo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. NVIDIA. The NVIDIA logo and Quadro are trademarks and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. Red Hat(R) is a registered trademark of Red Hat, Inc. in the United States and other countries. Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries. All other trademarks are the property of their respective owners

