

Immersive all play, every play.

Play longer, comfier, and with amazing accuracy on our suite of sweet curved gaming monitors. We've redefined high definition gaming with VA Panel Technology, 165Hz refresh rate, 1ms response time¹, and AMD² FreeSync[™] Premium³.



*Product image may differ from actual product



Believing is Seeing

Find more room to play on these VA 1500R curved monitors in Quad HD (2560x1440)⁴. Immerse yourself in even more colors and catch all the action with ultra-wide viewing angles.



Game in comfort

A curved panel that reduces eye strain and has HP Eye Ease with Eyesafe[®] certification that keeps high-energy bad blue light out and the color accuracy in. Customize your comfort with the adjustable base.



Smooth Moves

Live in the flow of 165Hz with a super fast 1ms response time¹ with MPRT and keep your gameplay smooth-as-silk with AMD² FreeSync[™] Premium³.



A Display of Responsibility

Packaging is sustainably sourced and recyclable⁵. Doing good never looked so good.

Featuring

Eyesafe® Certified Display

Eyesafe® certified displays meet TÜV low blue light requirements and Eyesafe® standards for protecting your eyes from harmful blue light without distorting colors to reduce eyestrain when working for long periods of time.

Adjust your view

Adjust your screen for comfortable viewing with tilt capability.

Sustainably Sourced Packaging

HP is innovating new ways to reduce the amount of materials in our packaging and to use more recycled materials in the design.^{5,7}

VA panel

Get wide, 178-degree viewing angles and better black levels for deep, rich contrast.

1,500R curved display

A dramatic curve delivers an incredibly realistic and immersive gaming experience.

165Hz refresh rate

Crisp action and incredibly responsive gameplay with virtually no artifacting or screen tearing.¹

AMD FreeSync™ Premium Technology

Game confidently with a high refresh rate, low framerate compensation, and low latency with AMD FreeSync™ Premium Technology.⁷

Console compatibility

Easily connects with your favorite current and next gen gaming consoles – just plug and play.

1-millisecond response time with Overdrive

Eliminates motion blur for crisp, fluid gameplay no matter what's happening on-screen.¹

Moving Picture Response Time

Greatly reduces motion blur for a more fluid visual experience.

OMEN Gaming Hub

OMEN Gaming Hub is your one place for everything to make your gaming experience better. From software enhancements to hardware control, and live services, OGH elevates play in easy and simple way.

QHD Display

Ultra-sharp details and captivating definition with 3.7 million pixels.⁴

Highly accurate color

97% sRGB color space for ideal color reproduction.¹

Off the desk and on the wall

VESA mounts for easy mounting on a wall or arm.⁸

Three-sided micro-edge display

See more of your screen with a three-sided micro-edge display that maximizes your viewing area.







Product number	32H02A4#ABB:; #A2N; #ABI; #ABU; #ABV; #ABY; #ACQ; #UUG; #UUZ
UPC number	(A2N) 195697582226; (ABB) 195697582257; (ABT) 195697582264; (ABU) 195697582295; (ABV) 195697582318; (ABY) 195697582332; (ACQ) 195697582356; (UUG) 195697582400; (UUZ) 195697582431
Display size	68.6 cm (27')
Aspect ratio	16.9
Display type	VA1
Pixel pitch	0.2331 mm x 0.2331 mm
Response time	1ms MPRT (with overdrive) 1
Brightness	350 nits ¹
Contrast ratio	3000:1
Display contrast ratio (dynamic)	1000000:1
Product color	Black
Display Color Gamut	97% sRGB
Resolution (maximum)	QHD (2560 x 1440 @ 165 Hz)
Resolutions supported	640 × 480; 720 × 400; 800 × 600; 1024 × 768; 1280 × 720; 1280 × 800; 1280 × 1024; 1440 × 900; 1600 × 900; 1680 × 1050; 1920 × 1080; 1920 × 1200; 2560 × 1440
Display scan frequency (horizontal)	30-255 KHz
Display scan frequency (vertical)	55-165 Hz
Display features	Low blue light mode; Anti-glare; 1500R curvature; Height adjustable; AMD Freesync™ Premium; Gaming Console Compatible
Display Input Type	1 HDMI 2.0 (with HDCP support); 1 DisplayPort™ 1.4-in (with HDCP support)
Physical security features	Security lock-ready
Energy efficiency	Energy efficiency class: F; On-mode power consumption: 70 W (maximum); Annual energy consumption: 26 kWh; Standby: 0.5 W (standby); Power consumption (on-mode): 70 W (maximum); Power consumption (off- mode): 28 W (typical)
Display User Control Options	Exit; Information; Management; Power control; Input control; Menu control; Gaming; Image; Color
Webcam	No integrated camera
Operating temperature range	5 to 35°C
Operating temperature range	41 to 95°F
Operating humidity range	20 to 80% non-condensing
Ecolabels	CEL Grade 1;
Power supply	100 - 240 VAC 50/60 Hz
Power supply VESA mount	
VESA mount	100 mm x 100 mm (bracket not included)
VESA mount Touch-enabled	100 mm x 100 mm (bracket not included) Not touch-enabled
VESA mount Touch-enabled Pixels per inch (ppi)	100 mm x 100 mm (bracket not included) Not touch-enabled 109 ppi
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth	100 mm x 100 mm (bracket not included) Not touch-enabled
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle	100 mm x 100 mm (bracket not included) Not touch-enabled 109 ppi 8 bit 178"
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle	100 mm x 100 mm (bracket not included) Nat touch-enabled 109 ppi 8 bit 178° 178°
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel	100 mm x 100 mm (bracket not included) Not touch-enabled 109 ppi 8 bit 178° 178° 3-sided micro-edge
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt	100 mm x 100 mm (bracket not included) Nat touch-enabled 109 ppi 8 bit 178° 178°
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Titt Swivel	100 mm x 100 mm (bracket not included) Not touch-enabled 109 ppi 8 bit 178° 3-sided micro-edge - 5 to +20° No swivel
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot	100 mm x 100 mm (bracket not included) Not touch-enabled 109 ppi 8 bit 178* 178* 3-sided micro-edge -5 to +20*
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot Helght adjustment range	100 mm x 100 mm (bracket not included) Not touch-enabled 109 ppi 8 bit 178* 778* 3-sided micro-edge -5 to +20* No swivel No pivot 100 mm
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot	100 mm x 100 mm (bracket not included) Not touch-enabled 109 ppi 8 bit 178* 778* 3-sided micro-edge -5 to +20* No swivel No pivot 100 mm 3H
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot Helght adjustment range Hardness	100 mm x 100 mm (bracket not included) Not touch-enabled 109 ppi 8 bit 178* 778* 3-sided micro-edge -5 to +20* No swivel No pivot 100 mm
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot Height adjustment range Hardness Screen treatment Integrated privacy filter	100 mm x 100 mm (bracket not included)Not touch-enabled109 ppi8 bit178°178°3-sided micro-edge-5 to +20°No swivelNo pivot100 mm3HArti-glareNo
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot Helght adjustment range Hardness Screen treatment	100 mm x 100 mm (bracket not included) Not touch-enabled 109 ppi 8 bit 178° 3-sided micro-edge -5 to +20° No swivel No pivot 100 mm 3H Arti-glare
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot Height adjustment range Hardness Screen treatment Integrated privacy filter Filcker-free Low blue light	100 mm x 100 mm (bracket not included) Not touch-enabled 109 ppi 8 bit 178* 178* 3-sided micro-edge - 5 to + 20* No swivel No pivot 100 mm 3H Anti-glare No Yes Yes, HP Eye Ease (Eyesafe® (certified)
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot Helght adjustment range Hardness Screen treatment Integrated privacy filter Flicker-free Low blue light Port and Connectors	100 mm x 100 mm (bracket not included)Not touch-enabled109 ppi8 bit78°778°3-sided micro-edge-5 to +20°No swivelNo pivot100 mm3HArti-glareNoYes
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot Height adjustment range Hardness Screen treatment Integrated privacy filter Flicker-free Low blue light Port and Connectors Management software	100 mm x 100 mm (bracket not included) Not touch-enabled 109 ppi 8 bit 178* 3-sided micro-edge -5 to +20* No swivel No plvot 100 mm 3H Anti-glare No Yes Yes, HP Eye Ease (Eyesafe* Certifed) 1 HDM12.0; 1 DisplayPort** 1.4; 1 x 3.5 mm Audio Jack (Audio Out); No OMEN Carming Hub
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot Height adjustment range Hardness Screen treatment Integrated privacy filter Flicker-free Low blue light Port and Connectors Management software Warranty	100 mm x 100 mm (bracket not included) Not touch-enabled 109 ppi 8 bit 178* 178* 3-sided micro-edge - 5 to +20* No swivel No pivot 100 mm 3H Anti-glare No Yes Yes Yes, HP Eye Ease (Eyesafe* (crtifted) 1 HDM12.0; 1 DisplayPort** 14; 1 x 3.5 mm Audio Jack (Audio Out); No OMEN Gaming Hub 1 year limited warranty.
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot Height adjustment range Hardness Screen treatment Integrated privacy filter Flicker-free Low blue light Port and Connectors Management software Warranty Certifications and compliances	100 mx 100 mk (bracket not included) Not touch-enabled 109 ppl 8 bit 178* 3-sided micro-edge 3-sided micro-edge 5 to +20* No swivel No swivel 100 mm 3H Anti-glare No Yes Yes Yes, HP Eye Ease (Eyesafe* Certified) 1 HDM12.0; 1 DisplayPort**1.4; 1 x 3.5 mm Audio Lack (Audio Out); No ONEN Gaming Hub 1 year limited warranty. BKSIRCER, CCC, EC, CEL CLUVARS, EAS, CC, CISC Mark, ISO 9241-307; KC/KCC, NOM, PSB; RCM, TUV-S; VCCL Vietnam MEPS; WEEE; Mexico Energy; WW application; ICE; UAE; TUV-GS; Ukraine certificates; NRCS of South
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot Height adjustment range Hardness Screen treatment Integrated privacy filter Flicker-free Low blue light Port and Connectors Management software Warranty Certifications and compliances What's in the box	100 mm 100 mm (bracket not included) Not touch-enabled 109 ppi 8 bit 778* 778* 778* 73* 73* 75 75 70* 75 70* 75 70* 75 750* No swivel No pivot 100 mm 34 Ant-glane No Yes Yes Yes Yes NoExact (Legusafe* Certified) 1 HDM12.0; 1 DisplayPort** 1.4; 1 x 3.5 mm Audio Jack (Audio Out); No OMEN Gaming Hub 1 year limited warranty. BIS_BMLCB; CC; CC; CC; LC; LC; LC; LC; LC; LC; LC
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot Height adjustment range Hardness Screen treatment Integrated privacy filter Flicker-free Low blue light Port and Connectors Management software Warranty Certifications and compliances What's in the box Dimensions (W x D x H)	100 mm x100 mm (bracket not included) Not touch-enabled 109 ppl Bbit 178* 178* 3-sided micro-edge -5 to - 20* No swivel No pivot 100 mm 100 mm 9 sided micro-edge -5 to - 20* No swivel No pivot 100 nm 9 sided micro-edge -5 to - 20* No pivot 100 nm 9 sided micro-edge -5 to - 20* No pivot 100 nm 9 sided micro-edge -5 to - 20* No pivot 100 nm 9 sided micro-edge -5 to - 20* No pivot 100 nm 9 side micro-edge No Vect No Vect No No No No OMEN Gaming Hub 1 year limited waranty. BKS_BKM_CEK_CCC, CCC, EC, Mark, ISO 9241-307,
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tit Swivel Pivot Height adjustment range Hardness Screen treatment Integrated privacy filter Flicker-free Low blue light Port and Connectors Management software Warranty Certifications and compliances What's in the box Dimensions (W × D × H) Weight	100 mm x 100 mm (bracket not included) Not touch-enabled 109 ppi B bt 178* 178* 9-sided micro-edge -s to + 20* No swivel No pixot 100 mm A 100 mm A 9-sided micro-edge -s to + 20* No swivel No pixot 100 mm 3H Anti-glare No Yes Yes Yes for Searce (Evecafe** Certified) 1 HEML 20, 10 to play-Port* 1.4; 1 x 3.5 mm Audio Jack (Audio Out), No OMEN Gaming Hub 1 year limited warrany. BK ESM Edge CCC, CEC, CEL: CTUM-CE, CMAR', ISO 9241-307; KC/, KCC, NOM; PSB, RCM, TUV-S; VCC, Vietnam MEPS; WEEE; Mexico Energy; WW application; ICE; URE; TUV-GS, Ukraine certificates; NRSCS of South ZMAR, Sa X 36.76 m (Without stand.) 6.13 x 8.53 x 36.76 m (Without stand.) 6.59 kg With stand.)
VESA mount Touch-enabled Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Swivel Pivot Height adjustment range Hardness Screen treatment Integrated privacy filter Flicker-free Low blue light Port and Connectors Management software Warranty Certifications and compliances What's in the box Dimensions (W x D x H)	100 mm x100 mm (bracket not included) Not touch-enabled 109 ppl Bbit 178* 178* 3-sided micro-edge -5 to - 20* No swivel No pivot 100 mm 100 mm 9 sided micro-edge -5 to - 20* No swivel No pivot 100 nm 9 sided micro-edge -5 to - 20* No pivot 100 nm 9 sided micro-edge -5 to - 20* No pivot 100 nm 9 sided micro-edge -5 to - 20* No pivot 100 nm 9 sided micro-edge -5 to - 20* No pivot 100 nm 9 side micro-edge No Vect No Vect No No No No OMEN Gaming Hub 1 year limited waranty. BKS_BKM_CEK_CCC, CCC, EC, Mark, ISO 9241-307,

Messaging Footnotes

¹ All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower. Results may vary based on quality of the original picture/photo/video and

² FreeSync[™] Premium is only available when it is connected on Display Port or HDMI. FreeSync is an AMD® technology enabled on FHD or QHD displays and is designed to eliminate stuttering and/or tearing in games and videos by locking a display's refresh rate to the frame rate of the graphics card. Mandatory low framerate compensation and at least 120Hz refresh rate, AMD Radeon Graphics and/or AMD A-Series APU-compliant monitors with DisplayPort/HDMI Adaptive-Syn Synr

required. AMD 15.11 Crimson driver (or newer) required to support FreeSync over HDMI. Adaptive refresh rates vary by monitor. More information is available at www.amd.com/freesync. ³ Supports Adaptive-sync with NVIDIA® GeForce® graphics cards and AMD Radeon graphics cards. FreeSync™ certified. Compatible with NVIDIA® GeForce® GTX 10 series, GTX 16 series and newer graphics cards.

⁴ QHD (Quad High Definition) content required to view QHD images. ⁵ 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers. Plastic cushions are made from >90% recycled plastic.

⁶ Fiber cushions made from 100% recycled wood fiber and organic material. ⁷ Requires a monitor and AMD Radeon™ graphics, both with FreeSync™ Premium support. AMD FreeSync™ Premium requires mandatory low framerate compensation and at least 120 Hz refresh rate at minimum FHD. See www.amd.com/freesync for complete details. Confirm capability with your system manufacturer before purchase. GD-161. ⁸ VESA mounting arm or wall mounting assembly sold separately.

Technical Specifications Footnotes

¹ All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construid as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. All performance specifications are provided by the component manufacturers. Performance specifications represent the higher to lower. May 2023

