HP LaserJet Enterprise MFP M528 series



Redefine long-term expectations

Choose an HP LaserJet Enterprise MFP designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart toner black. Keep up with the demands of growing business with a printer you can rely on.





This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness. of these measures and block cartridges that previously worked. A reused HP chip enables the Low costs, low energy use use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds.

Highlights

- Low energy consumption
- World's most secure printing²
- Robust mobility
- Enhanced user interface
- Enterprise manageability
- Enhanced workflows
- Compact Small footprint
- More competitive cartridges offerings
- Competitive hardware specs





The world's most secure printing

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.

- · Avoid frustrating reprints, wasted supplies, and service calls using Original HP Toner
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.3
- Enhanced energy savings up to 29% over prior products¹ plus save with Auto-on/Autooff technology.
- This MFP fits in tight places to boost performance in almost any workspace.

A whole fleet at your control

- Centralise control of your printing environment with HP Web Jetadmin⁵ and help build business efficiency
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloudbased printer.
- Set security configuration policies and automatically validate settings for every HP printer in your fleet.6
- Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages –
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-
- Load up to 100 pages into the automatic document feeder for fast, unattended scanning.⁸

Product walkaround

HP LaserJet Enterprise Flow MFP M528z shown

- 1. 100-sheet ADF with single-pass, two-sided scanning and HP EveryPage
- 2. 2nd generation Hardware Integration Pocket
- 3. Easy-access USB port
- 4. 250-sheet output bin
- 5. Top cover (access to Original HP JetIntelligence toner cartridge)
- 6. 100-sheet multipurpose tray 1 supports media sizes up to 216 x 356 mm $\,$
- 7. 550-sheet input tray 2 supports media sizes up to 216 x 356 mm
- 8. 20.3 cm pivoting colour touchscreen
- 9. Pull-out keyboard
- 10. Convenience stapler
- 11. Automatic two-sided printing
- 12. Dual-band Wi-Fi® with Bluetooth® Low Energy
- 13. Slot for cable-type security lock
- 14. Gigabit Ethernet
- 15. Hi-Speed USB 2.0 printing port
- 16. USB port for connecting external USB devices



Series at a glance







Model	HP LaserJet Enterprise MFP M528dn	HP LaserJet Enterprise MFP M528f	HP LaserJet Enterprise Flow MFP M528z	
Product number	1PV64A	1PV65A	1PV67A	
Functions	Print, scan, copy (fax optional) Print, scan, copy, fax			
Print speed (black)	Up to 43 ppm (default) ; Up to 50 ppm (HP High Speed)			
Convenience stapler	Not available Yes		/es	
Advanced workflow features	Not available		Yes	
Automatic two-sided printing	Yes			
100 sheet multipurpose tray 1, 550 sheet input tray 2	Yes			
Optional 550 sheet paper tray	Add up to 3			
Optional printer cabinet	Add up to 1			
Input capacity (standard/max)	Up to 650/2,300 sheets			
Recommended Monthly Page Volume	2,000 to 7,500 pages			
Cartridge yield	Black: 5,000 sheets (standard)/10,000 sheets (high-yield)/20,000 sheets (extra-high-yield)			
HP High-Performance Secure Hard Disk	Not available		/es	
Wireless direct printing/NFC touch-to-print	Optional		Built-in wireless direct printing; Optional NFC touch-to-print	
Dual-band Wi-Fi® with Bluetooth® Low Energy	Optional		Built-in	

Configurable Items, Accessories, Supplies and Support

Supplies	CF289A HP 89A Black Original LaserJet Toner Cartridge (~5,000 pages)		
	CF289X HP 89X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages)		
	CF289Y HP 89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~20,000 pages)		
Accessories	E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM		
	F2A72A HP LaserJet 550-sheet Paper Tray		
	F2A73A HP LaserJet Printer Cabinet		
Service and Support	UB782E HP 3 years Next Business Day with Defective Media Retention for LaserJet M528 Service UB783E HP 4 years Next Business Day with Defective Media Retention for LaserJet M528 Service UB784E HP 5 years Next Business Day with Defective Media Retention for LaserJet M528 Service UB7C4PE HP 1 year Post Warranty Next Business Day with Defective Media Retention for LaserJet M528 Service UB7C5PE HP 2 years Post Warranty Next Business Day with Defective Media Retention for LaserJet M528 Service		

Technical specifications

Model	HP LaserJet Enterprise MFP M528dn	HP LaserJet Enterprise MFP M528f	HP LaserJet Enterprise Flow MFP M528z				
Product number	1PV64A	1PV65A	1PV67A				
Functions	Print, copy, scan and optional fax	Print, copy, scan, fax					
Control panel	20.3 cm (8.0 in) colour LCD with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu) 20.3 cm (8.0 in) colour LCD with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); Integrated keyboard						
Print	!						
Print technology							
Print speed ¹	Black (A4, normal) Up to 43 ppm (default); Up to 50 ppm	(HP High Speed) ; Black (A4, duplex): Up to 34 ipm					
First page out ²	Black (A4, ready): As fast as 6 sec; Black (A4, sleep): As fa	ast as 13 sec					
Print resolution	Black (best): Up to 1200 x 1200 dpi ; Technology: 300 dpi	i, 600 dpi, HP FastRes 1200, HP ProRes 1200					
Monthly duty cycle	Up to 150,000 pages A4; Recommended monthly page v	olume ³ : 2,000 to 7,500					
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB						
Standard print languages	HP PCL 6, HP postscript level 3 emulation, native PDF prir	nting (v 1.7), Apple AirPrint™					
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL; 92 intern World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cal available at http://www.hp.com/go/laserjetfonts	105 internal TrueType fonts scalable in HP PCL; 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts					
Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm	n, Right: 4.3 mm; Maximum print area: 212 x 352 mm					
Duplex printing	Automatic (standard)						
Сору							
Copy speed ⁴	Black (A4): Up to 43 cpm (default); Up to 50 cpm (HP Higl						
Copier specifications	build; Edge-to-edge job storage; ID copy; Book copy; A-to	ness, contrast, background cleanup, sharpness); N-up; N oi -B copy (different media sizes); ; Maximum number of cop					
First copy out	A4: As fast as 6.5 sec; Black: Up to 45 ppm/45 ipm (black A4: Up to 34 cpm	and white), up to 40 ppm/40 ipm (colour) Color;; 2-sided	A4 : As fast as 6.5 sec; 2-sided A4 : Up to 34 cpm				
Copy resolution	Color (text and graphics): Up to 600 x 600 dpi						
Scan	I		L				
Scan speed ⁵	Normal (A4): Up to 43 ppm/43 ipm (black and white), up to 38 ipm (colour)	to 38 ppm/38 ipm (colour); Duplex (A4) : Up to 43 ipm	Normal (A4): Up to 45 ppm/64 ipm (black and white), up to 45 ppm/58 ipm (colour); Duplex (A4): Up to 64 ipm (black and white), up to 58 ipm (colour)				
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A		Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)				
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Contact Ima Save to Device Memory, Open Extensibility Platform (OXP	age Sensor (CIS); Scan input modes : Front panel applicatio) applications; Duplex ADF scanning : Yes, single pass duple	ns: Copy, E-mail, Save to Network Folder, Save to USB, ex scanning; Optical scan resolution : Up to 600 dpi				
Scanner advanced features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Job notification; Blank page suppression; HP Quick Sets		Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR); Auto crop to page; Auto-tone				
Recommended monthly	4000 to 7000		8000 to 14,000				
scan volume							
Scannable area		media size (ADF): 101.6 x 148 mm Maximum media size (ADF): 216 x 864 mm				
Bit depth/ Grey scale levels Digital sending	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Optional: Authentication; Digital fax (Send to LAN, Internet); HP Digital Sending Software; Local Address Book; OCR; Send-to-folder; Send-to- printer; Send-to-workflow	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Optional: Authentication; Digital fax (Send to LAN, Internet); HP Digital Sending Software; Local Address Book; OCR; Send-to-folder; Send-to-printer; Send-to-workflow	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL: Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multipick Detect; Auto Straighten; Auto Crop To Page; OCR; Optional: Authentication; Digital fax (send to LAN, Internet); HP Digital Sending Software; Local Address Book; OCR; Send-to-folder; Send-to-printer; Send-to-workflow				
Fax							
Fax	Optional,	Yes, 33.6 kbps					
Fax specifications		203 x 392 or 300 x 300 dpi; Quick dialing : Up to 1000 nu					
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; confirmation; Holiday fax schedule		ax address book; LAN/Internet fax; Fax number				
Processor speed	1.2 GHz						
Connectivity	T		Taure to tuesca aure tuesca au				
Standard	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket	2 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 fax	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Fax; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy				
Optional	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 30	000w NFC/Wireless Accessory J8030A; HP Jetdirect 3100v	v BLE/NFC/Wireless Accessory 3JN69A				
Wireless	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A		Yes, built-in Embedded Wi-Fi with Dual band Wireless Station and Wi-Fi Direct functionality and BLE.				
Mobile printing capability ⁶	HP ePrint; Apple AirPrint™; Mopria™ Certified; Google Cloud Print™	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing; Wireless Direct Printing				
Supported network protocols	Via built-in networking solution: TCP/IP; IPv4; IPv6; Print: TCP-IP port 9100 Direct Mode; LPD (raw queue support only); Web Services Printing; IPP 2.0; Apple AirPrint [™] ; HP ePrint; FTP Print; Google Cloud Print; Discovery: SLP; Bonjour; Web Services Discovery: IP Config: IPv4 (BootP; DHCP; AutoIP; Manual; TFTP Config; ARP-Ping); IPv6 (Stateless Link-Local and via Router; Stateful via DHCPv6); Management: SNMPv2/v3; HTTP/HTTPs; Telnet; TFTP Config; Syslog; Security: SNMPv3; SSL Cert Management; IPSec/Firewall; ACL; 802.1x						
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx, 1000Base-Tx, 1000Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional); Second Ethernet port (optional).	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 100Base-Tx, 200Base-Tx,	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Embed 802.11a/b/g/n wireless networking and second Ethernet port				
Hard disk	Standard, minimum 500 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)						
		,					

Memory

Technical specifications

Predict contents Which is not bording What is not bording Sentantic 2 (Shedring) 5 Sentantic 2 (Shedring) 5 Sentantic 2 (Shedring) 5 Sentantic 2 (Shedring) 5 Sentantic 2 (Shedring) 5 (Shedring)	recrimed specia		1	1			
Medianoses Median	Model	HP LaserJet Enterprise MFP M528dn	HP LaserJet Enterprise MFP M528f	HP LaserJet Enterprise Flow MFP M528z			
Number of pages Copy of Speriods of 2-Newton 19 Weeks types Copy of 2-Newton 19	Product number	1PV64A	1PV65A	1PV67A			
Node types Page frood, popular plan promotes created and production and production in the production of the productio							
Model auton Outstand provided Tailey 17, 782 a. 127 (2.7.2.2.2.2.2.2.5.5.5.5.5.5.5.5.5.5.5.5.	Number of paper trays						
Solida Si, May Child, Ohis Pillar Sidd, Cit. group and if Children's Children	Media types	Paper (bond, colour, plain, preprinted, prepunched, recycled, rough); Envelopes; Labels; Cardstock; Transparencies; User-defined					
seets handing diese from Englis 2, automatic dupies printing Sended rout. 10 of heart mutuation post from 1, 1900 peets mutuating 2, automatic dupies printing Sended out put 1, 2000 peets mutuating 2, automatic dupies of 2, automatic dupies of 1, 2000 peets mutuating 2, automatic dupies of 1, 2000 peets mutuating 2, automatic dupies of 1, 2000 peets mutuating 2, automatic dupies 2, automatic dupies of 1, 2000 peets mutuating 2, automatic dupies 2, automatic dupi	Media size	BS (JIS), B6 (JIS), Oficio (216 x 340), 16K, postcards (JIS double); Optional 550 sheet Tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340), 16K, postcards (JIS double);					
Injust capacity Topic Liveres 100. Transprendent Six Encourages 10 Tay 2 Sentes 550 May 3 Sentes 550 Market Part (19.2, 20.0) ones ARP Senterts, 100 cheers Standard Six Conditions 100. Transprendent six 100 Senters Senters 100. Transprendent six 100 Senters 100 Senter	Media handling	sheet input Tray 2, automatic duplex printing Standard outp output: 250 sheet output bin Optional input : Optional 550 sheet tray (add up to 3 trays) ADF : Standard, 100 Standard input: 100 sheet multipurpose Tray 1, 550 sheet input Tray 2, automatic duplex printing Standard outp 250 sheet tray (add up to 3 trays) ADF : Standard, 100 Standard, 100 sheets Standard input: 100 sheet multipurpose Tray 1, 550 sheet input Tray 2, automatic duplex printing Standard outp 250 sheet input: Tray 2, automatic duplex printing Standard outp 250 sheet input: Tray 2, automatic duplex printing Standard outp 250 sheet input: Tray 2, automatic duplex printing Standard outp 250 sheet input: Tray 2, automatic duplex printing Standard outp 250 sheet input: Tray 2, automatic duplex printing Standard outp 250 sheet input: Tray 2, automatic duplex printing Standard outp 250 sheet input: Tray 2, automatic duplex printing Standard outp 250 sheet output bin (potional input: Optional input: Option					
Dispation provides Connectable operating Security (1998) Well-show Connectable (1998) Well-s	Media weight	Tray 1: 60 to 200 g/m²; Tray 2, 3: 60 to 120 g/m²; ADF: 4	5 to 200 g/m²				
Conceptible operating plateans Conceptible operating Concept	Input capacity	Tray 1: Sheets: 100; Transparencies: 50; Envelopes: 10 T	ray 2: Sheets: 550 Tray 3: Sheets: 550 Maximum: Up to 2,	300 sheets ADF : Standard, 100 sheets			
Compatible consisting payments	Output capacity	Standard: Up to 250 sheets Envelopes: Up to 10 envelop	es Transparencies: Up to 75 sheets Maximum : Up to 250 s	heets			
Compatible network control (Section 1997). Engagement of the Control (Section 1997) of the Contr	Compatible operating systems	Windows Client OS (32/64-bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, for more information on the supported operating systems go to http://www.support.hp.com, enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) User Guide, search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, for					
Security management software included No software adultation are included in the Biou. only in http://www.j. Languagement software included in the Biou. only in http://www.j. Languagement software included in the Biou. only in http://www.j. Languagement software included in the Biou. only in http://www.j. Languagement software included in the Biou. only in http://www.j. Languagement software included in the Biou. only in http://www.j. Languagement.com/documents	Compatible network operating systems	Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrin server, Citrix Ready Kit Certification Up to Citrix Server 7.18 for more information see http://www.citrixready.citrix.com, Linux for more information see http://www.developers.hp.com/plinuximagingandprinting, Unix for more information see http://www.hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers,					
Executive management	Minimum system requirements	Windows: 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see http://www.microsoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, OS hardware requirements see http://www.apple.com					
seders! Network Peccification with Certificate Pre-Shared Key and Ketheros authentication Supports WM - 10 IPsec configuration Use PS 160 validated exploragraphs (brained PSES EAR). Specify Certificates, Access Control Lst 12 facts caused in Propher Supports PSES A family (all loss PSES 160 validated exploragraphs) (brained PSES EAR). Specification (Associated Security Medical Control Lst 12 facts Caused in Propher Security PSES A family (associated Security Medical Control Lst 12 facts Caused in Propher Security PSES A family (associated Security Medical Control Lst 12 facts). Specification (Associated Security Medical Control Lst 12 facts (associated Security Medical Control Lst 12 facts). Specification (Associated Security Medical Control Lst 12 facts). Specification (Associated Security Medical Control Lst 12 facts (associated Security Medical Control Lst 12 facts). Specification (Associated Security Medical Control Lst 12 facts). Associated Security Medical Control Lst 12 facts (Associated Security Medical Control Lst 12 facts). Associated Security Medical Control Lst 12 facts (Associated Security Medical Control Lst 12 facts). Associated Security Medical Control Lst 12 facts (Associated Security Medical Control Lst 12 facts). Associated Security Medical Control Lst 12 facts (Associated Security Medical Control Lst 12 facts). Associated Security Medical Contr	Software included	No software solutions are included in the Box, only on ht	tp://www.hp.com, http://www.123.hp.com				
Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)	Security management	readers); Network: IPsec/firewall with Certificate; Pre-Shared Key and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Connection Inspector - helps ensure network connections to device are safe; Security management: Compatible with HP JetAdvantage Security Manager; HP Printer Security Plugin for Microsoft SCCM; Device Security Syslog Messages processed and accessable in ArcSight,					
Printer dimensions (W x O x Minimum 482 x 496 x 497 mm; Maximum; 507 x 631 x 497 mm; Printer weight?	Printer management	HP Printer Assistant; HP Device Toolbox; HP Web JetAdm Administrator Resource Kit for HP Universal Print Driver (in Software; HP JetAdvantage Security Manager; HP SNMP Driver Configuration Utility - Driver Deployment Utility - Ma	Proxy Agent; HP WS Pro Proxy Agent; Printer anaged Printing Administrator)			
Printer weight? 21.41 kg 21.95 kg 21.95 kg 22.13 kg Operating environment Temperature: 10 to 32.5°C; Humidity; 30 to 70% RH Temperature: 20 to 40°C Acoustics Acoustics Acoustic power emissions: 6.8 B(A); Acoustic pressure emissions: 54 dB(A) Requirements: input voltage; 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 A; input voltage; 100V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 A; input voltage; 100V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 7.5 A; input voltage; 100V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 4 A; Not dail voltage; power supply viaries by part number with # Option code identifier; Viariant Electricity Comproption (TEC)* (Bus Angel: 1-14 kWh/Week; Energy Star; 31.0.0 446 kWh/Week; Power supply viaries by part number with # Option code identifier; Consumption (EE)* (Bus Angel: 1-14 kWh/Week; Energy Star; 31.0.0 446 kWh/Week; Power supply vipe Built-in 115Vol 220V Power Supply by participation (EE)* (Bus Angel: 1-14 kWh/Week; Energy Star; 30.0 446 kWh/Week; Power supply vipe Built-in 115Vol 220V Power Supply by participation (EE)* (Bus Angel: 1-14 kWh/Week; Energy Star; 10.0 99), windows described (Microsoft Windows 200 and Microsoft Wi	Dimensions and weight	•					
Temperature: 10 to 32.5°C; Humidity: 30 to 70% RH	Printer dimensions (W x D x H)	Minimum 482 x 496 x 497 mm; Maximum : 507 x 631 x 4	197 mm				
Requirements: Input voltage: 200 to 240 nominal (+/-10%). 50 - 60 Hz nom	Printer weight ⁷	21.41 kg	21.95 kg	22.13 kg			
Acoustics Acoustic power emissions: 6.8 B(A); Acoustic pressure emissions: 54 dB(A) Requirements: Input voltage; 220V to 240V nominal (+/-10%), 5.9 of the comminal (+/-10%), 5.9 of the comminal (+/-10%), 5.9 of the comminal (+/-3 Hz), 4.7; Acoustic pressure emissions: 54 dB(A) Power a voltage provided by a variety (provided by part), 5.3 watts (Sleep), 0.7 watts (Auto-OH); 0.05 watts (Patholica), 5.3 watts (Sleep), 0.7 watts	Operating environment	Temperature: 10 to 32.5°C; Humidity: 30 to 70% RH					
Requirements: input voltage: 220V to 240V nominal (+/- 10%), 50 - 60 Hz nominal (+/- 3 Hz), 4 A; Consumption 629 watts (Printing), 280 watts (Printing), 2	Storage conditions	Temperature: -20 to 40°C					
Consumption 62 yearts (Pinting), 28.8 watts (Ready), 5.3 watts (Sleep), 0.74 watts (Auto-Off/Auto-On), LNa connection: 0.05 watts (Auto-Off/Auto-On), CNa connection: 0.05 watts (Auto-Off/Aut	Acoustics	Acoustic power emissions: 6.8 B(A); Acoustic pressure en	nissions: 54 dB(A)				
TUV and GS Mark (Germany), Nemko, Fimko, Demko, Semko (Nordic), Eastern European approvals, CE Marking, Energy Star, TCO '99, Windows certified (Microsoft Windows 2000 and Microsoft Windows 2N), U. listed Electromagnetic emission standard: (ISPR 22:2008 (International) - Class A, CISPR32:2012 (EU) - Class A, EN 55032:2012 (EU) - Class A, EN 55032:2012 (EU) - Class A, EN 55032:2013 (EN 5002-32) (EN ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel DE-UZ-205 Sustainable impact specifications Mercury free TuV and GS Mark (Germany), Nemko, Fimko, Demko, Semko (Nordic), Eastern European approvals, CE Marking, Energy Star, TCO '99, Windows certified (Microsoft Windows 200) and Microsoft Windows 2N), U. listed Electromagnetic emission standard: (ISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 55032:2013 (EN 5002-2010, EMC Directive 2014/30/EU, Issue 6 Class A, CISPR32:2010, EMC Directive 2014/30/EU, Issue 6 Class A, Other EMC approvals as required by individual countries. ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel DE-UZ-205 Mercury free Mercury free Mercury free Made in Netherlands 1PV64A HP LaserJet Enterprise M528dn MFP; HP Original LaserJet Introductory incord Cartridge (7,500 pages); Regulatory flyer (CD replacement); Unpack flyer, Installation guide; Power cord; Warranty cards; Support flyers/phone number list; Control panel overlay label set (flyers) provise as required by individual countries. In the cord of the provise of the cord of the	Power ⁸	(+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 4 A; Consumption: 629 watts (Printing), 28.8 watts (Ready), 5.3 watts (Sleep), 0.74 watts (Auto-Off/Auto-On), LAN connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 1.414 kWh/Week; Energy Star 3.0: 0.446 kWh/Week;	Consumption: 6:29 watts (Printing), 28.8 watts (Ready), 5.3 watts (Sleep), 0.74 watts (Auto-Off/Auto-On), LAN connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 1.414 kWh/Week; Energy Star 3.0: 0.446 kWh/Week;				
TUV and GS Mark (Germany), Nemko, Fimko, Demko, Semko (Nordic), Eastern European approvals, CE Marking, Energy Star, TcO '99, Windows certified (Microsoft Windows 2000 and Microsoft Windows XP), LI Isted (Microsoft Windows 2000 and Microsoft Windows XP), LI Isted (Microsoft Windows 2000 and Microsoft Windows XP), LI Isted (Microsoft Windows 2000 and Microsoft Windows XP), LI Isted (Microsoft Windows 2000 and Microsoft Windows XP), LI Isted (Microsoft Windows 2000 and Microsoft Windows XP), LI Isted (Microsoft Windows 2000 and Microsoft Windows XP), LI Isted (Microsoft Windows 2000 and Microsoft Windows XP), LI Isted (Microsoft Windows XP), LI Isted (Microsoft Windows XP), LI Isted (Microsoft Windows 2000 and Microsoft Windows XP), LI Isted (Microsoft Windows 2000 and Microsoft Windows XP), LI Isted (Microsoft Windows XP), LI Isted (Microsoft Windows XP), LI Isted (Microsoft Windows 2000 and Microsoft Windows 2000 and Windows 2000 and Microsoft Windows 2000 and Windows 2000 an	Energy savings feature	HP Auto-On/Auto-Off Technology: Instant-on Technology	: Instant-on Conv				
Country of origin Made in Netherlands 1PV64A HP LaserJet Enterprise M528dn MFP; HP Original LaserJet Introductory Toner Cartridge (7,500 pages); Regulatory flyer (CD replacement); Unpack flyer; Installation guide; Power cord; Warranty cards; Support flyers/phone number list One-year, next-business day, onsite warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to	Certifications ¹⁰	TUV and GS Mark (Germany), Nemko, Fimko, Demko, Semko (Nordic), Eastern European approvals, CE Marking, Energy Star, TCO '99, Windows certified (Microsoft Windows 2000 and Microsoft Windows XP), UL listed Electromagnetic emission standard: CISPR 22:2008 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel	TUV and GS Mark (Germany), Nemko, Fimko, Demko, Semko (Nordic), Eastern European approvals, CE Marking, Energy Star, TCO '99, Windows certified (Microsoft Windows 2000 and Microsoft Windows XP), UL listed Electromagnetic emission standard: CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Ange DE-UZ-205 Telecom compliance: Telecom wired: ES 203 021-1 v2.1.1/ES 203 021-2 v2.1.2/ES 203 021-3 v2.1.2; Other	Semko (Nordic), Eastern European approvals, CE Marking, Energy Star, TCO '99, Windows certified (Microsoft Windows 2000 and Microsoft Windows XP), UL listed Electromagnetic emission standard: CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. EPEAT® Gold; ENERGY STAR® qualified; CECP; Blue Angel DE-UZ-205 Telecom compliance: Telecom Wireless: RSS 247 Issue 2, 2017 R RSS 102 Issue 5, 2015; EN 300 328 V2.1.1; EN 301 893 V2.1.1; Other Telecom approvals as required by individual countries. Telecom wired: ES 203 021-1 v2.1.2/ES 203 021-2 v2.1.2/ES 203 021-3 v2.1.2; Other			
Country of origin Made in Netherlands 1PV64A HP LaserJet Enterprise M528dn MFP; HP Original LaserJet Enterprise M528dn MFP; HP Original LaserJet Introductory Toner Cartridge (7,500 pages); Regulatory flyer (CD replacement); Unpack flyer; Installation guide; Power cord; Warranty cards; Support flyers/phone number list One-year, next-business day, onsite warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to	Sustainable impact specifications	Mercury free					
What's in the box ¹¹ The data of the case of the c	•	Made in Netherlands					
Warranty One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to http://www.hp.com/support to learn about HP award winning service and support options in your region.	What's in the box ¹¹	Original LaserJet Introductory Toner Cartridge (7,500 pages); Regulatory flyer (CD replacement); Unpack flyer; Installation quide; Power cord; Warranty cards; Support	LaserJet Toner Cartridge Introductory (7,500 pages); Regulatory flyer (CD replacement); Unpack flyer; Installation quide; Power cord; Warranty cards; Support	Original Laser Jet Introductory Toner Cartridge (7,500 pages); Regulatory flyer (CD replacement); Unpack flyer; Installation guide; Power cord; Warranty cards; Support flyers/phone number list; Control panel overlay label			
	Warranty	One-year, next-business day, onsite warranty. Warranty a http://www.hp.com/support to learn about HP award wir	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to http://www.hp.com/support to learn about HP award winning service and support options in your region.				

Footnotes

- 1 HP calculations based on Energy Star normalised TEC data comparing the HP LaserJet 500 series monochrome printers introduced in spring 2019 HP 89A/X/Y compared to HP 87A/X.
- ² Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims.

 ³ High Yield Black Original LaserJet Toner Cartridges not included, please purchase separately.
- ⁴ HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
- ⁵ HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin.
- ⁶ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager.
- ⁷ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/go/roam.
- 8 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 4 First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity.
- ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁶ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/go/roam.
- With print cartridges.
- 8 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- 9 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- 10 EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- 11 In box cartridge yields 7,500 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.

















© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

