Dell G15 5510

Setup and Specifications



Notes, cautions, and warnings

(i) NOTE: A NOTE indicates important information that helps you make better use of your product.

CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

MARNING: A WARNING indicates a potential for property damage, personal injury, or death.

© 2021 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.


Contents

Chapter 1: Set up your Dell G15 5510	4
Chapter 2: Views of Dell G15 5510	
Right	
Left	
- Back	
– Display	
Base	
Bottom	
Chapter 3: Specifications of Dell G15 5510	11
Dimensions and weight	
Processor	
Chipset	12
Operating system	12
Memory	12
External ports	
Internal slots	
Ethernet	
Wireless module	14
Audio	
Storage	
Keyboard	
Camera	
Touchpad	
Power adapter	
Battery	
Display	
GPU—Integrated	19
GPU—Discrete	19
Operating and storage environment	19
Chapter 4: Keyboard shortcuts	21
Chapter 5: Low blue light	23
Chapter 6: Getting help and contacting Dell	24

Set up your Dell G15 5510

(i) NOTE: The images in this document may differ from your computer depending on the configuration you ordered.

1. Connect the power adapter and press the power button.



- (i) **NOTE:** To conserve battery power, the battery might enter power saving mode. Connect the power adapter and press the power button to turn on the computer.
- **2.** Finish operating system setup.

For Ubuntu:

Follow the on-screen instructions to complete the setup. For more information about installing and configuring Ubuntu, see the knowledge base articles SLN151664 and SLN151748 at www.dell.com/support.

For Windows:

Follow the on-screen instructions to complete the setup. When setting up, Dell recommends that you:

- Connect to a network for Windows updates.
 - **NOTE:** If connecting to a secured wireless network, enter the password for the wireless network access when prompted.
- If connected to the internet, sign-in with or create a Microsoft account. If not connected to the internet, create an offline account.
- On the Support and Protection screen, enter your contact details.

 $\ensuremath{\textbf{3.}}$ Locate and use Dell apps from the Windows Start menu—Recommended.

Table 1. Locate Dell apps

Resources	Description
Deell	My Dell Centralized location for key Dell applications, help articles, and other important information about your computer. It also notifies you about the warranty status, recommended accessories, and software updates if available.
~	SupportAssistSupportAssist proactively and predictively identifies hardware and software issues on your computer and automates the engagement process with Dell Technical support. It addresses performance and stabilization issues, prevents security threats, monitors and detects hardware failures. For more information, see SupportAssist for Home PCs User's Guide on www.dell.com/ serviceabilitytools. To navigate to SupportAssist for Home PCs User's Guide, click SupportAssist and then, click SupportAssist for Home PCs User's Guide.(i) NOTE: In SupportAssist, click the warranty expiry date to renew or upgrade your warranty.
	Dell Update Updates your computer with critical fixes and latest device drivers as they become available. For more information about using Dell Update, see the knowledge base article SLN305843 at www.dell.com/support.
	Dell Digital Delivery Download software applications, which are purchased but not pre-installed on your computer. For more information about using Dell Digital Delivery, see the knowledge base article 153764 at www.dell.com/support.

Views of Dell G15 5510

Right

On computers shipped with NVIDIA GeForce GTX 1650, NVIDIA GeForce RTX 3050, and NVIDIA GeForce RTX 3050 Ti



1. USB 2.0 port

Connect devices such as external storage devices and printers. Provides data transfer speeds up to 480 Mbps.

2. USB 2.0 port with PowerShare


Connect devices such as external storage devices and printers.

Provides data transfer speeds up to 5 Gbps. PowerShare enables you to charge your USB devices even when your computer is turned off.

NOTE: If your computer is turned off or in hibernate state, you must connect the power adapter to charge your devices using the PowerShare port. You must enable this feature in the BIOS setup program.

NOTE: Certain USB devices may not charge when the computer is turned off or in sleep state. In such cases, turn on the computer to charge the device.

On computers shipped with NVIDIA GeForce RTX 3060



1. USB 3.2 Gen 1 port

Connect devices such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

2. USB 3.2 Gen 1 port with PowerShare

Connect devices such as external storage devices and printers.


Provides data transfer speeds up to 5 Gbps. PowerShare enables you to charge your USB devices even when your computer is turned off.

NOTE: If the charge on your computer's battery is less than 10 percent, you must connect the power adapter to charge your computer, and USB devices connected to the PowerShare port.

NOTE: If a USB device is connected to the PowerShare port before the computer is turned off or in hibernate state, you must disconnect and connect it again to enable charging.

NOTE: Certain USB devices may not charge when the computer is turned off or in sleep state. In such cases, turn on the computer to charge the device.

Left



1. Network port

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or Internet access.

2. Headset port

Connect headphones or a headset (headphone and microphone combo).

3. Battery-status light

Indicates the battery-charge status.


Solid amber—Battery charge is low.

Blinking amber—Battery charge is critical.

Off—Battery is fully charged.

Back

On computers shipped with NVIDIA GeForce GTX 1650



1. USB 3.2 Gen 1 port

Connect devices such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

2. HDMI port

Connect to a TV, external display or another HDMI-in enabled device. Provides video and audio output.

3. Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

On computers shipped with NVIDIA GeForce RTX 3050, and NVIDIA GeForce RTX 3050 Ti



1. USB 3.2 Gen 2 (Type-C) port with DisplayPort

Connect devices such as external storage devices, printers, and external displays. Provides data transfer rate of up to 10 Gbps.

Supports DisplayPort 1.4 and also enables you to connect an external display using a display adapter.

(i) NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

2. USB 3.2 Gen 1 port

Connect devices such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.


3. HDMI port

Connect to a TV, external display or another HDMI-in enabled device. Provides video and audio output.

4. Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

On computers shipped with NVIDIA GeForce RTX 3060



1. Thunderbolt 3 (USB 3.2 Gen 2 Type-C) port/DisplayPort

Supports USB 3.2 Gen 2 Type-C, DisplayPort 1.4, Thunderbolt 3 and also enables you to connect to an external display using a display adapter. Provides data transfer rates up to 10 Gbps for USB 3.1 Gen 2 and up to 40 Gbps for Thunderbolt 3.

(i) NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

2. USB 3.2 Gen 1 port

Connect devices such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

3. HDMI port

Connect to a TV, external display or another HDMI-in enabled device. Provides video and audio output.

4. Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

Display



1. Left microphone

Provides digital sound input for audio recording and voice calls.

2. Camera

Enables you to video chat, capture photos, and record videos.

3. Camera-status light

Turns on when the camera is in use.

4. Right microphone

Provides digital sound input for audio recording and voice calls.

Base



1. Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click and two fingers tap to right-click.

2. Left-click area

Press to left-click.

3. Right-click area

Press to right-click.

4. Power button

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

When the computer is turned on, press the power button to put the computer into sleep state; press and hold the power button for 10 seconds to force shut-down the computer.

NOTE: You can customize the power-button behavior in Windows. For more information, see *Me and My Dell* at www.dell.com/support/manuals.

Bottom



1. Left speaker

Provides audio output.

2. Service Tag label

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

3. Right speaker

Provides audio output.

Specifications of Dell G15 5510

Dimensions and weight

The following table lists the height, width, depth, and weight of your Dell G15 5510.

Table 2. Dimensions and weight

Description	Values
Height:	
Front height	21.21 mm (0.84 in.)
Rear height	23.33 mm (0.92 in.)
Width	357.26 mm (14.07 in.)
Depth	272.11 mm (10.71 in.)
Weight (maximum)	 2.65 kg (5.84 lb) (i) NOTE: The weight of your computer depends on the configuration ordered and manufacturing variability.

Processor

The following table lists the details of the processors supported by your Dell G15 5510.

Table 3. Processor

Description	Option one	Option two
Processor type	10th Generation Intel Core i5-10200H	10th Generation Intel Core i7-10870H
Processor wattage	45 W	45 W
Processor core count	4	8
Processor thread count	8	16
Processor speed	Up to 4.10 GHz	Up to 5 GHz
Processor cache	8 MB	16 MB
Integrated graphics	Intel UHD Graphics	Intel UHD Graphics

Chipset

The following table lists the details of the chipset supported by your Dell G15 5510.

Table 4. Chipset

Description	Values
Chipset	HM470
Processor	10th Generation Intel Core i5/i7
DRAM bus width	64-bit
Flash EPROM	32 MB
PCle bus	Up to Gen3

Operating system

Your Dell G15 5510 supports the following operating systems:

- Windows 10 Home, 64-bit
- Windows 10 Professional, 64-bit
- Ubuntu 18.04 LTS, 64-bit

Memory

The following table lists the memory specifications of your Dell G15 5510.

Table 5. Memory specifications

Description	Values	
Memory slots	Two SoDIMM slots	
Memory type	Dual-channel DDR4	
Memory speed	2933 MHz	
Maximum memory configuration	32 GB	
Minimum memory configuration	4 GB	
Memory size per slot	4 GB, 8 GB, 16 GB	
Memory configurations supported	 8 GB, 1 x 8 GB, Dual-Channel DDR4, 2933 MHz 8 GB, 2 x 4 GB, Dual-Channel DDR4, 2933 MHz 12 GB, 1 x 4 GB + 1 x 8 GB, 2933 MHz 16 GB, 2 x 8 GB, Dual-Channel DDR4, 2933 MHz 32 GB, 2 x 16 GB, Dual-Channel DDR4, 2933 MHz 	

External ports

The following table lists the external ports of your Dell G15 5510.

Table 6. External ports

Description	Values
Network port	One RJ45 port
USB ports	 On computers shipped with NVIDIA GeForce GTX 1650 One USB 2.0 port One USB 2.0 port with PowerShare One USB 3.2 Gen 1 port On computers shipped with NVIDIA GeForce RTX 3050 and RTX 3050 Ti One USB 2.0 port One USB 2.0 port with PowerShare One USB 3.2 Gen 1 port One USB 3.2 Gen 2 Type-C port with Display Port On computers shipped with NVIDIA GeForce RTX 3060 Two USB 3.2 Gen 1 port One USB 3.2 Gen 1 port
Audio port	One headset (headphone and microphone combo) port
Video port	 One HDMI 2.0 port (on computers shipped with NVIDIA GeForce GTX 1650) One HDMI 2.1 port (on computers shipped with NVIDIA GeForce RTX 3060, NVIDIA GeForce RTX 3050, and RTX 3050 Ti)
Media-card reader	Not applicable
Power-adapter port	One 7.4 mm x 5.1 mm power-adapter port
Security-cable slot	One wedge-shaped lock slot

Internal slots

The following table lists the internal slots of your Dell G15 5510.

Table 7. Internal slots

Description	Values
M.2	 One M.2 2230 slot for WiFi and Bluetooth combo card Two M.2 2230/2280 slot for solid-state drive (i) NOTE: To learn more about the features of different types of M.2 cards, see the knowledge base article SLN301626 at www.dell.com/support.

Ethernet

The following table lists the wired Ethernet Local Area Network (LAN) specifications of your Dell G15 5510.

Table 8. Ethernet specifications

Description	Values
Model number	 Killer E2600 PCI-e 2.5 Gigabit ethernet controller (on computers shipped with NVIDIA GeForce RTX 3060) Realtek RTL8111H PCI-e Gigabit ethernet controller (on computers shipped with NVIDIA GeForce GTX 1650, NVIDIA GeForce RTX 3050, and RTX 3050 Ti)
Transfer rate	10/100/1000 Mbps

Wireless module

The following table lists the Wireless Local Area Network (WLAN) modules supported on your Dell G15 5510.

Table 9. Wireless module specifications

Description	Option one	Option two
Model number	Intel AX201	Killer 1650i
Transfer rate	Up to 2500 Mbps	Up to 2500 Mbps
Frequency bands supported	2.4 GHz/5 GHz	2.4 GHz/5 GHz
Wireless standards	 WiFi 802.11a/b/g Wi-Fi 4 (WiFi 802.11n) Wi-Fi 5 (WiFi 802.11ac) Wi-Fi 6 (WiFi 802.11ax) 	 WiFi 802.11b/g/a Wi-Fi 4 (WiFi 802.11n) Wi-Fi 5 (WiFi 802.11ac) Wi-Fi 6 (WiFi 802.11ax)
Encryption	 64-bit/128-bit WEP AES-CCMP TKIP 	 64-bit/128-bit WEP AES-CCMP TKIP
Bluetooth	Bluetooth 5.2	Bluetooth 5.2

Audio

The following table lists the audio specifications of your Dell G15 5510.

Table 10. Audio specifications

Description	Values
Audio controller	Realtek ALC3254 with Nahimic 3D Audio for Gamers
Stereo conversion	Supported
Internal audio interface	Intel High-Definition Audio (HDA) via HDMI
External audio interface	Headset combo connector/Digital-array microphone input on camera module

Table 10. Audio specifications (continued)

Description		Values
Number of speakers		Тwo
Internal-speaker amplit	fier	Supported (audio codec built-in amplifier)
External volume contro	bls	Keyboard shortcut controls
Speaker output:		
	Average speaker output	2 W
	Peak speaker output	2.5 W
Subwoofer output		Not supported
Microphone		Dual-array microphones

Storage

This section lists the storage options on your Dell G15 5510.

Your Dell G15 5510 supports two M.2 2230/2280 solid-state drive. The M.2 drive is the primary drive of your Dell G15 5510

Table 11. Storage specifications

Storage type	Interface type	Capacity
M.2 2230/2280 solid-state drive	PCle Gen3 x4 NVMe	Up to 2 TB
M.2 2230/2280 solid-state drive	PCle Gen3 x4 NVMe	Up to 2 TB

Keyboard

The following table lists the keyboard specifications of your Dell G15 5510.

Table 12. Keyboard specifications

Description	Values	
Keyboard type	 Standard keyboard Backlit keyboard Four-zone RGB backlit keyboard 	
Keyboard layout	QWERTY	
Number of keys	 United States and Canada: 101 keys United Kingdom: 102 keys Japan: 105 keys 	
Keyboard size	X=18.70 mm key pitch Y=18.05 mm key pitch	
Keyboard shortcuts	Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.	

Table 12. Keyboard specifications (continued)

Description	Values	
	 NOTE: You can define the primary behavior of the function keys (F1–F12) changing Function Key Behavior in BIOS setup program. For more information, see Keyboard shortcuts. 	

Camera

The following table lists the camera specifications of your Dell G15 5510.

Table 13. Camera specifications

Description		Values
Num	per of cameras	One
Came	era type	RGB HD camera
Came	era location	Front camera
Came	era sensor type	CMOS sensor technology
Camera resolution:		
	Still image	0.92 megapixel
	Video	1280 x 720 (HD) at 30 fps
Diago	onal viewing angle:	78.6 degrees

Touchpad

The following table lists the touchpad specifications of your Dell G15 5510.

Table 14. Touchpad specifications

Description		Values
Touchpad resolution:	ad resolution:	
Horizor	ntal	1229
Vertica	al	749
Touchpad dimension	puchpad dimensions:	
Horizor	ntal	105 mm (4.13 in.)
Vertica	1	60 mm (2.36 in.)
Touchpad gestures		For more information about touchpad gestures available on Windows 10, see the Microsoft knowledge base article 4027871 at support.microsoft.com.

Power adapter

The following table lists the power adapter specifications of your Dell G15 5510.

Table 15. Power adapter specifications

Desc	cription	Option one	Option two
Туре		180 W	240 W
Conr	nector dimensions:		
	External diameter	7.40 mm	7.40 mm
	Internal diameter	5.10 mm	5.10 mm
Input	voltage	100 VAC-240 VAC	100 VAC-240 VAC
Input	frequency	50 Hz-60 Hz	50 Hz–60 Hz
Input	current (maximum)	2.34 A	3.50 A
Outp	out current (continuous)	9.23 A	12.31 A
Rated output voltage		19.50 VDC	19.50 VDC
Temp	perature range:		
	Operating	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)
	Storage	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)

Battery

The following table lists the battery specifications of your Dell G15 5510.

Table 16. Battery specifications

Description		Option one	Option two
Battery type		3-cell (56 Wh) "smart" lithium-ion	6-cell (86 Wh) "smart" lithium-ion
Battery voltage		13.20 VDC	13.2 VDC /13.35 VDC
Battery weight (m	naximum)	0.25 kg (0.55 lb)	0.34 kg (0.74 lb)
Battery dimension	S:		
Height		7.56 mm (0.3 in.)	7.56 mm (0.3 in.)
Width		295.20 mm (11.62 in.)	295.20 mm (11.62 in.)
Depth		77.50 mm (3.05 in.)	77.50 mm (3.05 in.)
Temperature rang	e:		
Operati	ng	0°C to 45°C (32°F to 113°F)	0°C to 45°C (32°F to 113°F)
Storage	3	-20°C to 65°C (-4°F to 149°F)	-20°C to 65°C (-4°F to 149°F)

Table 16. Battery specifications (continued)

Description	Option one	Option two
Battery operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.
Battery charging time (approximate) i NOTE: Control the charging time, duration, start and end time, and so on using the Dell Power Manager application. For more information on the Dell Power Manager see, <i>Me and</i> <i>My Dell</i> on www.dell.com.	4 hours (when the computer is off)	4 hours (when the computer is off)
Coin-cell battery	Not applicable	Not applicable

Display

The following table lists the display specifications of your Dell G15 5510.

Table 17. Display specifications

Description		Option one	Option two
Display type		Full High Definition (FHD)	Full High Definition (FHD)
Display-panel technolog	ду	Wide-Viewing Angle (WVA)	Wide-Viewing Angle (WVA)
Display-panel dimensio	ns (active area):		
Height		193.59 mm (7.62 in.)	193.59 mm (7.62 in.)
Width		344.16 mm (13.55 in.)	344.16 mm (13.55 in.)
Diagonal		395 mm (15.55 in.)	395 mm (15.55 in.)
Display-panel native re	solution	1920 x 1080	1920 x 1080
Luminance (typical)		250 nits	300 nits
Megapixels		2.07	2.07
Color gamut		45% NTSC	100% sRGB
Pixels Per Inch (PPI)		141	141
Contrast ratio (min.)		600 : 1	800 : 1
Response time (max.)		35 ms	13 ms
Refresh rate		120 Hz	165 Hz
Horizontal view angle		80 +/- degrees (minimum)	80 +/- degrees (minimum)
Vertical view angle		80 +/- degrees (minimum)	80 +/- degrees (minimum)
Pixel pitch		0.17925 mm x 0.17925 mm	0.17925 mm x 0.17925 mm

Table 17. Display specifications (continued)

Description	Option one	Option two
Power consumption (maximum)	4.60 W	6 W
Anti-glare vs glossy finish	Anti-glare	Anti-glare
Touch options	No	No

GPU—Integrated

The following table lists the specifications of the integrated Graphics Processing Unit (GPU) supported by your Dell G15 5510.

Table 18. GPU—Integrated

Controller	Memory size	Processor
Intel UHD Graphics	Shared system memory	10th Generation Intel Core i5/i7

GPU—Discrete

The following table lists the specifications of the discrete Graphics Processing Unit (GPU) supported by your Dell G15 5510.

Table 19. GPU—Discrete

Controller	Memory size	Memory type
NVIDIA GeForce GTX 1650	4 GB	GDDR6
NVIDIA GeForce RTX 3050	4 GB	GDDR6
NVIDIA GeForce RTX 3050 Ti	4 GB	GDDR6
NVIDIA GeForce RTX 3060	6 GB	GDDR6

Operating and storage environment

This table lists the operating and storage specifications of your Dell G15 5510.

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

Table 20. Computer environment

Description	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G†	160 G†
Altitude range	-15.2 m to 3048 m (-49.87 ft to 10000 ft)	-15.2 m to 10668 m (-49.87 ft to 35000 ft)
	e temperature ranges may differ among may impact the performance of specific	

- \ast Measured using a random vibration spectrum that simulates user environment.
- \dagger Measured using a 2 ms half-sine pulse when the hard drive is in use.

Keyboard shortcuts

NOTE: Keyboard characters may differ depending on the keyboard language configuration. Keys used for shortcuts remain the same across all language configurations.

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. The symbol shown on the lower part of the key refers to the character that is typed out when the key is pressed. If you press **Shift** and the key, the symbol shown on the upper part of the key is typed out. For example, if you press **2**, **2** is typed out; if you press **Shift** + **2**, **e** is typed out.

The keys **F1** to **F12** at the top row of the keyboard are function keys for multi-media control, as indicated by the icon at the bottom of the key. Press the function key to invoke the task represented by the icon. For example, pressing **F1** mutes the audio (refer to the table below).

However, if the function keys F1 to F12 are needed for specific software applications, multi-media functionality can be disabled by pressing fn + Esc. Subsequently, multi-media control can be invoked by pressing fn and the respective function key. For example, mute audio by pressing fn + F1.

(i) NOTE: You can also define the primary behavior of the function keys (F1 to F12) by changing Function Key Behavior in the BIOS setup program.

Function key	Redefined key (for multimedia control)	Behavior
		Mute audio
CP F2	fn + C ¹ , _{F2}	Decrease volume
(1)) _{F3}		Increase volume
		Play/Pause
بظر العربي المراجع	fn + 🖆 rs	Toggle keyboard backlight (optional)
* _{F6}	fn + 🔅 16	Decrease brightness
* 1	fn + 🗱 🕫	Increase brightness
e,		Switch to external display
F9		Search/G key (optional)

Table 21. List of keyboard shortcuts

Table 21. List of keyboard shortcuts (continued)

Function key	Redefined key (for multimedia control)	Behavior
prt sc FIO	fn + prt sc FIO	Print screen
home F11	fn + home	Home
end FI2	fn + end	End

The ${\bf Fn}$ key is also used with selected keys on the keyboard to invoke other secondary functions.

Table 22. List of keyboard shortcuts

Function key	Behavior
fn + prt sc Fi0	Turn off/on wireless
fn + B	Pause/Break
fn + insert	Insert
	Sleep
	Toggle between power and battery-status light/hard-drive activity light
fn + R	System request
fn + Ctrl	Open application menu
fn + esc	Toggle fn-key lock
fn + Pg up	Page up
fn + pg dn	Page down
	Home
fn + end F12	End

Low blue light

WARNING: Prolonged exposure to blue light from the display may lead to long-term effects such as eye strain, eye fatigue, or damage to the eyes.

Blue light is a color in the light spectrum which has a short wavelength and high energy. Chronic exposure to blue light, particularly from digital sources, may disrupt sleep patterns and cause long-term effects such as eye strain, eye fatigue, or damage to the eyes.

The display on this computer is designed to minimize blue light and complies with TÜV Rheinland's requirement for low blue light displays.

Low blue light mode is enabled at the factory, so no further configuration is necessary.

To reduce the risk of eye strain, it is also recommended that you:

- Position the display at a comfortable viewing distance between 20 and 28 inches (50 and 70 cm) from your eyes.
- Blink frequently to moisten your eyes, wet your eyes with water, or apply suitable eye drops.
- Look away from your display, and gaze at a distant object at 20 ft (609.60 cm) away for at least 20 seconds during each break.
- Take an extended break for 20 minutes every two hours.

6

Getting help and contacting Dell

Self-help resources

You can get information and help on Dell products and services using these self-help resources:

Table 23. Self-help resources

Self-help resources	Resource location
Information about Dell products and services	www.dell.com
My Dell	Deell
Tips	·••
Contact Support	In Windows search, type Contact Support, and press Enter.
Online help for operating system	www.dell.com/support/windows
	www.dell.com/support/linux
Access top solutions, diagnostics, drivers and downloads, and learn more about your computer through videos, manuals and documents.	Your Dell computer is uniquely identified by a Service Tag or Express Service Code. To view relevant support resources for your Dell computer, enter the Service Tag or Express Service Code at www.dell.com/support. For more information on how to find the Service Tag for your computer, see Locate the Service Tag on your computer.
Dell knowledge base articles for a variety of computer concerns	 Go to www.dell.com/support. On the menu bar at the top of the Support page, select Support > Knowledge Base. In the Search field on the Knowledge Base page, type the keyword, topic, or model number, and then click or tap the search icon to view the related articles.

Contacting Dell

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

(i) NOTE: Availability varies by country/region and product, and some services may not be available in your country/region.

() NOTE: If you do not have an active Internet connection, you can find contact information about your purchase invoice, packing slip, bill, or Dell product catalog.