



# HP Z34c G3 WQHD Curved Display

Stay Immersed in Ideas.

Have room to develop your ideas with the meticulously crafted ultrawide QHD Z34c Curved Display that brings your work to life with sharp screen clarity and remarkable color accuracy. And show off your projects with confidence on a Zoom Certified monitor that has an integrated 5MP webcam with dual mics, and front-firing speakers.



\*Product image may differ from actual product | \*Product image may differ from actual product

## See More. Do More.

- Increase productivity with the ability to see all of your projects on one expansive and accurate screen with this ultrawide QHD 34-inch curved display. Plus with HP Display Center<sup>1</sup> you can customize your partition for a seamless split screen.

## Every Detail and Color, Perfectly Displayed.

- Be confident that the color on screen matches what you see in real life with a 99% sRGB and 85% DCI-P3 color gamut and factory color calibration<sup>2</sup> that makes any color difference indistinguishable to the human eye.

## Present Your Best Self.

- Feel confident on every video conference call with a Zoom Certified monitor that undergoes over 200 of Zoom's rigorous audio and video quality benchmarks to deliver a reliable conferencing experience. Keep your face in focus and always be heard clearly with an integrated pop-up 5MP tiltable webcam that has built-in noise-cancelling mics and front-firing speakers that deliver rich clear sound.

## Your Workspace. Streamlined.

- Keep your desk clear of clutter by connecting and charging your notebook with one USB-C® cable that delivers data, video and up to 100W of power from the monitor for a clean, beautiful workspace. Plus with integrated KVM<sup>3</sup>, you can switch between two devices with the same keyboard and mouse, using one display.

## Featuring

### Colors Calibrated to Perfection

Every HP Z Display undergoes factory color calibration and testing to achieve a Delta E of less than 2, making any color difference indistinguishable to the human eye.<sup>4</sup>

### Zoom Certified.

Because HP met or exceeded all Zoom quality benchmarks, you can be sure our hardware works seamlessly with Zoom's software to deliver an unmatched conferencing experience every time.

### Only Share When You Want

The integrated webcam pops up when needed and can be pushed down which acts as a kill switch for the camera and mic for worry-free privacy.

### Windows® Hello Enabled Integrated Webcam

Integrated webcam features an improved discrete IR sensor so using your face as a password with Windows® Hello has never been more hassle-free.<sup>5</sup>

### Your Webcam and Audio Your Way

Customize your webcam and audio settings using simple controls in HP Display Center. Crop in and adjust brightness, exposure, volume using simple sliders.<sup>1</sup>

### Two Computers. One Screen.

Running two computers and want to display both on one monitor at the same time? No problem. With Picture By Picture (PBP), it's easy.<sup>3</sup>

### Monitors Containing Recycled Materials

HP is helping conserve natural resources, reduce waste sent to landfills, and lower energy consumption by using 80% recycled plastics in the plastics of Z G3 monitors.<sup>6</sup>

### Thoughtful Product Packaging

HP is committed to reducing plastic in landfills by using 100% recyclable packaging that meets recycling requirements, so it stays out of the landfill.<sup>7</sup>

### Increased Energy Efficiency

HP is committed to slowing global warming by minimizing the energy our monitors consume to help reduce energy demand and decrease CO2 emissions.<sup>8</sup>

### Crystal Clear Audio

Always be heard clearly with an integrated webcam that has noise-cancelling mics and built-in front-firing 2 x 5W speakers with 200Hz of bass roll off that deliver crystal-clear audio straight to you—so you'll never miss a word.

### Always-on, True Color, Low-Blue Light Filter

HP Eye Ease keeps you comfortable by reducing blue light without impacting color accuracy.

### Endless Adjustability

With 3-way adjustability you can customize tilt, height adjust, and swivel settings to fit you, your desk, and your needs.

### More Ports. More Flexibility.

Packed with ports including USB-C®, HDMI 2.0, DisplayPort™ 1.4, RJ-45, four USB-A 3.0 ports and a USB-B port.<sup>9</sup>

### Comfortably Curved Screen

A deeper curve delivers an expansive field of view and comfortable viewing angle.

### Personalized and Protected

Personalize brightness and color settings or set up security protocols all without the OSD. With HP Display Center installed, you have the control.<sup>1</sup>

### Remote Management Reimagined

HP Display Manager makes remote management of the monitor easy. Simplify deployment, asset tracking, and remotely control monitor settings, like turning the power off.<sup>10</sup>

### Dependable Internet Connectivity

Feel confident in your connection with a monitor that connects directly to Ethernet via RJ-45 port for stable internet connection and remote IT manageability.<sup>10</sup>

### 3-year Limited Warranty

With these monitors, not only do you get full-conferencing ability, but also peace of mind, with the standard 3-year limited warranty.

## HP Z34c G3 WQHD Curved Display Specifications Table



\*Product imagery may differ from actual product

|                                     |                                                                                                                                                                                                                                                                                                     |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Display type                        | IPS <sup>1</sup>                                                                                                                                                                                                                                                                                    |
| Panel Active Area                   | 79.98 x 33.48 cm                                                                                                                                                                                                                                                                                    |
| Brightness                          | 350 nits <sup>1</sup>                                                                                                                                                                                                                                                                               |
| Contrast ratio                      | 1000:1 <sup>1</sup>                                                                                                                                                                                                                                                                                 |
| Response Ratio                      | 6ms GtG (with overdrive) <sup>1</sup>                                                                                                                                                                                                                                                               |
| Product colour                      | Black and Silver                                                                                                                                                                                                                                                                                    |
| Aspect ratio                        | 21:9                                                                                                                                                                                                                                                                                                |
| Native resolution                   | WQHD (3440 x 1440) <sup>1,5</sup>                                                                                                                                                                                                                                                                   |
| Resolutions supported               | 640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080; 1920 x 1200; 2560 x 1440; 3440 x 1440                                                                                                                           |
| Display features                    | Height adjustable; Integrated speakers; Curved display; Webcam; HP Eye Ease                                                                                                                                                                                                                         |
| User controls                       | Exit; Information; Language; Management; Power control; Input control; Menu control; Brightness+; Image; Color                                                                                                                                                                                      |
| Display size (diagonal, metric)     | 86.36 cm (34")                                                                                                                                                                                                                                                                                      |
| Ports and Connectors                | USB Type-C® video input: 1 SuperSpeed USB Type-C® 5Gbps signaling rate (Up to 100W USB Power Delivery, Alt Mode DisplayPort™ 1.4); 1 HDMI 2.0; 1 DisplayPort™ 1.4; 4 SuperSpeed USB Type-A 5Gbps signaling rate; 1 USB-B; 1 RJ-45                                                                   |
| HDCP                                | Yes, DisplayPort™ and HDMI                                                                                                                                                                                                                                                                          |
| Camera                              | Yes, 5MP                                                                                                                                                                                                                                                                                            |
| Environmental                       | Operating temperature: 5 to 35°C;<br>Operating humidity: 20 to 80% non-condensing;                                                                                                                                                                                                                  |
| Power                               | 90 – 265 VAC 47/63                                                                                                                                                                                                                                                                                  |
| Power consumption                   | 250 W (maximum), 60 W (typical), 0.5 W (standby)                                                                                                                                                                                                                                                    |
| Dimensions                          | 81.38 x 10.5 x 38.92 cm (Without stand)                                                                                                                                                                                                                                                             |
| Weight                              | 11.1 kg (With stand)                                                                                                                                                                                                                                                                                |
| Physical security features          | Security lock-ready <sup>2</sup>                                                                                                                                                                                                                                                                    |
| Ecolabels                           | EPEAT® registered <sup>3</sup> ; ENERGY STAR® certified                                                                                                                                                                                                                                             |
| Certification and compliance        | BSMI; CB; CCC; CE; CECP; CEL; CEL Grade 1; EAC; ENERGY STAR®; FCC; ISO 9241-307; KC/KCC; NOM; PSB; SEPA; TCO Certified; TCO Certified Edge; TUV/Ergo; TUV-S; UL/CSA; VCCI; WEEE; ISC; Low blue light; ICE; ErP LOT 5                                                                                |
| Sustainable impact specifications   | 80% post-consumer recycled plastic; Low Halogen; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; Contains Ocean-Bound plastic; Recycled Plastic cushions <sup>4,7,8,9,10,11</sup> |
| What's in the box                   | Monitor; DisplayPort™ cable; HDMI cable; VESA Mount adapter; Warranty card; USB Type-A to B cable; QSP; 1 USB Type-C® to Type-C cable; AC power cord; Color calibration report                                                                                                                      |
| Pixels per inch (ppi)               | 110 ppi                                                                                                                                                                                                                                                                                             |
| Panel bit depth                     | 10 bit (8 bit + FRC)                                                                                                                                                                                                                                                                                |
| Vertical viewing angle              | 178°                                                                                                                                                                                                                                                                                                |
| Horizontal viewing angle            | 178°                                                                                                                                                                                                                                                                                                |
| Bezel                               | 3-sided borderless                                                                                                                                                                                                                                                                                  |
| Swivel                              | ±30°                                                                                                                                                                                                                                                                                                |
| Tilt                                | -5 to +10°                                                                                                                                                                                                                                                                                          |
| Height adjustment range             | 150 mm                                                                                                                                                                                                                                                                                              |
| VESA mounting                       | 100 mm x 100 mm                                                                                                                                                                                                                                                                                     |
| Hardness                            | 3H                                                                                                                                                                                                                                                                                                  |
| Screen treatment                    | Anti-glare                                                                                                                                                                                                                                                                                          |
| Flicker-free                        | Yes                                                                                                                                                                                                                                                                                                 |
| Low blue light modes                | Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)                                                                                                                                                                                                                                   |
| Display scan frequency (vertical)   | 59-61 Hz                                                                                                                                                                                                                                                                                            |
| Display scan frequency (horizontal) | 88-90 kHz                                                                                                                                                                                                                                                                                           |
| Pixel pitch                         | 0.2325 mm x 0.2325 mm                                                                                                                                                                                                                                                                               |
| Display colors                      | Up to 1.07 billion colors supported                                                                                                                                                                                                                                                                 |
| Display Color Gamut                 | 99% sRGB; 85% DCI-P3; 99% BT.709                                                                                                                                                                                                                                                                    |
| Microphone                          | Yes (echo cancelling)                                                                                                                                                                                                                                                                               |
| Windows Hello compatible            | Yes                                                                                                                                                                                                                                                                                                 |
| Speaker output power                | 2 x 5 W                                                                                                                                                                                                                                                                                             |
| Certified collaboration software    | Zoom                                                                                                                                                                                                                                                                                                |
| Management software                 | HP Display Center; HP Display Manager <sup>6</sup>                                                                                                                                                                                                                                                  |
| Webcam Features                     | Independent tilt -20° to 5°; Windows Hello support (IR Sensor); Pop-up privacy                                                                                                                                                                                                                      |

# HP Z34c G3 WQHD Curved Display

## Accessories and services (not included)

---

HP Business PC Security Lock v3 Kit



Help prevent chassis tampering and secure your PC and display in workspaces and public areas with the affordable HP Business PC Security Lock v3 Kit.  
**Product number: 3XJ17AA**

HP B600 Z Display PC Mounting Bracket



**Product number: 529HBAA**

HP 5-year Next Business Day  
XLarge Monitor Only Hardware  
Support



HP Care Pack

Receive 5 years of next business day onsite repair from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. For more information on Care Pack services, please visit [www.hp.com/go/cpc](http://www.hp.com/go/cpc).  
**Product number: UE370E**

---

# HP Z34c G3 WQHD Curved Display

## Messaging Footnotes

- <sup>1</sup> HP Display Center requires Windows 10 (or higher) on host PC and is available from the Windows store.
- <sup>2</sup> All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.
- <sup>3</sup> For KVM compatibility, if connected PCs do not have USB-C® port, user will need a USB-C® to A cable. Sold separately.
- <sup>4</sup> Number of colors available through A-FRC technology.
- <sup>5</sup> Windows® Hello requires Windows 10 or higher. Internet connection required for online logins and sold separately.
- <sup>6</sup> Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT standard.
- <sup>7</sup> 100% outer box corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.
- <sup>8</sup> HP Sustainability Report 2020 and HP Displays Sustainability Story 2021.
- <sup>9</sup> Comes with USB-C®, HDMI, DisplayPort™ cables and Power Cord.
- <sup>10</sup> HP Display Manager software agent must be running on a web server and host PC. Some limitations may apply to legacy monitors.

## Technical Specifications Footnotes

- <sup>1</sup> All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.
- <sup>2</sup> Lock sold separately.
- <sup>3</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country. Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit [www.epeat.net](http://www.epeat.net) for more information.
- <sup>4</sup> External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen.
- <sup>5</sup> DisplayPort™ 1.2 or HDMI 1.4 or USB Type-C® (Alt Mode DisplayPort™ compatible) required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 3440 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI, or USB Type-C® (Alt Mode DisplayPort™).
- <sup>6</sup> HP Display Center requires Windows 10 (or higher) on host PC and is available from the Windows store.
- <sup>7</sup> Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.
- <sup>8</sup> Percentage of ocean-bound plastic contained in each component varies by product.
- <sup>9</sup> Molded pulp cushions are made from 100% recycled wood fiber and organic materials.
- <sup>10</sup> 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
- <sup>11</sup> Plastic cushions are made from >90% recycled plastic.

Sign up for updates [hp.com/go/getupdated](https://hp.com/go/getupdated)

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. EPEAT® is a registered trademark of GREEN ELECTRONICS COUNCIL. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Microsoft, Encarta, MSN, and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

November 2022

—

