HP Color LaserJet Managed MFP E877dn Printer Series



Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers¹ you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Get time back with industry leading print speeds up to 70ppm.⁶
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.²

Customizable solutions built to last.

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.⁷
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of
 expensive color matching systems.

Always on guard with HP Wolf Security.4

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified³ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield[™] is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁸
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁹ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Silver, Energy Star, and Blue Angel.¹⁰
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.¹¹

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 297 x 432 mm (11x17 in)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (12×18 in)
- 14. 200-sheet dual side ADF supports media sizes up to A3 (11x17 in)³
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12×18 in)
- 19. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (12×18 in)

Series at a glance



Model	HP Color LaserJet Manage	d MFP E877dn		
Product number	5QK03A	5QK03A (Base) + 8EP60AAE (Speed license)	5QK03A (Base) + 8EP61AAE (Speed license)	5QK03A (Base) + 8EP62AAE (Speed license)
Print speed (A4 and letter, black and color) ³	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm
Scan speed(A4 and letter, black and color)⁴	90 ppm/180 ipm, simplex/duplex			
Functions	Print, copy, and scan (fax and wireless optional) (all models)			
ADF capacity	200 sheets			
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)			
Advanced workflow features	No			

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ³ An administrator must enable the easy-access USB port before use. ⁴ The E877 series Flow models include a 300-sheet ADF. The E877 series dn models include a 200-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3). ⁴ The E877 series Flow models include a 300-sheet ADF. The E877 series dn models include a 200-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3).

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor. Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats.¹ We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Silver, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U03HFE HP 1 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx U03HFE HP 3 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx U03HHE HP 5 year A hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HHE HP 4 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HKE HP 4 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HKE HP 4 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HKE HP 5 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HKE HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only) U03HKE HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only) U03HKE HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only) U03HKE HP 5 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only) U03HKE HP 5 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only) U03HKE HP 5 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only) U03HKE HP 5 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only) U03HKE HP 5 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only) U03HKE HP 1 year Post Warranty Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx U03HTPE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HYPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HYPE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx
	U03HYPE HP 2 year PW Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only)
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print. HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

Data sheet | HP Color LaserJet Managed MFP E877dn Printer Series

Front panel optional colors



*Available with optional color panel accessories

Annenies	
Accessories	155P7AHP LaserJet InnerFinisher 2/3 Hole Punch
	ISSPAN H Cased time initial and a local to the function of the second seco
	190A2A HP Color Laser Jet Department Lunar Gray Color Panel
	190A4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel
	190A5A HP Laser let Department High Capacity Paper Tray/Stand Lupar Grav Color Papel
	190ABA HP Laser Jet Department Stand Lunar Gray Color Panel
	190B2A HP Color Laser Jet Department Comet Red Color Panel
	19084A HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel
	190BSA HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel
	1908BA HP LaserJet Department Stand Comet Red Color Panel
	190C2A HP Color Laser Jet Department Cosmic Green Color Panel
	190C4A HP Laser Jet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
	190C5AH PLaserlet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel 190C6AH PLaserlet Department SHIP Color Panel 190C6AH PLaserLet Department SHIP Color Panel 190C6AH PLaserLet Department SHIP 190C6AH PLaserLet 190C6AH PLase
	19008 HP CaseFret Department Stanto Costinic Green Lotor Panel 19002A HP Cont LaseFret Department Constitution Vellow Color Panel
	19002A PP Color Laser la Department Consellation Fellow Color Panel 1900A PP Laser la Department Zx520 sheet Paper Tray/Stand Constellation Yellow Color Panel
	1900-#HP Laserlet Department Zx-SZ UP Aper Tray/Statu Ciristeliation Yellow Color Panel 1905.HP Laserlet Department Hiph Capacity Paper Tray/Statu Ciristeliation Yellow Color Panel
	13003A MP Laser let Department fangt Capacity Paper Tray Sand Consensation Heiluw Color Parel 13008A MP Laser let Department Stand Consensation Vellow Parel
	1900 Am Proceeding of the stand Consideration Feature 1900 Annual 1900 Am Proceeding of the stand American Stand Americ
	Table An Inc. Cost: Each Capacity and Capacity C
	1307 Shi In Laser Loopan them CASCO sheet, Paper Tray/Stand Aurora Paper Color Panel
	130F3A H Lose let oppartier taign capacity raper rays can be a for a pre color rane
	3N69AH) Jetdiret 3100 MBL/NE/Wireless Accessory
	40L32A HP Legic Secure USB Reader
	ANNOTAINT LEGIS JELLI O LA NERBEI
	SKICAH PH PB 10 Analog Dual Fax
	GW47A HP Laser Jet 2x520 sheet Department Paper Tray/Stand
	GW49A HP Lase let long Finisher
	6GW50A HP Laser let Department Job Separator
	6GW51A HP LaserJet Booklet Finisher
	6GW53A HP LaserJet Department Stand
	6GW55A HP Laser Jet Stapler/Stacker Finisher
	6GW56A HP Laser Jet 3000 sheet Department High Capacity Paper Trav/Stand
	6GW57A HP Laser Jet 2000 sheet Department High Capacity Paper Tray/Stand
	6HN31A HP 500GB CCC, FIPS, TAA Hard Disk Drive
	77AORA HD MED ROD Analog Single Fax
	BPP31HrH Jeditect LNA Accessory Septiment CL, PPS Head Dak Drive
	9EQ11A HP 500GB CCC, FIPS Hard Disk Drive
	B5L31A HP Foreign Interface Harness
	X3D03A HP USB Universal Card Reader
	Y1G10A HP LaserJet Hole Punch 2/3 Accessory
	Y1G11AHP LaserJet Hole Punch 2/4 Accessory
	Y1G13A HP LaserJet Inner/Booklet Staples
	Y1G14A HP LaserJet Stapler/Stacker Finisher Staples
	Y1G22A HP Laser Jet Paper Tray Heaters Accessory
	Y7C05A HP HIP2 Keystroke Reader
	Y7C07A HP SIM for HID IClass for HIP2 Reader
	190A2A HP Color LaserJet Department Lunar Gray Color Panel
	19044A HP Laser Jet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel
	190ASA HP Laser Jet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel
	190ABA HP Laser Jet Department Stand Lunar Gray Color Panel
	190B2A HP Color Laser Jet Department Comet Red Color Panel
	19084A HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel
	190BSA HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel
	19088A HP LaserJet Department Stand Comet Red Color Panel
	190C2A HP Color LaserJet Department Cosmic Green Color Panel
	190C4A HP Laser Jet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
	190CSA HP Laser Jet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel
	190CBA HP Laser Jet Department Stand Cosmic Green Color Panel
	19022A HP Color LaserJet Department Constellation Yellow Color Panel
	19004 HP Laser /et Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel 19005 HP Laser /et Department Hinkin Capadry Paper Tray/Stand Constellation Yellow Color Panel
	19003A HP Laser Jet Department High Labacity Paper i ray/Stand Constellation Vellow Color Panel 19008A HP Laser Jet Department Stand Constellation Vellow Color Panel
	1900BA HP LaserJet Department stand constellation Yellow Color Panel
	19072A HP Color Laser Let Department Aurora Purple Color Panel 9075A HP Color Laser Let Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color Laser La Department Aurora Purple Color Panel 9075A HP Color La Department Aurora Purple Color Panel 9075A HP Color La Department Aurora Purple Color Panel 9075A HP Color La Department Aurora Purple Color Panel 9075A HP Color La Department Aurora Purple Color Panel 9075A HP Colo
	190F4A HP Laser Let Department ZxS20 sheet Paper Tray/Stand Aurora Purple Color Panel
	19075AH PLasselet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel 19076AH PLasselet Department Start Department Aurora Purple Color Panel
	19UrBA HP Laser.let Lepartment Stand Aurora Purple Color Panel 660W47A HP Laser.let Szelő Szel Department Paper TaylStand
	SGW49A HP Laser let 2x5/2U sheet Department Paper Tray/Stand GGW49A HP Laser let 1x5/2U sheet Department Paper Tray/Stand
	SowY3A HP LaserJet miniter Finisher
	GMCSAH Laser Jet Book terment Stand
	GWS5A H Leser let Department Satio
	GWWSA HU Laserlet Stapler/stacker initisher GWWSA HU Laserlet Stapler/stacker enitisher
	SowShah HJ Laserlet 3000 sneet Uepartment High Capatoly Paper Tray/Stand G6WS7AH Laserlet 2000 sneet Department High Capatoly Paper Tray/Stand
	SumSy A HP Laser let 2000 sneet Lepartment High Lapacity Paper Traystand Y1GT3AHP Laser let InverSecondek Staples
	TIGTare Laser let Immerpisonalet staples VTIGTare HL sear let Staple (Stacker Finisher Staples
	TIGTAMH Laseful capital statutes tables
	135/rAm Lose/Jetuinieniniste 2/3 hole Punch 155PRA HL Jaser Jetuinieniniste 2/3 hole Punch
	1337997 MP Case Jack International 24 Hour Political
	ViriCoAH) a case let to epid inter a co apparation
	TIGTUM HP Laser let hole Punta // a Accessory VTGTIAHP Laser let hole Punta // a Accessory
	Trigitam Lase let hole Pullet 2/4 Heaters Accessory
	7ZA09A HP MEP 801 Analog Single Fax
	77A07A HP MEP 811 Analog Dual Fax
	6HN30A HP LaserJet Workflow Accelerator Card
	GHNDAM HP Lase Jet Workforw Accelerator Cand Sept11A HP Stock (Cr.KPS Kat Disk Drive Sept11A HP Stock Disk Drive
	4XN67A Internal USB Expansion Kit
	6HN31A HP 500GB CCC, FIPS, TAA Hard Disk Drive
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	B5L31A HP Foreign Interface Harness
	8FP31A HP Jetdirect LAN Accessory
	4QL32A HP Legic Secure USB Reader
	X3D03A HP USB Universal Card Reader
	Y7CISA HP HIP2 Keystroke Reader
	Y7C07A HP SIM for HID IClass for HIP2 Reader
	····
Speed Licenses	8EP60AAE HP Color LaserJet Managed MFP E877 40 to S0ppm License
	8EP61AAE HP Color LaserJet Managed MEP E877 40 to 60ppm License
	Bep62AAE HI Color Laserlet Managed MFP B377 40 to 70ppm License Bep62AAE HI Color Laserlet Managed MFP B377 40 to 70ppm License
	8LB48AAE HP Color LaserJet Managed MFP E877 50 to 60ppm License
	8LB49AAE HP Color LaserJet Managed MFP E877 60 to 70ppm License
	8LBSOAAE HP Color LaserJet Managed MFP E877 50 to 70ppm License

* Inner finisher/inner finisher hole punches are not compatible with 70ppm

Data sheet | HP Color Laser Jet Managed MFP E877dn Printer Series

lec	hni	ical	speci	itica	tions	

rer egod ² specified	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Print, copy, scan, fax (optional)				
International space Up or Spin Lange Spin Spin Spin Spin Spin Spin Spin Spin	rint speed ^{3,4}					
Line Coor Datie Up to durine Up to durine harmalite/locable Data Courte model (NEL) Data Courte model (NEL) <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Kinds Lan angem approximation						
Al. Claim Late argain Space Space Action Space Space Action Space Space Action Space Space Action						
All See Duple Intersection						
Alexal Balance						
All All Dip 12 rpm Up 10 2 rpm Up 10 2 rpm Dip 30 rpm Dip 10 rpm <thdip 10="" rpm<="" th=""> Dip 10 rpm Dip 10 rp</thdip>						
All Color Up 12 prof Up 25 prof hum 25 prof hum 25 profession Up 35 prof hum 25 profession Fri page aut latter latter As for a Loss on Hum 25 profession As for A						
Histograd uter Box Fistograd Uter Box Fistogr						
Process Process <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>						
Prist page 44 Mistor 10 1 in 10 Notice 16 5 or 0 (and 1000 km/s) Note and 6 0 or 0 (and 1000 km/s) Note and 6 0 or 0 (and 1000 km/s) Note and 6 or 0 (and 1000 km/s) Note and 6 or 0 (and 1						
Histopic Difference Instrumentation Instru						
Hit mit Recently Line (0) and (0) and (0) as Back free inequity to 1200 x 1200 dg: Gar formounds Line (000 x 600 dg: Gar offer lined-line (1200 x 1200 dg) (0) and (0)						
sokakout provember 1975 1975 1975 1975 1975 1975 1975 1975	rint					
Hist anticipation Advance Hist anticipation Hist anticipation Inter anticipation Hist anticipation Inte contripation Hist antit anticipation<						o api
and and prime 49-12, 5, 12-80,11 All Section (2011) and and prime Not graveles, dailes printing, up the pages parallel effect or pages p	rint technology	Laser; Optical: Fine lines (1200x120)dpi); Normal (600x600dpi); Quick vie	ew (300x300dpi)		
analogi antiper Jerbane Fatures Fitter provems, duples printing printing by pages per sheet (2, 4, 5, 9, 16), cuitation, water marks, store print (bits, easy-access USB vis an anoset formal bits for scanning vis an anoset formal bits per Section per Jerbane Anter Jerbane Anter Jerbane Section per Jerbane Anter Jerban	rint cartridges number					
Inter enal software features Participant (2000) and participant (-			TAA		
bits State sing specification Ip to 16 grant 180 pm 180						
cara speed Norma ¹ Up to 30 period biols on 160 period 00 period	rinter smart software features	Print preview, duplex printing, print r	nultiple pages per sheet (2, 4, 6, 9, 16	ة), collation, watermarks, store print jo	bs, easy-access USB	
in providence of the second se	olor scanning	Yes				
an type/ Februlagy Februla	can speed Normal ⁵		90 ppm/180 ipm (color) ; Up to 90 pp	m/180 ipm (b&w), up to 90 ppm/180	ipm (color) Duplex: Up to 180 ipm (b8	kw), up to 180 ipm (color) ; Up to 1
Can The formation FOP(1+L-Compression PDC, IPEC, TEE, MTEE, VERS, PDT, M can Top modes From point applications (cap, Fag, San to Ennu), San to Network Fadder; San to USB, San to Job Storage, Open Extensibility Platform (DSP, HP Workpath applications (cap, Fag, San to Ennu), San to Network Fadder; San to USB, San to Job Storage, Open Extensibility Platform (DSP, HP Workpath applications (cap, Fag, San to Ennu), San Tabled; 297 x 432 mm; uplex AUD Storage Standard, Car On Sensor, San Tabled; 297 x 432 mm; uplex AUD Storage; Open Extensibility Platform (DSP, HP Workpath applications (cap, Fag, San to Sensor, San Tabled; 297 x 432 mm; uplex AUD Storage; Open Extensibility Platform (DSP, HP Workpath applications (cap, Fag, San to Sensor, San Tabled; 297 x 432 mm; uplex AUD Storage; Open Extensibility Platform (DSP, HP Workpath applications (cap, Fag, San to Sensor, San Tabled; 297 x 441 mm; uplex AUD Storage; Open Extensibility Platform (DSP, HP Workpath applications (cap, Fag, San to Sensor, San Tabled; Cap, Fag, San to Sensor, San Tabled; Cap, Fag, San Tabled;	can type / Technology		igital-CIS			
Can The formation FOP(1+L-Compression PDC, IPEC, TEE, MTEE, VERS, PDT, M can Top modes From point applications (cap, Fag, San to Ennu), San to Network Fadder; San to USB, San to Job Storage, Open Extensibility Platform (DSP, HP Workpath applications (cap, Fag, San to Ennu), San to Network Fadder; San to USB, San to Job Storage, Open Extensibility Platform (DSP, HP Workpath applications (cap, Fag, San to Ennu), San Tabled; 297 x 432 mm; uplex AUD Storage Standard, Car On Sensor, San Tabled; 297 x 432 mm; uplex AUD Storage; Open Extensibility Platform (DSP, HP Workpath applications (cap, Fag, San to Sensor, San Tabled; 297 x 432 mm; uplex AUD Storage; Open Extensibility Platform (DSP, HP Workpath applications (cap, Fag, San to Sensor, San Tabled; 297 x 432 mm; uplex AUD Storage; Open Extensibility Platform (DSP, HP Workpath applications (cap, Fag, San to Sensor, San Tabled; 297 x 441 mm; uplex AUD Storage; Open Extensibility Platform (DSP, HP Workpath applications (cap, Fag, San to Sensor, San Tabled; Cap, Fag, San to Sensor, San Tabled; Cap, Fag, San Tabled;	can resolution	Hardware: Up to 600 x 600 dpi [.] Optio	al: Up to 600 x 600 dpi			
root panel applications: Copy Fac San to Email: Scan to USB Asan to Job Storage: Open Extensibility Platform (OxP), HP Workpath applications an Size Ves. Single addplex.scan to USB Array C27 x 51 Flatbed: 297 x 522 mm; Uppe ADF sample DF capacity Standard. 200 heads ves. Single addplex.scan to USB Array C37 x 51 Flatbed: 297 x 522 mm; Uppe ADF sample Standard. 200 heads 24. bit/256 24. bit/256 24. bit/256 25. bit/256 26. bit/256 27. bit/256 26. bit/256						
Can Size ADF Maximum: 297 x 420 mm; ADF Minimum: 68 x 127 mm; 2.7 x 5 in Platted: 297 x 432 mm; uplex ADF scanning Vie., single pass duplex scanning Expanding C spacibly Standing C.O be bets Expanding uplex ADF scanning Standing C.O be bets Expanding galaxinging standing scanning Expanding Expanding Expanding Expanding galaxinging standing scanning Expanding Expanding<						
uplex ADF scanning Vex. single pass duplex scanning DF capaCity Stundard, 200 sheets weinversion Vex. Single pass duplex scanning DF capaCity Stundard, 200 sheets weinversion Vex. Single pass duplex scanning in the comparison of the scan to SharePoint; scan to FTP; scan to STP: scan to Internet Fac; local address bool; SMTP over SSL; scan to Email (all y detect color/monic/rome; high comparison pash; scanning Standard) Up to 30 cpm (with 8EPK0Adc) Up to 70 cm (with 8EPK0Adc) cutter Black Up to 40 cpm Up to 50 cpm (with 8EPK0Adc) Up to 70 cm (with 8EPK0Adc) Up to 70 cm (with 8EPK0Adc) cutter Black Up to 40 cpm Up to 50 cpm (with 8EPK0Adc) Up to 70 cm (with 8EPK0Adc) Up to 70 cm (with 8EPK0Adc) cutter Black Up to 40 cpm Up to 50 cpm (with 8EPK0Adc) Up to 70 cm (with 8EPK0Adc) Up to 70 cm (with 8EPK0Adc) cutter Black Up to 40 cpm Up to 50 cpm (with 8EPK0Adc) Up to 70 cm (with 8EPK0Adc) Up to 70 cm (with 8EPK0Adc) AK Black Obalex Up to 40 cpm Up to 50 cpm (with 8EPK0Adc) Up to 50 cpm (with 8EPK0Adc) Up to 70 cm (with 8EPK0Adc) AK Black Obalex Up to 40 cpm Up to 50 cpm (with 8EPK0Adc) Up to 50 cpm (with 8	•	Front panel applications: Copy; Fax; S	scan to Email; Scan to Network Folde	r; Scan to USB; Scan to Job Storage; Op	en Extensibility Platform (OXP), HP V	/orkpath applications
OF capacity Standard, 200 shrets Version 2.4 Version 2.4 if caph / Gayscale 2.6 A black 2.26 ignal sended automatical detext conformers, hith compression PDF; hang® distances, contrast, background cleanup, sharpnessio, optimize test/picture (leat, mixed, printed) pay speed ⁷ Letter Black Up to 40 cpm Up to 50 cpm (with BEPGAAR) Up to 70 cpm (with BEPGAAR) Up to 70 cpm (with BEPGAAR) pay speed ⁷ Letter Black buplex Up to 40 cpm Up to 50 cpm (with BEPGAAR) Up to 70 cpm (with BEPGAAR) Sec with BEPGAAR) S	can Size	ADF Maximum: 297 x 420 mm; ADF	Minimum: 68 x 127 mm; 2.7 x 5 in Fl a	atbed: 297 x 432 mm;		
DF consolity Standard, 200 sheets wain version Version 2.4 Version 2.4 Up to 3.0 version 2.4 Up to 4.0 Version 4.4 Version 4.4	ouplex ADF scanning	Yes, single pass duplex scanning				
Name Version 2.4 if depth / Grayscelevels 24-bit/256 State to Email: can to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to LAN fax; scan to InternetFax; local address book; SMTP over SSL; automatically state(calor/monochrome; high compression PDF; image adjustments (darkness, contrast, background (darang, sharpness); optimize text/picture (text, mode, printed publics, Pointed and Book, 2-side to page cray; pib built, many perfects, bith page suppression; automatically state(text) poys speed* Letter Black Up to 40 cpm Up to 50 cpm (with EPFGARE) Up to 70 cpm (with EPFGARE) AR Black Up to 40 cpm Up to 50 cpm (with EPFGARE) Up to 70 cpm (with EPFGARE) Up to 70 cpm (with EPFGARE) Letter Black Up to 40 cpm Up to 50 cpm (with EPFGARE) Up to 70 cpm (with EPFGARE) Letter Black Duplex Up to 40 cpm Up to 50 cpm (with EPFGARE) Up to 70 cpm (with EPFGARE) Letter Black Duplex Up to 40 cpm Up to 50 cpm (with EPFGARE) Up to 70 cpm (with EPFGARE) Pist copy out Letter Black As foat as 5.5 sec As foat as 4.9 sec (with EPFGARE) Up to 50 cpm (with EPFGARE) Rest copy out Letter Black Vp to 50 cpm (with EPFGARE) Up to 50 cpm (with EPFGARE) Vp to m (with EPFGARE) Rest copy out Letter Black As foa	DE capacity					
kt dept// Grayscale levels 24-bit/256 Scan to Email: scan to network folder; scan to USB drive; scan to SharePoint; scan to FP; scan to SFP; scan to LMF ac scan to Internet Fac local address book; SMTP over 5SL; automatically straighter driver, pholograph; content orientation; scan mode (book; 2-sided (b); enaise degres; auto page carge, balle; mage supersistor; automatically straighter drivers, scan trans, background (dearup, sharpness); optimize text/picture (text, mixed, printed page supersistor; automatically straighter drivers, scan trans, background (dearup, sharpness); optimize text/picture (text, mixed, printed page supersistor; automatically straighter drivers, scan trans, background (dearup, sharpness); optimize text/picture (text, mixed, printed page supersistor; automatically straighter drivers, scan to LD to 50 cm (with BEPG AAB) Letter Black Up to 40 cm Up to 50 cm (with BEPG AAB) Up to 70 cm (with BEPG AAB) Letter Black Duplex Up to 40 cm Up to 50 cm (with BEPG AAB) Up to 70 cm (with BEPG AAB) Letter Black Duplex Up to 40 cm Up to 50 cm (with BEPG AAB) Up to 70 cm (with BEPG AAB) Piest corpor volt Letter Black Duplex Up to 40 cm Up to 50 cm (with BEPG AAB) Up to 70 cm (with BEPG AAB) Piest corpor volt Letter Black Duplex Up to 40 cm Up to 50 cm (with BEPG AAB) Up to 70 cm (with						
signed sections standard shures Scan to Emails can to Emails on the methode (bdies can to blave books AHP over SL). shures being standard shures Scan to Emails on the methode (bdies can be blave) by the standard standard (bdies) standard standard (bdies) by the standar		Version 2.4				
situres automatically detect color/monochrome, high compression PDF: image adjustments (darkness, courtage, background cleanus, sharpness), optimize text/picture (text, mixed, pritted putcer, photograph), control entations, scalar mode (book, 2-side) (Dip is 50 cpm (simt BEPGAAE) pay speed ⁷ Letter Black Up to 40 cpm (simt BEPGAAE) Letter Black Multis (Dip is 0 cpm (simt BEPGAAE) Ad Black Multis (Dip is 0 cpm (simt BEPGAAE) Letter Black Multis (Dip is 0 cpm (simt BEPGAAE) Ad Cloir Duplex Up to 40 cpm (Lip is 50 cpm (simt BEPGAAE) Ad Cloir Duplex Up to 40 cpm (Lip is 50 cpm (simt BEPGAAE) Ad Cloir Duplex Up to 40 cpm (Lip is 50 cpm (simt BEPGAAE) First copy out Letter Black A lata 4 si sec (Lip is 50 cpm (simt BEPGAAE) First copy out Letter Black A lata 4 si sec (Lip is 50 cpm (simt BEPGAAE) First copy out Letter Black A lata 4 si sec (Lip is 50 cpm (simt BEPGAAE) First copy out Letter Cloir Ad lata 4 si sec (Lip is 50 cpm (simt BEPGAAE) First copy out Letter Black A lata 4 si sec (Lip is 50 cpm (simt BEPGAAE) First copy out Letter Cloir Ad lata 4 si sec (Lip is 50 cpm (simt BEPGAAE) First copy out At Black A si sec (Lip is 50 cpm (simt BEPGAAE) First copy out At Black A si sec (Lip is 50 cpm (simt BEPGAAE) Ad lata 3 sec (Lim BEPGAAE) First copy out At Black A si sec (Lin BEPGAAE) First copy out At Black A si sec (Lin BEPGAAE) First copy out At Black A si sec (Lin BEPGAAE) First copy out At Black A si sec (Lin BEPGAAE) First copy out At Black A si sec (Lin BEPGAAE) First copy out At Black A si sec (Lin BEPGAAE) First copy out At Black A si sec (Lin BEPGAAE) First copy out ABLAC A si sec (Lin BEPGAAE) First copy out ABLAC A si	it depth / Grayscale levels	24-bit/256				
statures automatically detect clos/monoctrome, high compression PDF, image adjustments (darkness, courts, background cleanup, sharpness), optimize text/picture (text, mixed, pritted picture, photograph): control centration; statu and detok.2 = 2016 (Section 2016) opy speed ¹ Letter Black Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) Ad Black Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) Ad Black Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) Letter Black Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) Letter Black Nuplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) Letter Black Nuplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) Ad Color Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) Ad Color Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) Ad Color Duplex Up to 70 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) Ad Color Duplex Ad fast as 4.5 sec As fast as 4.2 sec (with BEPGAAE) As fa	igital sending standard	Scan to Email; scan to network folde	r; scan to USB drive; scan to SharePoi	nt; scan to FTP; scan to sFTP; scan to I	AN fax; scan to Internet Fax; local ad	dress book; SMTP over SSL;
Jetter Calor Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) A4 Black Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) A4 Diak Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 60 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) A4 Black Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) A4 Black Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) A4 Diack Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) A4 Diack Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) A4 Diack Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) A4 Diack Duplex Up to 70 cpm (with BEPGAAE) Sast a 5.5 sec (with BEPGAAE) <td>eatures</td> <td>picture, photograph); content orienta</td> <td></td> <td>rase edges; auto page crop; job build;</td> <td>image preview; blank page suppressi</td> <td>on; automatically straighten</td>	eatures	picture, photograph); content orienta		rase edges; auto page crop; job build;	image preview; blank page suppressi	on; automatically straighten
Ad Black Up to 40cpm Up to 50cpm (with BEPGAAE) Up to 50cpm (with BEPGAAE) Letter Black Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) Letter Color Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) Ad Black Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 50 cpm (with BEPGAAE) Ad Black Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) Ad Black Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) Ad Black Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) Ad Cloir Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) Ad Stat as 5, sec As fasta as 4, 2 sec (with BEPGAAE) Vp to 50 cpm (with BEPGAAE) Vp to 50 cpm (with BEPGAAE) Ad Stat as 5, sec As fasta as 4, 2 sec (with BEPGAAE) Vp to 50 cpm (with BEPGAAE) Vp to 50 cpm (with BEPGAAE) Ad Black Letter Color As fast as 6, 5 sec As fasta as 4, 2 sec (with BEPGAAE) As fast as 4, 3 sec (with BEPGAAE) Ad Stat as 4, 3 sec (with BEPGAAE) Vp to 50 cpm (with BEPGAAE) Vp to 50 cpm (with BEPGAAE) <td< td=""><td>opy speed⁷</td><td></td><td></td><td></td><td></td><td></td></td<>	opy speed ⁷					
Ad Color Up to 40 cpm Up to 50 cpm (white BEP6AAE) Up to 60 cpm (white BEP6AAE) Letter Color Duplex Up to 40 cpm Up to 50 cpm (white BEP6AAE) Up to 60 cpm (white BEP6AAE) Letter Color Duplex Up to 40 cpm Up to 50 cpm (white BEP6AAE) Up to 50 cpm (white BEP6AAE) Ad Black Duplex Up to 40 cpm Up to 50 cpm (white BEP6AAE) Up to 50 cpm (white BEP6AAE) Ad Color Duplex Up to 40 cpm Up to 50 cpm (white BEP6AAE) Up to 50 cpm (white BEP6AAE) Ad Color Duplex Up to 40 cpm Up to 50 cpm (white BEP6AAE) Up to 50 cpm (white BEP6AAE) Ad Color Duplex Up to 40 cpm Up to 50 cpm (white BEP6AAE) Up to 70 cpm (white BEP6AAE) Ad Color Duplex Up to 40 cpm Up to 50 cpm (white BEP6AAE) Up to 50 cpm (white BEP6AAE) Ad Color Duplex Up to 40 cpm Up to 50 cpm (white BEP6AAE) Up to 50 cpm (white BEP6AAE) Ad Explexition Ad Stat as 4.3 sec (white BEP6AAE) Ad Stat as 4.3 sec (white BEP6AAE) Ad Stat as 4.3 sec (white BEP6AAE) Ad Explexition Ad Stat as 4.3 sec (white BEP6AAE) Ad Stat as 4.3 sec (white BEP6AAE) Ad Stat as 4.3 sec (white BEP6AAE) Ad Explexition Ad Stat as 4.3 sec (white BEP6AAE) Ad Stat as 4.3 sec (white BEP6AAE)						
Letter Black Duplex Up to 40 cpm Up to 50 cpm (with BEPG0AAE) Up to 60 cpm (with BEPG1AAE) Up to 70 cpm (with BEPG2AAE) A4 Black Duplex Up to 40 cpm Up to 50 cpm (with BEPG0AAE) Up to 60 cpm (with BEPG1AAE) Up to 70 cpm (with BEPG2AAE) A4 Black Duplex Up to 40 cpm Up to 50 cpm (with BEPG0AAE) Up to 60 cpm (with BEPG1AAE) Up to 70 cpm (with BEPG2AAE) A4 Color Duplex Up to 40 cpm Up to 50 cpm (with BEPG0AAE) Up to 60 cpm (with BEPG1AAE) Up to 70 cpm (with BEPG2AAE) First copy out Letter Black Ap fast as 4.9 sec As fast as 4.2 sec (with BEPG0AAE) As fast as 4.3 sec (with BEPG2AAE) First copy out A Black As fast as 4.9 sec As fast as 5.5 sec As fast as 4.2 sec (with BEPG0AAE) As fast as 4.3 sec (with BEPG2AE) popr resolution Black Kext and graphics1: Up to 600 x 600 dpi As fast as 5.5 sec As fast as 5.5 sec (with BEPG0AAE) As fast as 4.9 sec (with BEPG1AAE) As fast as 4.3 sec (with BEPG2AE) popr resolution Black Kext and graphics1: Up to 600 x 600 dpi As fast as 5.5 sec (with BEPG0AE) As fast as 4.9 sec (with BEPG0AAE) As fast as 4.9 sec (with BEPG2AE) As fast as 4.3 sec (with BEPG2AE) popr resolution Black Kext and graphics1: Up to 700 cpm (w						
Letter Color Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 70 cpm (with BEPGAAE) A4 Black Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 60 cpm (with BEPGAAE) A4 Color Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 60 cpm (with BEPGAAE) AF Color Duplex Up to 40 cpm Up to 50 cpm (with BEPGAAE) Up to 60 cpm (with BEPGAAE) AFrist copy out Letter Black As fast as 4.5 sec (with BEPGAAE) As fast as 5.5 sec (with BEPGAAE) As fast as 3.5 sec (with BEPGAAE) AFrist copy out A dBlack As fast as 4.9 sec (with BEPGAAE) As fast as 4.3 sec (with BEPGAAE) As fast as 4.3 sec (with BEPGAAE) AFrist copy out A dDloo As fast as 4.9 sec (with BEPGAAE) As fast as 4.3 sec (with BEPGAAE) As fast as 4.3 sec (with BEPGAAE) Appresolution Black (text and graphics): Up to 600 x 600 dpi; Color (text and graphics): Up to 600 x 600 dpi As fast as 4.3 sec (with BEPGAAE) As fast as 4.3 sec (with BEPGAAE) Appresolution Black (text and graphics): Up to 600 x 600 dpi; Color (text and graphics): Up to 600 x 600 dpi; Color (text and graphics): Up to 600 x 600 dpi; Color (text and graphics): Up to 600 x 600 dpi; Color (text and graphics): Up to 300 x 300 dpi; Up; No 2-ordering; content circleanically trianglene; scan mode Book2, -2-sided ID; watermark; stamps; image overlay; erase edges; job build; imag prev						
A4 Back Duplex Up to 40 cpm Up to 50 cpm (with B2F61AAE) Up to 50 cpm (with B2F61AAE) Up to 70 cpm (with B2F61AAE) A4 Color Duplex Up to 40 cpm Up to 50 cpm (with B2F61AAE) Up to 70 cpm (with B2F62AAE) First copy out Letter Black As fast as 4 sec As fast as 4 sec As fast as 4 sec First copy out Letter Color As fast as 4 sec As fast as 4 sec As fast as 4 sec First copy out A Black As fast as 5 sec As fast as 4 sec As fast as 4 sec First copy out AL Color As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec As fast as 4 sec						
Af Color Duplex Up to 40 cpm Up to 50 cpm (with 8EP61AAE) Up to 50 cpm (with 8EP61AAE) Up to 50 cpm (with 8EP61AAE) First copy out Letter Color As fast as 4.9 sec As fast as 5.5 sec Ms fast as 4.2 sec (with 8EP60AAE) As fast as 3.3 sec (with 8EP60AE) First copy out At Black As fast as 4.9 sec As fast as 4.2 sec (with 8EP60AAE) As fast as 3.3 sec (with 8EP60AE) First copy out At Black As fast as 4.9 sec As fast as 4.2 sec (with 8EP60AAE) As fast as 3.3 sec (with 8EP60AE) As fast as 5.5 sec Ms fast as 4.9 sec As fast as 4.9 sec As fast as 4.9 sec Ms fast as 3.3 sec (with 8EP60AE) prestory out At Black As fast as 4.9 sec As fast as 4.9 sec As fast as 4.9 sec Ms fast as 4.9 sec prestory out At Color As fast as 4.9 sec As fast as 4.9 sec Ms fast as 4.9 sec Ms fast as 4.9 sec prestory out At Black Ms fast as 4.9 sec As fast as 4.9 sec Ms fast as 4.9 sec Ms fast as 4.9 sec prestory out At Black Ms fast as 4.9 sec As fast as 4.9 sec Ms fast as 4.9 sec Ms fast as 4.9 sec prestory out At Black Ms fast as 4.9 sec As fast as 4.9 sec Ms fast as 4.9 sec Ms fast as 4.9 sec prestory out At Black Ms fast as 4.9 sec Ms fast as 4.9 sec Ms fast as 4.9 sec prestory out At Black <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td></td<>						
First copy out Letter Black As fasts 3: 9 sec As fasts 3: 3 sec (with BEPGAAB First copy out Letter Black As fasts 3: 5 sec As fasts 3: 5 sec (with BEPGAAB) As fasts 3: 3 sec (with BEPGAAB) First copy out A4 Black As fast as 4: 9 sec As fast as 4: 9 sec (with BEPGAAB) As fasts 4: 4.9 sec (with BEPGAAB) Pirst copy out A4 Black As fast as 4: 9 sec As fast as 4: 9 sec (with BEPGAAB) As fast as 4: 9 sec (with BEPGAAB) Prist copy out A4 Color As fast as 4: 9 sec As fast as 4: 9 sec (with BEPGAAB) As fast as 4: 9 sec (with BEPGAAB) Poper resolution Black (text and graphics): Up to 600 x 600 dpi; Color (text and graphics): Up to 600 x 600 dpi As fast as 4: 9 sec (with BEPGAAB) As fast as 4: 9 sec (with BEPGAAB) As fast as 4: 9 sec As fast as 4: 9 sec As fast as 5: 9 sec (with BEPGAAB) As fast as 4: 9 sec (with BEPGAAB) As fast as 4: 9 sec As fast as 4: 9 sec As fast as 4: 9 sec (with BEPGAAB) As fast as 4: 9 sec (with BEPGAAB) As fast as 4: 9 sec As fast as 4: 9 sec As fast as 4: 9 sec (with BEPGAAB) As fast as 4: 9 sec (with BEPGAAB) As fast as 4: 9 sec As fast as 4: 9 sec As fast as 4: 9 sec (with BEPGAAB) As fast as 4: 9 sec (with BEPGAAB) As fast as 4: 9 sec As fast as 4: 9 sec As fast as 4: 9						
First copy out Letter Color As fast as 6,5 sec As fast as 4,5 sec (with BEP60AAE) As fast as 4,9 sec (with BEP61AAE) As fast as 4,3 sec (with BEP60AAE) As fast as 3,3 sec (with BEP60AAE) As fast as 4,3 sec (with BEP60AE) As fast as 4,3 se						
First copy out A4 Black As fast as 4.9 sec As fast as 4.2 sec (with BEP60AAE) As fast as 3.8 sec (with BEP61AAE) As fast as 3.5 sec (with BEP62AA opy resolution Black (text and graphics): Up to 600 × 600 dpi; Color (text and graphics): Up to 600 × 600 dpi; Color (text and graphics): Up to 600 × 600 dpi; Color (text and graphics): Up to 600 × 600 dpi As fast as 5.5 sec (with BEP62AA opier resize 25 to 400% Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mix) preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage As fast as 4.3 sec (with BEP61AAE) As fast as 4.3 sec (with BEP62AA ax resolution Black (best; Up to 300 v 300 dpi (400 v 400 dpi for received faxes only); Black (standard): 203 v 98 dpi ax resolution ax Features Fax memory; Up to 500 pages, Auto fax reduction supported; Yes fax delayed sending; No Distinctive ring detection supported; No Fax forwarding supported; Yes fax phone TAM Interface supported; No Fax polling supported; Yes fax bas 0.0 (device); 1 SuperSpeed USB 3.0						
First copy out A4 Color As fast as 6.5 sec As fast as 5.6 sec (with 8EP60AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.3 sec (with 8EP62AA opp resolution Black (text and graphics); Up to 600 × 600 dpi; Color (text and graphics): Up to 600 × 600 dpi As fast as 4.9 sec (with 8EP61AAE) As fast as 4.3 sec (with 8EP62AA opprersolution Up to 9999 copies Statum number of copies 25 Statum number of copies Statum number of copies <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
opp resolution Black (text and graphics): Up to 600 x 600 dpi; Color (text and graphics): Up to 600 x 600 dpi taximum number of copies Up to 9999 copies opier resize 25 to 400% opier resize 25 to 400% aximum number of copies Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixing preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage ax speed Up to 330. kbps / Letter: 3 sec per page ax resolution Black (best): Up to 500 pages; Up to 500 pages, Auto fax reduction supported; Yes Auto-redialing; Yes Fax delayed sending; No Distinctive ring detection supported; No Fax polling supported; Yes (Coll to receive only) Fax telephone mode supported; No Fax polling supported; Yes Gawinum speed daling numbers; Up to 1000 numbers (each with 210 destinations) PC Interface supported; Yes Remote retrieval capability supported; No Tsuported; Yes Gawinum speed 205 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.						
taximum number of copies Up to 9999 copies opier resize 25 to 400% opier resize 25 to 400% opier settings Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixe printed picture, photograph); N-Up; No 72-ordering; content orientation; collare; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image sthift; paper selection; blank page suppression; automatically straighten; scan to job storage ax speed Up to: 33.6 kbps / Letter: 3 sec per page ax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi ax Features Fax memory: Up to 500 page; Up to 500 page; Mu to 500 page; Mu to 500 page; Supported: No Fax poling supported: No Fax fooling or eceive only Fax telephone mode supported: No Fax forwarding supported: No Fax phone TMi Interface supported: No Fax fooling or eceive only Fax telephone mode supported: No Telephone handset supported: No Fax fooling or eceive only Fax telephone mode supported: No Telephone handset supported: No Fax fooling or eceive only Fax telephone mode supported: No Telephone handset supported: No Fax fooling or eceive only Fax telephone mode supported: No Telephone handset supported: No Fax fooling or eceive only Fax telephone mode supported: No Telephone handset supported: No					As fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AA
piper resize 25 to 400% piper resize 25 to 400% piper resize 25 to 400% printed picture, photograph?, N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, Z-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage ax speed Up to: 33.6 kbps / Letter: 3 sec per page ax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi ax Features Fax memory: Up to 500 pages; Up to 500 pages; Auto fax reduction supported: Ves foult or eceive only fax the plehone mode supported: No Fax forwarding supported: Ves (polt or receive only fax tellephone mode supported: No Junk barrier supported: No Fax forwarding supported: Ves (polt or receive only fax tellephone mode supported: No Junk barrier supported: No Fax forwarding supported: Ves (polt or receive only fax tellephone mode supported: No Junk barrier supported: No Fax forwarding supported: Ves (polt or receive only fax tellephone mode supported: No Junk barrier supported: No Fax forwarding supported: Ves (polt or receive only fax tellephone mode supported: No Junk barrier supported: No Fax forwarding supported: Ves (polt or receive only fax tellephone mode supported: No Junk barrier supported: No Fax forwarding supported: Ves (polt or receive only fax tellephone mode supported: No Fax forwarding supported: Ves (polt or receive only fax tellephone mode supported: No Fax forwarding ves (polt or receive only fax tellephone mode supported: No Tellephone handset supported: No Fax forwarding supported: Ves fax tellephone mode supported: No Tellephone ha	opy resolution	Black (text and graphics): ; Up to 600	× 600 dpi ; Color (text and graphics):	Up to 600 x 600 dpi		
Two-side dcopying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixin preview; image shift; paper selection; blank page suppression; automatically straighten; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage ax speed Up to: 33.6 kbps / Letter: 3 sec per page ax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi ax Features Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Telephone handset supported: No Take polling supported: Yes fax phone TAM interface supported: Yes for policity automatically supported: Yes fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes fax forwarding supported: Yes fax forwarding supported: Yes fax forwarding supported: Yes fax delayed sending: No Telephone handset supported: No Telephone handset supported: No 1000 numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No 1000 network; 1 Hardware Integration Pocket 2 degretation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpe	aximum number of copies	Up to 9999 copies				
Two-side dcopying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixin preview; image shift; paper selection; blank page suppression; automatically straighten; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage ax speed Up to: 33.6 kbps / Letter: 3 sec per page ax resolution Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi ax Features Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Telephone handset supported: No Take polling supported: Yes fax phone TAM interface supported: Yes for policity automatically supported: Yes fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes fax forwarding supported: Yes fax forwarding supported: Yes fax forwarding supported: Yes fax delayed sending: No Telephone handset supported: No Telephone handset supported: No 1000 numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No 1000 network; 1 Hardware Integration Pocket 2 degretation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpe		a concernante de la c				
printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage ax speed Up to: 33.6 kbps / Letter: 3 sec per page ax resolution Black (best); Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi ax Features Fax memory: Up to 500 pages; Up to 500 pages, Auto fax reduction supported: Yes fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax poling supported: Yes fax behave accession; tandard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperS	onier resize	25 to 400%				
ax speed Up to: 33.6 kbps / Letter: 3 sec per page ax resolution Black (best): Up to 300 x 300 dpi (400 × 400 dpi for received faxes only); Black (standard): 203 × 98 dpi ax resolution Black (best): Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No tandard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (beils; 1 SuperSpeed USB 3.0 (beil	•					N
Black (best): Up to 300 × 300 dpi (400 × 400 dpi for received faxes only); Black (standard): 203 × 98 dpi ax resolution Black (best): Up to 500 pages; Up to 500 pages, Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speer dialing numbers: Up to 1000 numbers (each with 210 destinations) PC Interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No tandard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (devic	•	Two-sided copying; automatically de printed picture, photograph); N-Up; f	l or Z-ordering; content orientation; c	ollate; booklet; scan mode (book, 2-si		
Areatures Fax memory: Up to 500 pages Auto fax reduction supported: Yes Auto-recialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speer dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No tandard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host);	opier settings	Two-sided copying; automatically de printed picture, photograph); N-Up; I preview; image shift; paper selectior	l or Z-ordering; content orientation; c ; blank page suppression; automatica	ollate; booklet; scan mode (book, 2-si		
supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speer dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (devi	opier settings	Two-sided copying; automatically de printed picture, photograph); N-Up; 1 preview; image shift; paper selection Up to: 33.6 kbps / Letter: 3 sec per p	I or Z-ordering; content orientation; c ; blank page suppression; automatica age	ollate; booklet; scan mode (book, 2-si ally straighten; scan to job storage		
tandard connectivity 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 SuperSpeed USB	opier settings ax speed ax resolution	Two-sided copying; automatically de printed picture, photograph); N-Up; 1 preview; image shift; paper selection Up to: 33.6 kbps / Letter: 3 sec per p	I or Z-ordering; content orientation; c ; blank page suppression; automatica age	ollate; booklet; scan mode (book, 2-si ally straighten; scan to job storage		
Interest capability Optional, enabled with purchase of a hardware accessory Jobile printing capability Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print Itemory Standard:6GB; Maximum:6GB rocessor speed Quad Core (1.6GHz), Dual Core (1.4GHz); SSD(766R7A): Optional, HP LaserJet 512 GB SED-TAA Solid State Drive / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase Disk) uty cycle (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP60AAE) Up to 250,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP62AAE) A4: Up to 180,000 pages Up to 200,000 pages (with 8EP60AAE) Up to 250,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP62AAE)	opier settings ax speed ax resolution	Two-sided copying; automatically de printed picture, photograph); N-Up; preview; image shift; paper selection Up to: 33.6 kbps / Letter: 3 sec per p Black (best): Up to 300 x 300 dpi (400 Fax memory: Up to 500 pages; Up to supported: Yes Fax phone TAM interl	 I or Z-ordering; content orientation; c ; blank page suppression; automatica age 0 x 400 dpi for received faxes only); E 500 pages Auto fax reduction suppor ace supported: No Fax polling suppor 	ollate; booklet; scan mode (book, 2-si illy straighten; scan to job storage Black (standard): 203 x 98 dpi irted: Yes Auto-redialing: Yes Fax delay ted: Yes (poll to receive only) Fax telep	ded ID); watermark; stamps; image or ed sending: No Distinctive ring detect hone mode supported: No Junk barri	verlay; erase edges; job build; imag tion supported: No Fax forwarding fer supported: Yes Maximum speer
Intersest capability Optional, enabled with purchase of a hardware accessory obile printing capability Apple AirPrint [™] ; Mopria [™] Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print emory Standard:6GB; Maximum:6GB rocessor speed Quad Core (1.6GHz), Dual Core (1.4GHz); SSD(766R7A): Optional, HP LaserJet 512 GB SED-TAA Solid State Drive / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase Disk) uty cycle (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP60AAE) Up to 250,000 pages (with 8EP60AAE) Up to 250,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP62AAE)	x speed x speed x resolution x Features	Two-sided copying; automatically de printed picture, photograph); N-Up; 1 preview; image shift; paper selection Up to: 33.6 kbps / Letter: 3 sec per p Black (best): Up to 300 x 300 dpi (40 Fax memory: Up to 500 pages; Up to supported: Yes Fax phone TAM interf dialing numbers: Up to 1000 number	 I or Z-ordering; content orientation; c; ; blank page suppression; automatica age 0 x 400 dpi for received faxes only); E 500 pages Auto fax reduction suppor ace supported: No Fax polling suppor rs (each with 210 destinations) PC int 	ollate; booklet; scan mode (book, 2-si illy straighten; scan to job storage Black (standard): 203 x 98 dpi rted: Yes Auto-redialing: Yes Fax delay ted: Yes (poll to receive only) Fax telep erface supported: Yes Remote retrieva	ded ID); watermark; stamps; image o ed sending: No Distinctive ring detect hone mode supported: No Junk barri l capability supported: No Telephone	verlay; erase edges; job build; imag tion supported: No Fax forwarding ier supported: Yes Maximum spee handset supported: No
Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print emory Standard:6GB; Maximum:6GB rocessor speed Quad Core (1.6GHz), Dual Core (1.4GHz); SSD(766R7A): Optional, HP LaserJet 512 GB SED-TAA Solid State Drive / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase Disk) uty cycle (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP60AAE) Up to 250,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP62AAE)	x speed x speed x resolution x Features andard connectivity	Two-sided copying; automatically de printed picture, photograph); N-Up; 1 preview; image shift; paper selection Up to: 33.6 kbps / Letter: 3 sec per p Black (best): Up to 300 x 300 dpi (40 Fax memory: Up to 500 pages; Up to supported: Yes Fax phone TAM interd dialing numbers: Up to 1000 number 1 Gigabit Ethernet 10/100/1000T ne	I or Z-ordering; content orientation; c ; blank page suppression; automatica age 0 x 400 dpi for received faxes only); E 500 pages Auto fax reduction suppor ace supported: No Fax polling suppor rs (each with 210 destinations) PC int twork; 1 Hardware Integration Pocke	ollate; booklet; scan mode (book, 2-si illy straighten; scan to job storage Black (standard): 203 x 98 dpi rted: Yes Auto-redialing: Yes Fax delay ted: Yes (poll to receive only) Fax telep erface supported: Yes Remote retrieva	ded ID); watermark; stamps; image o ed sending: No Distinctive ring detect hone mode supported: No Junk barri l capability supported: No Telephone	verlay; erase edges; job build; imag tion supported: No Fax forwarding er supported: Yes Maximum speec handset supported: No
Propertiamine (Fridging Cectained, in Fridging Cectained, in Fridding Cectained, in Fridging Cectained, in Fridging Cect	pier settings x speed x resolution x Features andard connectivity etwork capabilities	Two-sided copying; automatically de printed picture, photograph); N-Up; 1 preview; image shift; paper selection Up to: 33.6 kbps / Letter: 3 sec per p Black (best): Up to 300 x 300 dpi (40 Fax memory: Up to 500 pages; Up to supported: Yes Fax phone TAM interd dialing numbers: Up to 1000 numbe 1 Gigabit Ethernet 10/100/1000T ne Standard (built-in GIGABIT 10/100/1	I or Z-ordering; content orientation; c ; blank page suppression; automatica age 0 x 400 dpi for received faxes only); E 500 pages Auto fax reduction suppor ace supported: No Fax polling suppor rs (each with 210 destinations) PC int twork; 1 Hardware Integration Pocke D00T Ethernet)	ollate; booklet; scan mode (book, 2-si illy straighten; scan to job storage Black (standard): 203 x 98 dpi rted: Yes Auto-redialing: Yes Fax delay ted: Yes (poll to receive only) Fax telep erface supported: Yes Remote retrieva	ded ID); watermark; stamps; image o ed sending: No Distinctive ring detect hone mode supported: No Junk barri l capability supported: No Telephone	verlay; erase edges; job build; imag tion supported: No Fax forwarding ier supported: Yes Maximum spee handset supported: No
Quad Core (1.6GHz), Dual Core (1.4GHz); SSD(76GR7A): Optional, HP LaserJet 512 GB SED-TAA Solid State Drive / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase Disk) uty cycle (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP60AAE) Up to 250,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP62AAE) A4: Up to 180,000 pages Up to 200,000 pages (with 8EP60AAE) Up to 250,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP62AAE)	ppier settings xx speed xx resolution xx Features andard connectivity etwork capabilities ireless capability	Two-sided copying; automatically de printed picture, photograph); N-Up; 1 preview; image shift; paper selection Up to: 33.6 kbps / Letter: 3 sec per p Black (best): Up to 300 x 300 dpi (40 Fax memory: Up to 500 pages; Up to supported: Yes Fax phone TAM interf dialing numbers: Up to 1000 number 1 Gigabit Ethernet 10/100/1000T ne Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of a	I or Z-ordering; content orientation; c ; blank page suppression; automatica age 0 x 400 dpi for received faxes only); E 500 pages Auto fax reduction suppor ace supported: No Fax polling suppor rs (each with 210 destinations) PC int stwork; 1 Hardware Integration Pocke D00T Ethernet) hardware accessory	ollate; booklet; scan mode (book, 2-si ally straighten; scan to job storage Black (standard): 203 x 98 dpi rted: Yes Auto-redialing: Yes Fax delay ted: Yes (poll to receive only) Fax telep erface supported: Yes Remote retrieva t 2nd generation (HIP2); 1 Hi-Speed U	ded ID); watermark; stamps; image o ed sending: No Distinctive ring detect hone mode supported: No Junk barri l capability supported: No Telephone	verlay; erase edges; job build; imag tion supported: No Fax forwarding ier supported: Yes Maximum spee handset supported: No
Processor speed Quad Core (1.6GHz), Dual Core (1.4GHz); SSD(76GR7A): Optional, HP LaserJet 512 GB SED-TAA Solid State Drive / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase Disk) uty cycle (monthly) Letter: Up to 180,000 pages Up to 200,000 pages (with BEPG0AAE) Up to 250,000 pages (with BEPG2AAE) Up to 300,000 pages (with BEPG2AAE) A4: Up to 180,000 pages Up to 200,000 pages (with BEPG0AAE) Up to 250,000 pages (with BEPG2AAE) Up to 300,000 pages (with BEPG2AAE)	ax speed ax resolution ax Features andard connectivity etwork capabilities ireless capability	Two-sided copying; automatically de printed picture, photograph); N-Up; 1 preview; image shift; paper selection Up to: 33.6 kbps / Letter: 3 sec per p Black (best): Up to 300 x 300 dpi (40 Fax memory: Up to 500 pages; Up to supported: Yes Fax phone TAM interf dialing numbers: Up to 1000 number 1 Gigabit Ethernet 10/100/1000T ne Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of a	I or Z-ordering; content orientation; c ; blank page suppression; automatica age 0 x 400 dpi for received faxes only); E 500 pages Auto fax reduction suppor ace supported: No Fax polling suppor rs (each with 210 destinations) PC int stwork; 1 Hardware Integration Pocke D00T Ethernet) hardware accessory	ollate; booklet; scan mode (book, 2-si ally straighten; scan to job storage Black (standard): 203 x 98 dpi rted: Yes Auto-redialing: Yes Fax delay ted: Yes (poll to receive only) Fax telep erface supported: Yes Remote retrieva t 2nd generation (HIP2); 1 Hi-Speed U	ded ID); watermark; stamps; image o ed sending: No Distinctive ring detect hone mode supported: No Junk barri l capability supported: No Telephone	verlay; erase edges; job build; imag tion supported: No Fax forwarding ier supported: Yes Maximum spee handset supported: No
Letter: Up to 180,000 pages Up to 200,000 pages (with 8EP60AAE) Up to 250,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP62AAE) A4: Up to 180,000 pages Up to 180,000 pages Up to 200,000 pages (with 8EP60AAE) Up to 250,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP62AAE)	opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities /ireless capability lobile printing capability	Two-sided copying; automatically de printed picture, photograph); N-Up; 1 preview; image shift; paper selection Up to: 33.6 kbps / Letter: 3 sec per p Black (best): Up to 300 x 300 dpi (40 Fax memory: Up to 500 pages; Up to supported: Yes Fax phone TAM interf dialing numbers: Up to 1000 number 1 Gigabit Ethernet 10/100/1000T ne Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of a Apple AirPrint™; Mopria™ Certified; V	I or Z-ordering; content orientation; c ; blank page suppression; automatica age 0 x 400 dpi for received faxes only); E 500 pages Auto fax reduction suppor ace supported: No Fax polling suppor rs (each with 210 destinations) PC int stwork; 1 Hardware Integration Pocke D00T Ethernet) hardware accessory	ollate; booklet; scan mode (book, 2-si ally straighten; scan to job storage Black (standard): 203 x 98 dpi rted: Yes Auto-redialing: Yes Fax delay ted: Yes (poll to receive only) Fax telep erface supported: Yes Remote retrieva t 2nd generation (HIP2); 1 Hi-Speed U	ded ID); watermark; stamps; image o ed sending: No Distinctive ring detect hone mode supported: No Junk barri l capability supported: No Telephone	verlay; erase edges; job build; imag tion supported: No Fax forwarding ier supported: Yes Maximum speec handset supported: No
A4: Up to 180,000 pages Up to 200,000 pages (with 8EP60AAE) Up to 250,000 pages (with 8EP61AAE) Up to 300,000 pages (with 8EP62AAE)	opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities //ireless capability tobile printing capability letwory	Two-sided copying; automatically de printed picture, photograph); N-Up; 1 preview; image shift; paper selectior Up to: 33.6 kbps / Letter: 3 sec per p Black (best): Up to 300 x 300 dpi (40 Fax memory: Up to 500 pages; Up to supported: Yes Fax phone TAM interd dialing numbers: Up to 1000 numbe 1 Gigabit Ethernet 10/100/1000T nc Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of a Apple AirPrint™; Mopria™ Certified; W Standard:6GB; Maximum:6GB Quad Core (1.4GHz), Dual Core (1.4G Standard, HP LaserJet 500GB Hard U	 I or Z-ordering; content orientation; c; blank page suppression; automatica age 0 x 400 dpi for received faxes only); E 500 pages Auto fax reduction suppor ace supported: No Fax polling suppor is (each with 210 destinations) PC int etwork; 1 Hardware Integration Pocked D00T Ethernet) hardware accessory /i-Fi® Direct Printing; NFC Touch-to-p H2); SSD(766R7A): Optional, HP Lase 	ollate; booklet; scan mode (book, 2-si illy straighten; scan to job storage Black (standard): 203 x 98 dpi irted; Yes Auto-redialing: Yes Fax delay red: Yes (poll to receive only) Fax telep erface supported: Yes Remote retrieve t 2nd generation (HIP2); 1 Hi-Speed US rint (optional); PrinterOn Print rJet 512 GB SED-TAA Solid State Drive	ded ID); watermark; stamps; image o ed sending: No Distinctive ring detect hone mode supported: No Junk barri I capability supported: No Telephone 58 2.0 (host); 1 SuperSpeed USB 3.0 / Storage: Standard, embedded 500	verlay; erase edges; job build; imag tion supported: No Fax forwarding re supported: Yes Maximum spee- handset supported: No (device); 1 SuperSpeed USB 3.0 (h GB hard disk drive / Hard disk:
	opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities //reless capability lobile printing capability letmory rocessor speed	Two-sided copying; automatically de printed picture, photograph); N-Up; I preview; image shift; paper selectior Up to: 33.6 kbps / Letter: 3 sec per p Black (best): Up to 300 x 300 dpi (40 Fax memory: Up to 500 pages; Up to supported: Yes Fax phone TAM inter dialing numbers: Up to 1000 numbe 1 Gigabit Ethernet 10/100/1000T nd Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of a Apple AirPrint™; Mopria™ Certified; V Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.4G Standard, HP LaserJet 500GB Hard D Disk)	I or Z-ordering; content orientation; c ; blank page suppression; automatica age 0 x 400 dpi for received faxes only); E :500 pages Auto fax reduction suppo ace supported: No Fax polling suppo rs (each with 210 destinations) PC int etwork; 1 Hardware Integration Pocke DOOT Ethernet) hardware accessory /i-Fi® Direct Printing; NFC Touch-to-p Hz); SSD(766R7A): Optional, HP Lase isk Drive; AES 256 hardware encrypt	Ollate; booklet; scan mode (book, 2-si ally straighten; scan to job storage Rack (standard): 203 x 98 dpi rted: Yes Auto-redialing: Yes Fax delay rted: Yes (poll to receive only) Fax telep erface supported: Yes Remote retrieva t 2nd generation (HIP2); 1 Hi-Speed U: rint (optional); PrinterOn Print rJet 512 GB SED-TAA Solid State Drive on; Secure erase capabilities (Secure F	ded ID); watermark; stamps; image or ed sending: No Distinctive ring detect hone mode supported: No Junk barri I capability supported: No Telephone 5B 2.0 (host); 1 SuperSpeed USB 3.0 / Storage: Standard, embedded 500 ile Erase-Temporary Job Files, Secure Up to 250,000 pages (with	verlay; erase edges; job build; images tion supported: No Fax forwarding ier supported: Yes Maximum speec handset supported: No (device); 1 SuperSpeed USB 3.0 (ho GB hard disk drive / Hard disk: e Frase-Job Data, Secure ATA Erase Up to 300,000 pages (with
	opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities //reless capability lobile printing capability letmory rocessor speed	Two-sided copying; automatically de printed picture, photograph); N-Up; 1 preview; image shift; paper selectior Up to: 33.6 kbps / Letter: 3 sec per p Black (best): Up to 300 x 300 dpi (40 Fax memory: Up to 500 pages; Up to supported: Yes Fax phone TAM interd dialing numbers: Up to 1000 number 1 Gigabit Ethernet 10/100/1000Tn re Standard (built-in GIGABIT 10/100/1 Optional, enabled with purchase of a Apple AirPrint™; Mopria™ Certified; V Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.4G Standard, HP LaserJet 500GB Hard D Disk) Letter:	l or Z-ordering; content orientation; c ; blank page suppression; automatica age 0 x 400 dpi for received faxes only); f ; 500 pages Auto fax reduction supp ace supported : No Fax polling suppor rs (each with 210 destinations) PC int twork; 1 Hardware Integration Pocke 200T Ethernet) hardware accessory <i>Ji</i> -Fi® Direct Printing; NFC Touch-to-p Hz); SSD(766R7A): Optional, HP Lase isk Drive; AES 256 hardware encrypt	ollate; booklet; scan mode (book, 2-si lly straighten; scan to job storage Black (standard): 203 x 98 dpi rrted; Yes Auto-redialing: Yes Fax delay red; Yes (poll to receive only) Fax telep erface supported; Yes Remote retrieve t 2nd generation (HIP2); 1 Hi-Speed US rint (optional); PrinterOn Print rist (optional); PrinterOn Print rJet 512 GB SED-TAA Solid State Drive on; Secure erase capabilities (Secure F Up to 200,000 pages (with BEP60AAE) Up to 200,000 pages (with	ded ID); watermark; stamps; image of ed sending: No Distinctive ring detect hone mode supported: No Junk barr I capability supported: No Telephone 58 2.0 (host); 1 SuperSpeed USB 3.0 / Storage: Standard, embedded 500 ile Erase-Temporary Job Files, Secure Up to 250,000 pages (with 8EP61AAE) Up to 250,000 pages (with	verlay; erase edges; job build; images tion supported: No Fax forwarding ier supported: Yes Maximum speech handset supported: No (device); 1 SuperSpeed USB 3.0 (hi GB hard disk drive / Hard disk: e Erase-Job Data, Secure ATA Erase Up to 300,000 pages (with BEP62AAE) Up to 300,000 pages (with

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max: Up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies; Duplex Options: Automatic; Envelope Feder: No; Standard paper trays: 3		
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 2550, Osog, Heavy Paperboard, Colored		
Media weight supported	Tray 1, 2, 3: 60 to 325 q/m ²		
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C6, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (J		
Media Sizes Custom	Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm		
What's in the box	5QK03A in box materials ; Guide install, Flyer Regulatory, Power Cords, Label, Drums.		
Replacement cartridges ¹	HP Black Managed LJ Toner Cartridge (ISO Yield 25,000) W9160MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 22,500) W9161MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 22,500) W9162MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 22,500) W9163MC, HP Black Managed LJ Toner Cartridge (ISO Yield 22,500) W9162MC, HP Stant Managed LJ Toner Cartridge (ISO Yield 22,500) W917MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 22,500) W917MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9177MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9177MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9177MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9177MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9177MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9177MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9177MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9177MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9177MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9177MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9177MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9177MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9177MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W917MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W917MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W917MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 5,000) W917MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 5,000) W917MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 5,000) W917MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 5,000) W917MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 5,000) W917MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 5,000) W917MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 5,000) W917MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 5,000) W917MC, HP Magenta Managed LJ Toner Car		
Product dimensions	W x d x h: 585 x 694.7 x 907.7 mm; Maximum: 1656.7 x 1269 x 1488.5 mm;		
Product weight	99.8 kg;		
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.		
Energy star certified	Yes		
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel		
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker		
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)		
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com		
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield [™] , Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs		
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS		
Compatible network operating systems	Windows Server; Linux; Citrix; Novell		
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com		
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 100 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watt (60ppm, printing), 1100 watts (50ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (maul-off)		
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing co		
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH		

Messaging Footnotes

HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

² Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
³ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices

running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit hp.com/wolfsecurity

⁵ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/qo/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required. ⁸ 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.

⁹ 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic. ¹⁰ HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT[®] registered where applicable. EPEAT registration varies by country. See

¹¹ HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

¹ Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies. ² Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
⁶ For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)

⁷ First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printer claims. Exact speed varies depending on the system configuration and document

Acoustic values are subject to change. For current information see https://www.hp.com/support



To learn more, visit

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

