HP Color LaserJet Managed MFP E877dn Printer Series



Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Get time back with industry leading print speeds up to 70ppm.²
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 25.65 cm (10.1-inch) color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.³

Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.⁴
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of
 expensive color matching systems.

Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified⁶ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁷
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁸ Printing that puts the
 planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.¹⁰

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 297 x 432 mm
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. Hi-Speed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3
- 14. 200-sheet dual side ADF supports media sizes up to A3³
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to A3
- 19. 520-sheet tray 2 supports media sizes up to A4
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3



Series at a glance

Series at a glarice	•							
Model	HP Color LaserJet Managed MFP E877dn							
Product number	5QK03A	5QK03A (Base) + 8EP60AAE (Speed license)	5QK03A (Base) + 8EP61AAE (Speed license)	5QK03A (Base) + 8EP62AAE (Speed license)				
Print speed (A4 and letter, black and color) ³	Up to 40 ppm				Up to 50 ppm	Up to 60 ppm	Up to 70 ppm	
Scan speed(A4 and letter, black and color) ⁴	90 ppm/180 ipm, simplex/duplex							
Functions	Print, copy, and scan (fax and wireless optional) (all models)							
ADF capacity	200 sheets							
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)							
Advanced workflow features	No							

² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 The EB77 series Flow models include a 300-sheet ADF. The EB77 series of models include a 200-sheet ADF. The ADF on all devices can scan documents up to A3.
4 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
5 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
4 HP EveryPage Technology is powered by ultrasonic multi-feed detection.

Front panel optional colors



*Available with optional color panel accessories

Services and Solutions

Service and Support	U03HCE HP 1 year Next Business Day with DMR Service for Color Laser Let Managed MFP E877xx U03HCE HP 2 year Next Business Day with DMR Service for Color Laser Let Managed MFP E877xx U03HCE HP 4 year Next Business Day with DMR Service for Color Laser Let Managed MFP E877xx U03HCE HP 5 year Next Business Day with DMR Service for Color Laser Let Managed MFP E877xx U03HCE HP 1 year Post Warranty Next Business Day with DMR Service for Color Laser Let Managed MFP E877xx U03HTE HP 1 year Post Warranty Next Business Day with DMR Service for Color Laser Let Managed MFP E877xx U03HME HP 1 year Post Warranty Next Business Day with DMR Service for Color Laser Let Managed MFP E877xx U03HME HP 1 year Post Suchange Service for Color Laser Let Managed MFP E877xx (Managed Component Only) U03HNE HP 3 year Parts Exchange Service for Color Laser Let Managed MFP E877xx (Managed Component Only) U03HME HP 5 year Post Suchange Service for Color Laser Let Managed MFP E877xx (Managed Component Only) U03HME HP 5 year Post Suchange Service for Color Laser Let Managed MFP E877xx (Managed Component Only) U03HME HP 5 year Post Suchange Service for Color Laser Let Managed MFP E877xx (Managed Component Only) U03HME HP 5 year Post Suchange Service for Color Laser Let Managed MFP E877xx (Managed Component Only) U03HME HP 5 year Post Suchange Service for Color Laser Let Managed MFP E877xx (Managed Component Only) U03HME HP 7 year Post Suchange Service for Color Laser Let Managed MFP E877xx (Managed Component Only)
Solutions	Security: HP Access Control: HP Security Manager: HP Advance: HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit
Accessories (Optional)	1SSPAN-HP Laser let mer Finisher 2/H Hole Punch 1SSPAN-HP Laser let mer Finisher Swedsh Hole Punch 1SSPAN-HP Laser let Department Care (Soci Panel 1SOAA-HP Laser let Department Sand Lans Care) Caler Panel 1SOAA-HP Laser let Department Sand Lans Care) Caler Panel 1SOAA-HP Laser let Department Sand Lans Care) Caler Panel 1SOAA-HP Laser let Department Sand Lans Care) Caler Panel 1SOAA-HP Laser let Department Sand Lans Care) Caler Panel 1SOAA-HP Laser let Department Sand Lans Care (Soci Panel 1SOAA-HP Laser let Department Care Panel Care Panel 1SOAA-HP Laser let Department Care Panel 1SOCA-HP Laser let Department Care Care Panel 1SOCA-HP Laser let Department Care Care Caler Panel 1SOCA-HP Laser let Department Care Care Care Caler Panel 1SOCA-HP Laser let Department Care Care Care Panel 1SOCA-HP Laser let Department Care Care Care Panel 1SOCA-HP Laser let Department Tayl Care Care Panel 1SOCA-HP Laser let Department Sand Care Care Care Panel 1SOCA-HP Laser let Department Sand Auror Purple Caler Panel 1SOCA-HP Laser let Department Sand Auror Purple Caler Panel 1SOCA-HP Laser let Department Panel Care Panel 1SOCA-HP Laser let
Speed Licenses	Y7COTA HP SIM for HID IClass for HIP2 Reader BEP60ABE HP Color LaserJet Managed MFP E877 40 to 50ppm License BEP61ABE HP Color LaserJet Managed MFP E877 40 to 50ppm License BEP62ABE HP Color LaserJet Managed MFP E877 74 0 to 70ppm License BLB4BAABE HP Color LaserJet Managed MFP E877 50 to 70ppm License BLB4BAABE HP Color LaserJet Managed MFP E877 50 to 70ppm License BLB4BAABE HP Color LaserJet Managed MFP E877 50 to 70ppm License BLB5DAAE HP Color LaserJet Managed MFP E877 50 to 70ppm License
Supplies	W9160MC HP W9160Mc Black Managed Laser/let Toner Cartridge (Average cartridge yields 25,000 standard pages. Declared yield value in accordance with ISP/IEC 19752.) W9161MC HP W9161MC Cyan Managed Laser/let Toner Cartridge (22,500 standard pages in accordance with ISP/IEC 19798) W9162MC HP W9162MC Yellow Managed Laser/let Toner Cartridge (22,500 standard pages in accordance with ISP/IEC 19798) W9163MC HP W9163MC Magenta Managed Laser/let Toner Cartridge (22,500 standard pages in accordance with ISP/IEC 19798)

^{*} Inner finisher/inner finisher hole punches are not compatible with 70ppm

Technical specifications

	Print, copy, scan, fax (optional)							
Print speed ^{1,2}	A4 Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)			
Till Speed	A4 Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)			
	A4 Black Duplex	Up to 40 ipm	Up to 50 ipm (with 8EP60AAE)	Up to 60 ipm (with 8EP61AAE)	Up to 70 ipm (with 8EP62AAE)			
	A4 Color Duplex	Up to 40 ipm	Up to 50 ipm (with 8EP60AAE)	Up to 60 ipm (with 8EP61AAE)	Up to 70 ipm (with 8EP62AAE)			
	A3 Black	Up to 21 ppm	Up to 26 ppm (with 8EP60AAE) Up to 26 ppm (with 8EP60AAE)	Up to 30 ppm (with 8EP61AAE) Up to 30 ppm (with 8EP61AAE)	Up to 35 ppm (with 8EP62AAE) Up to 35 ppm (with 8EP62AAE)			
	A3 Color First page out A4 Black	Up to 21 ppm As fast as 7.1 sec	As fast as 6.5 sec (with 8EP60AAE)	As fast as 6.3 sec (with 8EP61AAE)	As fast as 6.2 sec (with 8EP62AAE)			
	First page out A4 Color	As fast as 8.3 sec	As fast as 7.4 sec (with 8EP60AAE)	As fast as 7.0 sec (with 8EP61AAE)	As fast as 6.9 sec (with 8EP62AAE)			
rint resolution##prntresftntnbr##		(fine lines): Up to 1200 x 1200 dpi: Color (no	ormal): Up to 600 × 600 dpi; Color (fine lines)	: Up to 1200 x 1200 dpi				
rint technology	Laser; Optical: Fine lines (1200x1200dpi); N							
rint cartridges number	4 (1 each black, cyan, magenta, yellow)							
tandard print languages	HP PCL Sc, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible							
rinter smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB							
olor scanning	Yes							
can speed ³	A4: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) Duplex: Letter: A4: Up to 180 ipm (b&w), up to 180 ipm (color)							
can type / Technology	Flatbed, ADF / Platen Scanner CCD Digital-CIS							
ican resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi							
ican file format6	JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compression PDF; High-Compression PDF/A; Searchable PDF (OCR); Searchable PDF/A (OCR); High-Compression Searchable PDF (OCR); High-Compression Searchable PDF/A (CSV (OCR); HTML (OCR); Open Office XML (docx, xlsx, pptx); RTF (OCR); TEXT (OCR); Unicode TEXT (OCR)							
ican input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications							
can Size	ADF Maximum: 297 x 420 mm; ADF Minimum: 68 x 127 mm; Flatbed: 297 x 432 mm;							
uplex ADF scanning	Yes, single pass duplex scanning							
DF capacity	Standard, 200 sheets							
wain version	Version 2.4							
it depth / Grayscale levels igital sending standard features	24-bit/256	Doodrive for Business: seen to Charenoint (nline; scan to Email; scan to network folder;	scan to USB drive; scan to ShareDeight; scan	to ETD: coap to cETD: coap to LAN fav. c			
igital seriding standard realdres	Internet Fax; local address book; SMTP ove	r SSL; automatically detect color/monochro	me; high compression PDF; image adjustme ; erase edges; auto page crop; job build; ima	nts (darkness, contrast, background cleanup	o, sharpness); optimize text/picture (text,			
Copy speed ⁷	A4 Black A4 Color	Up to 40cpm Up to 40 cpm	Up to 50cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE)	Up to 60cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	Up to 70cpm (with 8EP62AAE) Up to 70 cpm (with 8EP62AAE)			
	A4 Black Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
	A4 Color Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
		As fast as 4.3 sec	As fast as 3.6 sec (with 8EP60AAE)	As fast as 3.2 sec (with 8EP61AAE)	As fast as 2.9 sec (with 8EP62AAE)			
	First copy out A4 Black		As fast as 4.8 sec (with 8EP60AAE)	As fast as 4.2 sec (with 8EP61AAE)				
	First copy out A4 Black First copy out A4 Color	As fast as 5.7 sec			As fast as 3.7 sec (with 8EP62AAE)			
	First copy out A4 Color	As fast as 5.7 sec	· L	•	As fast as 3.7 sec (with 8EP62AAE)			
**	First copy out A4 Color Black (text and graphics): ; Up to 600 x 600	· L	· L		As fast as 3.7 sec (with 8EP62AAE)			
taximum number of copies	First copy out A4 Color	· L	· L		As fast as 3.7 sec (with 8EP62AAE)			
aximum number of copies	First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying; automatically detect co	dpi ; Color (text and graphics): Up to 600 x	· L		text, mixed, printed picture, photograph)			
aximum number of copies opier resize opier settings	First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying; automatically detect cc Up; N or Z-ordering; content orientation; co	dpi ; Color (text and graphics): Up to 600 x	600 dpi Jjustments (darkness, contrast, background		text, mixed, printed picture, photograph)			
opier resize opier settings ax speed	First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying; automatically detect cc Up; N or Z-ordering; content orientation; co automatically straighten; scan to job storage	dpi ; Color (text and graphics): Up to 600 x dpi ; Color (text and	600 dpi djustments (darkness, contrast, background ; watermark; stamps; image overlay; erase		text, mixed, printed picture, photograph)			
laximum number of copies opier resize opier settings ax speed ax resolution	First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying; automatically detect coup; Nor Z-ordering; content orientation; coautomatically straighten; scan to job storacutomatically straighten; scan to job storacutomatica	dpi ; Color (text and graphics): Up to 600 x blor/monochrome; reduce/enlarge; image a illate; booklet; scan mode (book, 2-sided ID ie 0 dpi for received faxes only); Black (stande duction supported: Yes Auto-redialing: Yes I we only) Fax telephone mode supported:	dijustments (darkness, contrast, background ; watermark; stamps; image overlay; erase rd): 203 x 98 dpi fax delayed sending: No Distinctive ring dete Junk barrier supported: Yes Maximum spee	edges; job build; image preview; image shift;	text, mixed, printed picture, photograph) paper selection; blank page suppression ed: Yes Fax phone TAM interface support			
ppier resize ppier settings ax speed ax resolution ax Features	First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying; automatically detect coup; Nor Z-ordering; content orientation; coautomatically straighten; scan to job storacy Up to: 33.6 kbps Black (best): Up to 300 x 300 dpi (400 x 40) Fax memory: Up to 500 pages; Auto fax rev No Fax polling supported: Yes (poll to receive supported: Yes Remote retrieval capability	dpi ; Color (text and graphics): Up to 600 x slor/monochrome; reduce/enlarge; image a llate; booklet; scan mode (book, 2-sided ID ge 0 dpi for received faxes only); Black (standa duction supported: Yes Auto-redialing; Yes I ye only) Fax telephone mode supported: No supported: No Telephone handset support	dijustments (darkness, contrast, background ; watermark; stamps; image overlay; erase rd): 203 x 98 dpi fax delayed sending: No Distinctive ring dete Junk barrier supported: Yes Maximum spee	edges; job build; image preview; image shift; ction supported: No Fax forwarding support d dialing numbers: Up to 1000 numbers (ea	text, mixed, printed picture, photograph) paper selection; blank page suppression ed: Yes Fax phone TAM interface suppor ch with 210 destinations) PC interface			
aximum number of copies opier resize opier settings ax speed ax resolution ax Features candard connectivity	First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying; automatically detect coup; Nor Z-ordering; content orientation; coautomatically straighten; scan to job storacy Up to: 33.6 kbps Black (best): Up to 300 x 300 dpi (400 x 40) Fax memory: Up to 500 pages; Auto fax rev No Fax polling supported: Yes (poll to receive supported: Yes Remote retrieval capability	dpi ; Color (text and graphics): Up to 600 x blor/monochrome; reduce/enlarge; image an llate; booklet; scan mode (book, 2-sided ID ge 0 dpi for received faxes only); Black (standa duction supported: Yes Auto-redialing: Yes I we only) Fax telephone mode supported: No supported: No Telephone handset supported; ; 1 Hardware Integration Pocket 2nd genera	dijustments (darkness, contrast, background; watermark; stamps; image overlay; erase- rd); 203 x 98 dpi fax delayed sending: No Distinctive ring dete Junk barrier supported: Yes Maximum spee dd: No	edges; job build; image preview; image shift; ction supported: No Fax forwarding support d dialing numbers: Up to 1000 numbers (ea	text, mixed, printed picture, photograph); paper selection; blank page suppression to the selection of the selection; blank page suppression of the selection o			
laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities	First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying; automatically detect coup; N or Z-ordering; content orientation; coautomatically straighten; scan to job storag Up to: 33.6 kbps Black (best): Up to 300 x 300 dpi (400 x 40 Fax memory: Up to 500 pages; Auto fax rer No Fax polling supported: Yes (poll to receis supported: Yes Remote retrieval capability 1 Gigabit Ethernet 10/100/1000T network Standard (built-in GIGABIT 10/100/1000T for the composition of the composit	dpi ; Color (text and graphics): Up to 600 x blor/monochrome; reduce/enlarge; image at llate; booklet; scan mode (book, 2-sided ID ge) 0 dpi for received faxes only): Black (standaduction supported: Yes Auto-redialing: Yes live only) Fax telephone mode supported: No supported: No Telephone handset supported: IN Telephone handset supported: It Hardware Integration Pocket 2nd generations and the supported: Microsoft Universal Print (MUP) so ware accessory	dijustments (darkness, contrast, background; watermark; stamps; image overlay; erase ord); 203 x 98 dpi ax delayed sending: No Distinctive ring dete Junk barrier supported: Yes Maximum speed: No tition (HIP2); 1 Hi-Speed USB 2.0 (host); 1 Support	edges; job build; image preview; image shift; ction supported: No Fax forwarding support d dialing numbers: Up to 1000 numbers (ea	text, mixed, printed picture, photograph); paper selection; blank page suppression to the selection of the selection; blank page suppression of the selection o			
popier resize popier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities fireless capability	First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying; automatically detect cc Up; N or Z-ordering; content orientation; co automatically straighten; scan to job storac Up to: 33.6 kbps Black (best): Up to 300 x 300 dpi (400 x 40 Fax memory: Up to 500 pages; Auto fax ret No Fax polling supported: Yes (poll to receiv supported: Yes Remote retrieval capability 1 Gigabit Ethernet 10/100/1000T network Standard (built-in GIGABIT 10/100/1000T E Optional, enabled with purchase of a hardw Apple AirPrint™; Mopria™ Certified; Wi-Fi® E	dpi ; Color (text and graphics): Up to 600 x blor/monochrome; reduce/enlarge; image at llate; booklet; scan mode (book, 2-sided ID ge) 0 dpi for received faxes only): Black (standaduction supported: Yes Auto-redialing: Yes live only) Fax telephone mode supported: No supported: No Telephone handset supported: IN Telephone handset supported: It Hardware Integration Pocket 2nd generations and the supported: Microsoft Universal Print (MUP) so ware accessory	dijustments (darkness, contrast, background; watermark; stamps; image overlay; erase ord); 203 x 98 dpi ax delayed sending: No Distinctive ring dete Junk barrier supported: Yes Maximum speed: No tition (HIP2); 1 Hi-Speed USB 2.0 (host); 1 Support	edges; job build; image preview; image shift; ction supported: No Fax forwarding support d dialing numbers: Up to 1000 numbers (ea	text, mixed, printed picture, photograph); paper selection; blank page suppression to the selection of the selection; blank page suppression of the selection o			
opy resolution taximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities vireless capability tobile printing capability	First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying; automatically detect coup; N or Z-ordering; content orientation; coautomatically straighten; scan to job storag Up to: 33.6 kbps Black (best): Up to 300 x 300 dpi (400 x 40 Fax memory: Up to 500 pages; Auto fax rer No Fax polling supported: Yes (poll to receis supported: Yes Remote retrieval capability 1 Gigabit Ethernet 10/100/1000T network Standard (built-in GIGABIT 10/100/1000T for the composition of the composit	dpi ; Color (text and graphics): Up to 600 x blor/monochrome; reduce/enlarge; image at llate; booklet; scan mode (book, 2-sided ID ge) 0 dpi for received faxes only): Black (standaduction supported: Yes Auto-redialing: Yes live only) Fax telephone mode supported: No supported: No Telephone handset supported: IN Telephone handset supported: It Hardware Integration Pocket 2nd generations and the supported: Microsoft Universal Print (MUP) so ware accessory	dijustments (darkness, contrast, background; watermark; stamps; image overlay; erase ord); 203 x 98 dpi ax delayed sending: No Distinctive ring dete Junk barrier supported: Yes Maximum speed: No tition (HIP2); 1 Hi-Speed USB 2.0 (host); 1 Support	edges; job build; image preview; image shift; ction supported: No Fax forwarding support d dialing numbers: Up to 1000 numbers (ea	text, mixed, printed picture, photograph); paper selection; blank page suppression to the selection of the selection; blank page suppression of the selection o			
aximum number of copies opier resize opier settings ax speed ax resolution ax Features candard connectivity etwork capabilities lireless capability obile printing capability emory	First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying, automatically detect coup; N or Z-ordering, content orientation; coutomatically straighten; scan to job storact up; N or Z-ordering; content orientation; countomatically straighten; scan to job storact up; to 33.6 kbps Black (best): Up to 300 x 300 dpi (400 x 40) Fax memory: Up to 500 pages; Auto fax red No Fax polling supported: Yes (poll to receisupported: Yes Remote retrieval capability 1 Gigabit Ethernet 10/100/1000T network Standard (built-in GIGABIT 10/100/1000T E Optional, enabled with purchase of a hardw Apple AirPrint TM ; Mopria TM Certified; Wi-Fi® E Standard:6GB; Maximum:6GB	Idpi ; Color (text and graphics): Up to 600 x dpi ; Color (text and graphics): Up to 600 x dpi ; Color (text and graphics): Up to 600 x dpi for received faxes only); Black (standaduction supported: Yes Auto-redialing: Yes I we only); Fax telephone mode supported: No Telephone handset support in the supported: No Telephone handset support in the supp	dijustments (darkness, contrast, background; watermark; stamps; image overlay; erase ord); 203 x 98 dpi ax delayed sending: No Distinctive ring dete Junk barrier supported: Yes Maximum speed: No tition (HIP2); 1 Hi-Speed USB 2.0 (host); 1 Support	edges; job build; image preview; image shift; ction supported: No Fax forwarding support d dialing numbers: Up to 1000 numbers (ea perSpeed USB 3.0 (device); 1 SuperSpeed US d, embedded 500 GB hard disk drive / Hard d,	text, mixed, printed picture, photograph) paper selection; blank page suppressio ed: Yes Fax phone TAM interface suppor ch with 210 destinations) PC interface SB 3.0 (host)			
aximum number of copies opier resize opier settings ax speed ax resolution ax Features candard connectivity etwork capabilities fireless capability obile printing capability emory rocessor speed	First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying, automatically detect coup; N or Z-ordering, content orientation; coutomatically straighten; scan to job storact up; N or Z-ordering; content orientation; countomatically straighten; scan to job storact up; to 33.6 kbps Black (best): Up to 300 x 300 dpi (400 x 40) Fax memory: Up to 500 pages; Auto fax red No Fax polling supported: Yes (poll to receisupported: Yes Remote retrieval capability 1 Gigabit Ethernet 10/100/1000T network Standard (built-in GIGABIT 10/100/1000T E Optional, enabled with purchase of a hardw Apple AirPrint TM ; Mopria TM Certified; Wi-Fi® E Standard:6GB; Maximum:6GB	Idpi ; Color (text and graphics): Up to 600 x dpi ; Color (text and graphics): Up to 600 x dpi ; Color (text and graphics): Up to 600 x dpi for received faxes only); Black (standaduction supported: Yes Auto-redialing: Yes I we only); Fax telephone mode supported: No Telephone handset support in the supported: No Telephone handset support in the supp	dijustments (darkness, contrast, background; watermark; stamps; image overlay; erase ord); 203 x 98 dpi fax delayed sending: No Distinctive ring dete Junk barrier supported: Yes Maximum spee di: No tition (HIP2); 1 Hi-Speed USB 2.0 (host); 1 Sul	edges; job build; image preview; image shift; ction supported: No Fax forwarding support d dialing numbers: Up to 1000 numbers (ea perSpeed USB 3.0 (device); 1 SuperSpeed US d, embedded 500 GB hard disk drive / Hard d,	text, mixed, printed picture, photographi, paper selection; blank page suppressio ed. Yes Fax phone TAM interface suppor ch with 210 destinations) PC interface			
laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities //reless capability	First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying; automatically detect coup: N or Z-ordering; content orientation; coautomatically straighten; scan to job storact Up to: 33.6 kbps Black (best): Up to 300 x 300 dpi (400 x 40) Fax memory: Up to 500 pages; Auto fax rec No Fax polling supported: Yes (poll to receive supported: Yes Remote retrieval capability 1 Gigabit Ethernet 10/100/1000T network Standard (built-in GIGABIT 10/100/1000T ether) Optional, enabled with purchase of a hardw Apple AirPrint TM ; Mopria TM Certified; Wi-Fi TM C Standard: 6GB; Maximum: 6GB Quad Core (1.6GHz), Dual Core (1.4GHz); SS Drive; AES 256 hardware encryption; Secur	dpi ; Color (text and graphics): Up to 600 x blor/monochrome; reduce/enlarge; image an llate; booklet; scan mode (book, 2-sided ID ge) 0 dpi for received faxes only); Black (standard duction supported: Yes Auto-redialing; Yes I we only); Fax telephone mode supported: No Telephone handset supported: No Telephone handset supported: Therefore, 1 Hardware Integration Pocket 2nd general chemnet); Microsoft Universal Print (MUP) so ware accessory Direct Printing; NFC Touch-to-print (optional person of the printing of the pr	djustments (darkness, contrast, background; watermark; stamps; image overlay; erase ord); 203 x 98 dpi fax delayed sending: No Distinctive ring dete Junk barrier supported: Yes Maximum speed: No tition (HIP2); 1 Hi-Speed USB 2.0 (host); 1 Support gpport printerOn Print SED-TAA Solid State Drive / Storage: Standar ordery Job Files, Secure Erase-Job Data, Secure Frase-Job Data, Secure	edges; job build; image preview; image shift; ction supported: No Fax forwarding support d dialing numbers: Up to 1000 numbers (ea perSpeed USB 3.0 (device); 1 SuperSpeed US d, embedded 500 GB hard disk drive / Hard ir	text, mixed, printed picture, photograph, paper selection; blank page suppression ed. Yes Fax phone TAM interface supporch with 210 destinations) PC interface SB 3.0 (host)			

Technical specifications

-						
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 230g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored					
Media weight supported	Tray 1, 2, 3: 60 to 325 g/m²					
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (IIS), B5 (IIS), B6 (IIS), 10x15cm, Officio, 8K, 16k, Postcard (IIS), Postcard (IIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5i RA4, B4 (IIS), B5 (IIS), B6 (IIS), Officio, 8K, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (IIS), B5 (IIS), Officio, 8K, 16k					
Media Sizes Custom	Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm					
What's in the box	5QK03A HP Color LaserJet Managed MFP E877dn Priner; In box materials; Guide install; Flyer Regulatory; Power Cords; Label; Drums					
Replacement cartridges ⁴	HP Black Managed LaserJet Toner Cartridge (ISO Yield 25,000) W9160MC; HP Cyan Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9161MC; HP Yellow Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9162MC; HP Magenta Managed LaserJet Toner Cartridge (ISO Yield 50,000) W9170MC; HP Cyan Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9171MC; HP Yellow Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9173MC					
Product dimensions	W x d x h : 585 x 694.7 x 907.7 mm; Maximum: 1656.7 x 1269 x 1488.5 mm;					
Product weight	99.8 kg;					
Warranty features	1 Year Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in yor region.					
Energy star certified	Yes					
Ecolabels	IT ECO Declaration; Blue Angel; EPEAT® registered; ENERGY STAR® certified					
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker					
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)					
Software included	No software solutions are included in the box, only on http://www.hp.com or http://123.hp.com					
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTI Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good or HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Me processed and accessible in Arcsight and Splunk SIEMs					
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS					
Compatible network operating systems	Windows Server; Linux; Citrix; Novell					
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see http://www.microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see http://www.apple.com					
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)					
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan): 54dB(A), ADF scan A4 at 90ppm; 59dB(A), ADF scan A4 at 150ppm					
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH					

Messaging Footnotes

- 1 HPS most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features To automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit hptp://www.hp.com/go/PrintersThatProtect. For more information, visit hptp://www.hp.com/go/PrintersThatProtect.
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity. Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- a Some features relative by factor by factor by factor by factor in the factor by fact
- accessory of infriwate to be appraised. Subscription may be required. , HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity.
- 6. Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf
- $100\% \ outer fiber-based \ packaging \ and \ internal \ fiber-based \ cushions \ made \ from \ sustainably \ sourced \ certified \ and \ recycled \ fibers.$
- a 100% of the fine-based packaging and internal internal sole-based custinots made from sustainably sourced certined and recycled moles.

 100% of Original HZ Toner Cartridges contain between 1-77% opst-consumer opst-industrial recycled content. Does not include toner bottles or other products not listed. See http://www.hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.
- All voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines

 HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines

 HP printer, HP paper and Original HP supply Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

 Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies
- For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT). OCR requires HP FutureSmart 5.8.1.1 or later. Open Office XML and other editable OCR formats require optional HP Editable OCR license.
- , First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printer claims. Exact speed varies depending on the system configuration and document.
- Acoustic values are subject to change. For current information see https://www.hp.com/support
- DCR requires HP FutureSmart 5.8.1.1 or later. Scan to Onedrive, scan to Onedrive for Business, and scan to Sharepoint Online requires HP FutureSmart 5.8 or later. Requires HP FutureSmart 5.8.1.1 or later.













To learn more, visit

