# HP Color LaserJet Managed Flow MFP E877z Printer series



## Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



# Unleash peak productivity

- Experience speed and performance like no other with our fastest ever 300 ipm<sup>2</sup> duplex scan technology.
- · Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

# Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.<sup>3</sup>
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of expensive color matching systems.

# Always on guard with HP Wolf Security


- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified<sup>5</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

# Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.<sup>6</sup>
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.<sup>7</sup> Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.<sup>8</sup>
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

# Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)<sup>1</sup>
- 2. Flatbed scanner handles sheets up to A3
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port<sup>2</sup>
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. Hi-Speed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3
- 14. 300-sheet dual side ADF supports media sizes up to A3 (Flow models only)<sup>3</sup>
- 15. 25.6 cm color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to SRA3
- 20. 520-sheet tray 3 supports media sizes up to SRA3
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3



# Series at a glance

Model	HP Color Laser Jet Managed Flow MFP E877z					
Product number	5QK08A	5QK08A(Base) + 8EP60AAE (Speed license)	5QK08A(Base) + 8EP61AAE (Speed license)	5QK08A(Base) + 8EP62AAE (Speed license)		
Print speed (A4 and letter, black and color) <sup>3</sup>	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm		
Scan speed(A4 and letter, black and color) <sup>4</sup>	150 ppm/300 ipm, simplex/duplex					
Functions	Print, copy, and scan (fax and wireless optional) (all models)					
ADF capacity	300 sheets					
nput capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)					
Advanced workflow features	HP EveryPage technology, full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation					

<sup>1</sup> 2 Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.

# Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.
Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

## Services and Solutions

Service and Support	U03HDE HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HFE HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HGE HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HSPE HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HSPE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HTPE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HME HP 1 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNE HP 3 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HOE HP 4 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HRE HP 5 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNE HP 1 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNPE HP 1 year PW Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNPE HP 2 year PW Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only)
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights  Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App  Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

An administrator must enable the easy-access USB port before use.

An administrator must enable the easy-access USB port before use.

The EB77 series Flow models include a 300-sheet ADF. The EB77 series of models include a 200-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3).

Measured using ISO/IEC 24734, excludes First set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

# Front panel optional colors



#### \*Available with optional color panel accessories

```
Accessories
                                 155P7A HP LaserJet InnerFinisher 2/3 Hole Punch
                                 155P8A HP LaserJet InnerFinisher 2/4 Hole Punch
                                 155P9A HP LaserJet Inner Finisher Swedish Hole Punch
                                 190A2A HP Color LaserJet Department Lunar Gray Color Panel
                                 190A4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel
                                 190A5A HP Laser Jet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel 190A8A HP Laser Jet Department Stand Lunar Gray Color Panel
                                 190B2A HP Color LaserJet Department Comet Red Color Panel
                                 190B4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel
                                 190B5A HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel 190B8A HP LaserJet Department Stand Comet Red Color Panel
                                 190C2A HP Color LaserJet Department Cosmic Green Color Panel
                                 190C4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel 190C5A HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel 190C8A HP LaserJet Department Stand Cosmic Green Color Panel
                                 190D2A HP Color LaserJet Department Constellation Yellow Color Panel
                                 190D4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel 190D5A HP LaserJet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel
                                 190D8A HP LaserJet Department Stand Constellation Yellow Color Panel
                                 190F2A HP Color LaserJet Department Aurora Purple Color Panel
190F4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
                                 190F5A HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel
                                 190F8A HP LaserJet Department Stand Aurora Purple Color Panel
                                 2NR12A HP Removable Hard Drive Enclosure
3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
                                 478C2A HP Printing Voice Assistant
                                4QL32A HP Legic Secure USB Reader
50K14A HP MFP 810 Analog Dual Fax
                                 6GW47A HP LaserJet 2x520 sheet Department Paper Tray/Stand
                                 6GW49A HP LaserJet Inner Finisher
                                6GW50A HP LaserJet Department Job Separator 6GW51A HP LaserJet Booklet Finisher
                                 6GW53A HP LaserJet Department Stand
                                 6GW55A HP LaserJet Stapler/Stacker Finisher
                                6GW56A HP Laser Jet 3000 sheet Department High Capacity Paper Tray/Stand 6GW57A HP Laser Jet 2000 sheet Department High Capacity Paper Tray/Stand
                                 6HN30A HP LaserJet Workflow Accelerator Card
                                 766R7A HP LaserJet 512 GB SED-TAA Full Kit SSD 7ZAO7A HP MFP 811 Analog Dual Fax
                                 7ZA09A HP MFP 801 Analog Single Fax
                                8FP31A HP Jetdirect LAN Accessory
B5L31A HP Foreign Interface Harness
X3D03A HP USB Universal Card Reader
                                 Y1G11A HP LaserJet Hole Punch 2/4 Accessory
                                 Y1G12A HP Laser let Hole Punch Swedish Accessory
                                 Y1G13A HP LaserJet Inner/Booklet Staples
                                 Y1G14A HP LaserJet Stapler/Stacker Finisher Staples
                                 Y1G22A HP LaserJet Paper Tray Heaters Accessory
                                 Y7C05A HP HIP2 Keystroke Reader
Y7C07A HP SIM for HID iClass for HIP2 Reader
Speed Licenses
                                 8EP60AAE HP Color LaserJet Managed MFP E877 40 to 50ppm License
                                 8EP61AAE HP Color LaserJet Managed MFP E877 40 to 60ppm License
                                 8EP62AAE HP Color LaserJet Managed MFP E877 40 to 70ppm License 8LB48AAE HP Color LaserJet Managed MFP E877 50 to 60ppm License
                                 8LB49AAE HP Color LaserJet Managed MFP E877 60 to 70ppm License
                                 8LB50AAE HP Color LaserJet Managed MFP E877 50 to 70ppm License
Supplies
                                  W9160MC
                                                HP W9160MC Black Managed LaserJet Toner Cartridge (Average cartridge yields 25,000 standard pages. Declared yield value in accordance with ISP/IEC 19752.)
                                  W9161MC
                                                HP W9161MC Cyan Managed LaserJet Toner Cartridge (22,500 standard pages in accordance with ISP/IEC 19798)
                                 W9162MC
                                                HP W9162MC Yellow Managed LaserJet Toner Cartridge (22,500 standard pages in accordance with ISP/IEC 19798)
                                  W9163MC
                                                HP W9163MC Magenta Managed LaserJet Toner Cartridge (22,500 standard pages in accordance with ISP/IEC 19798)
                                 W9170MC
                                                HP\ W9170MC\ High\ Yield\ Black\ Managed\ LaserJet\ Toner\ Cartridge\ (Average\ cartridge\ yields\ 50,000\ standard\ pages.\ Declared\ yield\ value\ in\ accordance\ with\ ISP/IEC\ 19752.)
                                  W9171MC
                                                HP\ W9171MC\ High\ Yield\ Cyan\ Managed\ LaserJet\ Toner\ Cartridge\ (45,000\ standard\ pages\ in\ accordance\ with\ ISP/IEC\ 19798)
                                 W9172MC
                                                HP W9172MC High Yield Yellow Managed LaserJet Toner Cartridge (45,000 standard pages in accordance with ISP/IEC 19798)
                                  W9173MC
                                                HP W9173MC High Yield Magenta Managed LaserJet Toner Cartridge (45,000 standard pages in accordance with ISP/IEC 19798)
```

Functions	Print, copy, scan, fax (optional)						
Print speed <sup>1,2</sup>	A4 Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)		
	A4 Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)		
	A4 Black Duplex A4 Color Duplex	Up to 40 ipm Up to 40 ipm	Up to 50 ipm (with 8EP60AAE)  Up to 50 ipm (with 8EP60AAE)	Up to 60 ipm (with 8EP61AAE) Up to 60 ipm (with 8EP61AAE)	Up to 70 ipm (with 8EP62AAE) Up to 70 ipm (with 8EP62AAE)		
	A3 Black	Up to 21 ppm	Up to 26 ppm (with 8EP60AAE)	Up to 30 ppm (with 8EP61AAE)	Up to 35 ppm (with 8EP62AAE)		
	A3 Color First page out Letter Black	Up to 21 ppm As fast as 7.1 sec	Up to 26 ppm (with 8EP60AAE) As fast as 6.5 sec (with 8EP60AAE)	Up to 30 ppm (with 8EP61AAE) As fast as 6.3 sec (with 8EP61AAE)	Up to 35 ppm (with 8EP62AAE) As fast as 6.2 sec (with 8EP62AAE)		
	First page out Letter Color	As fast as 8.3 sec	As fast as 7.4 sec (with 8EP60AAE)	As fast as 7.0 sec (with 8EP61AAE)	As fast as 6.9 sec (with 8EP62AAE)		
	First page out A4 Black First page out A4 Color	As fast as 7.1 sec As fast as 8.3 sec	As fast as 6.5 sec (with 8EP60AAE) As fast as 7.4 sec (with 8EP60AAE)	As fast as 6.3 sec (with 8EP61AAE) As fast as 7.0 sec (with 8EP61AAE)	As fast as 6.2 sec (with 8EP62AAE) As fast as 6.9 sec (with 8EP62AAE)		
int resolution##prntresftntnbr##		•	•	•	ns rast as 0.3 sec (With OLF OZNAL)		
int technology	# Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi; Color (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi  Laser; Optical: Fine lines (1200x1200dpi); Normal (600x600dpi); Quick view (300x300dpi)						
int cartridges number	4 (1 each black, cyan, magenta, yellow)						
andard print languages	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible						
inter smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB						
olor scanning	Yes						
can speed Normal <sup>3</sup>	Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color) <b>Duplex:</b> Up to 300 ipm (b&w), up to 300 ipm (color)						
can type / Technology	Flatbed, ADF / Platen Scanner CCD Digital-CIS						
can resolution	<b>Hardware:</b> Up to 600 × 600 dpi; <b>Optical:</b> Up to 600 × 600 dpi						
an file format6	JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compression PDF; High-Compression PDF/A; Searchable PDF (OCR); Searchable PDF/A (OCR); High-Compression Searchable PDF (OCR); High-Compression Searchable PDF/A (OCR); Unicode TEXT (OCR); TFF (OCR); HTML (OCR); CSV (OCR)						
can input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications						
an Size	<b>ADF Maximum:</b> 297 x 420 mm; <b>ADF Minimum:</b> 68 x 127 mm; <b>Flatbed:</b> 297 x 432 mm;						
canner advanced features	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank pabarcode); watermark; stamps						
uplex ADF scanning	Yes, single pass duplex scanning						
OF capacity	Standard, 300 sheets						
vain version	Version 2.4						
t depth / Grayscale levels	24-bit/256						
igital sending standard features	Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; auto color sense; compact PDF; in adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scan erase edges; image preview; blank page suppression; scan to multi destination; embedded OCR; auto-tone, auto orientation, auto-page-crop; multi-feed detection; reverse and retry; document editing; auto paper cremoval; job separation; automatically straighter; scan to Onedrive for Business; scan to Sharepoint Online						
ppy speed <sup>7</sup>	A4 Black	Up to 40cpm	Up to 50cpm (with 8EP60AAE)	Up to 60cpm (with 8EP61AAE)	Up to 70cpm (with 8EP62AAE)		
	A4 Color A4 Black Duplex	Up to 40 cpm Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)  Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)  Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)  Up to 70 cpm (with 8EP62AAE)		
	A4 Color Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)		
	First copy out Letter Black	+					
	First copy out Letter Color	As fast as 4.9 sec	As fast as 4.2 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62AAE)		
		As fast as 4.9 sec As fast as 6.5 sec	As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE)		
py resolution	First copy out Letter Color First copy out A4 Black	As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)				
•	First copy out Letter Color First copy out A4 Black First copy out A4 Color	As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)				
laximum number of copies	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600	As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)				
laximum number of copies	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adjus collation; booklet; ID scan; job build; job ste	As fast as 6.5 sec  dpi; Color (text and graphics): Up to 6  stments (darkness, contrast, backgrour rage; watermark; stamps; book mode	As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE)  Auto, text, mixed, printed picture, photograp monochrome; image preview, Image Shift, P	As fast as 4.3 sec (with 8EP62AAE)		
aximum number of copies pier resize pier settings	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 600 x 600 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adjus collation; booklet; ID scan; job build; job ste	As fast as 6.5 sec  dpi; Color (text and graphics): Up to 6  stments (darkness, contrast, backgrour rage; watermark; stamps; book mode	As fast as 5.6 sec (with 8EP60AAE)  00 x 600 dpi  nd cleanup, sharpness); optimized text/picture (scans; erase edges; automatically detect color/	As fast as 4.9 sec (with 8EP61AAE)  Auto, text, mixed, printed picture, photograp monochrome; image preview, Image Shift, P	As fast as 4.3 sec (with 8EP62AAE)		
aximum number of copies opier resize opier settings ax speed	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics); Up to 600 × 600 Up to 9999 copies 25 to 400% Two-sided copying; scalability; image adjust collation; booklet; ID scan; job build; job std Auto Orientation; Auto Tone; Crop to page;	As fast as 6.5 sec  dpi; Color (text and graphics): Up to 6  stments (darkness, contrast, backgrourage; watermark; stamps; book mode Multi-feed Detection; Reverse and Ret	As fast as 5.6 sec (with 8EP60AAE)  00 x 600 dpi  nd cleanup, sharpness); optimized text/picture ( scans; erase edges; automatically detect color/ ry; Document Editing; Auto Paper Color Remova	As fast as 4.9 sec (with 8EP61AAE)  Auto, text, mixed, printed picture, photograp monochrome; image preview, Image Shift, P	As fast as 4.3 sec (with 8EP62AAE)  sh); N-Up; N or Z-ordering; content orient-		
aximum number of copies uppier resize uppier settings ux speed ux resolution	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color  Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400%  Two-sided copying; scalability; image adjust collation; booklet; ID scan; job build; job str. Auto Orientation; Auto Tone; Crop to page; Up to: 33.6 kbps  Black (best): Up to 300 x 300 dpi (400 x 40)  Fax memory: Up to 500 pages; Up to 500	As fast as 6.5 sec  dpi; Color (text and graphics): Up to 6  dpi; Color (text and graphics): Up to 6  streents (darkness, contrast, backgrour  rage; watermark; stamps; book mode  Multi-feed Detection; Reverse and Ret.  do dpi for received faxes only); Black (st  bages Auto fax reduction supported: Ye  ted: Yes (poll to receive only) Fax telep	As fast as 5.6 sec (with 8EP60AAE)  00 x 600 dpi  and cleanup, sharpness); optimized text/picture (scans; erase edges; automatically detect color/ry; Document Editing; Auto Paper Color Removal andard); 203 x 98 dpi  ss Auto-redialing; Yes Fax delayed sending; No Ehone mode supported; No Junk barrier support	As fast as 4.9 sec (with 8EP61AAE)  Auto, text, mixed, printed picture, photograp monochrome; image preview. Image Shift; Pi; Job Separation; Automatically Straighten;  Distinctive ring detection supported: No Fax f	As fast as 4.3 sec (with 8EP62AAE)  wh); N-Up; N or Z-ordering; content orient- aper Selection; collate; Blank Page Suppi		
aximum number of copies upier resize upier settings x speed x resolution x Features	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color  Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400%  Two-sided copying; scalability; image adjust collation; booklet; ID scan; job build; job std Auto Orientation; Auto Tone; Crop to page; Up to: 33.6 kbps  Black (best): Up to 300 x 300 dpi (400 x 40) Fax memory: Up to 500 pages; Up to 500 jinterface supported: No Fax polling suppor PC interface supported: Yes Remote retrieverses	As fast as 6.5 sec  dipi; Color (text and graphics): Up to 6  stments (darkness, contrast, backgroundings; watermark; stamps; book mode Multi-feed Detection; Reverse and Retropolation of the contract of the	As fast as 5.6 sec (with 8EP60AAE)  00 x 600 dpi  and cleanup, sharpness); optimized text/picture (scans; erase edges; automatically detect color/ry; Document Editing; Auto Paper Color Removal andard); 203 x 98 dpi  ss Auto-redialing; Yes Fax delayed sending; No Ehone mode supported; No Junk barrier support	As fast as 4.9 sec (with 8EP61AAE)  Auto, text, mixed, printed picture, photograp monochrome; image preview; Image Shift; Pi; Job Separation; Automatically Straighten;  Distinctive ring detection supported: No Fax fed: Yes Maximum speed dialing numbers: Up	As fast as 4.3 sec (with BEP62AAE)  wh); N-Up; N or Z-ordering; content orient aper Selection; collate; Blank Page Supp forwarding supported: Yes Fax phone TAI to to 1000 numbers (each with 210 destinations).		
aximum number of copies  ppier resize  ppier settings  x speed  x resolution  x Features  andard connectivity	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color  Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400%  Two-sided copying; scalability; image adjust collation; booklet; ID scan; job build; job std Auto Orientation; Auto Tone; Crop to page; Up to: 33.6 kbps  Black (best): Up to 300 x 300 dpi (400 x 40) Fax memory: Up to 500 pages; Up to 500 jinterface supported: No Fax polling suppor PC interface supported: Yes Remote retrieverses	As fast as 6.5 sec  dipi; Color (text and graphics): Up to 6  dipi; Color (text and graphics): Up to 6  streets (darkness, contrast, backgrou  rrage; watermark; stamps; book mode  Multi-feed Detection; Reverse and Ret  odipi for received faxes only); Black (st  capages Auto fax reduction supported: Ye  ted: Yes (poll to receive only) Fax telep  al capability supported: No Telephone  ; 1 Hardware Integration Pocket 2nd gr	As fast as 5.6 sec (with 8EP60AAE)  00 x 600 dpi  od cleanup, sharpness); optimized text/picture ( scans; erase edges; automatically detect color/ ry; Document Editing; Auto Paper Color Remova  andard); 203 x 98 dpi  s Auto-redialing; Yes Fax delayed sending; No E hone mode supported: No Junk barrier support handset supported: No eneration (HIP2); 1 Hi-Speed USB 2.0 (host); 1 S	As fast as 4.9 sec (with 8EP61AAE)  Auto, text, mixed, printed picture, photograp monochrome; image preview; Image Shift; Pi; Job Separation; Automatically Straighten;  Distinctive ring detection supported: No Fax fed: Yes Maximum speed dialing numbers: Up	As fast as 4.3 sec (with 8EP62AAE)  wh); N-Up; N or Z-ordering; content orient aper Selection; collate; Blank Page Suppliorwarding supported: Yes Fax phone TAN to to 1000 numbers (each with 210 destinations)		
pier resize pier settings  x speed x resolution x Features andard connectivity twork capabilities	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color  Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies  25 to 400%  Two-sided copying; scalability; image adjust collation; booklet; ID scan; job build; job stc Auto Orientation; Auto Tone; Crop to page; Up to: 33.6 kbps  Black (best): Up to 300 x 300 dpi (400 x 40) Fax memory: Up to 500 pages; Up to 500 pinterface supported: No Fax polling suppor PC interface supported: Yes Remote retrieved to gigabit Ethernet 10/100/1000T networks.	As fast as 6.5 sec  dipi; Color (text and graphics): Up to 6  streets (darkness, contrast, backgroundage; watermark; stamps; book mode Multi-feed Detection; Reverse and Retrophysios (and the state of	As fast as 5.6 sec (with 8EP60AAE)  00 x 600 dpi  od cleanup, sharpness); optimized text/picture ( scans; erase edges; automatically detect color/ ry; Document Editing; Auto Paper Color Remova  andard); 203 x 98 dpi  s Auto-redialing; Yes Fax delayed sending; No E hone mode supported: No Junk barrier support handset supported: No eneration (HIP2); 1 Hi-Speed USB 2.0 (host); 1 S	As fast as 4.9 sec (with 8EP61AAE)  Auto, text, mixed, printed picture, photograp monochrome; image preview; Image Shift; Pi; Job Separation; Automatically Straighten;  Distinctive ring detection supported: No Fax fed: Yes Maximum speed dialing numbers: Up	As fast as 4.3 sec (with BEP62AAE)  wh); N-Up; N or Z-ordering; content orient aper Selection; collate; Blank Page Supp forwarding supported: Yes Fax phone TAI to to 1000 numbers (each with 210 destinations).		
pier resize pier settings  x speed x resolution x Features  andard connectivity etwork capabilities reless capability	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Black First copy out A4 Color  Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400%  Two-sided copying: scalability; image adjust collation; booklet; ID scan; job build; job sto Auto Orientation; Auto Tone; Crop to page; Up to: 33.6 kbps  Black (best): Up to 300 x 300 dpi (400 x 40 Fax memory: Up to 500 pages; Up to 500 pinterface supported: No Fax polling suppor PC interface supported: Yes Remote retrieved to Gigabit Ethernet 10/100/1000T network Standard (built-in GIGABIT 10/100/1000T)	As fast as 6.5 sec  dipi; Color (text and graphics): Up to 6  stments (darkness, contrast, backgroundings; watermark; stamps; book mode Multi-feed Detection; Reverse and Retropolation of the state of	As fast as 5.6 sec (with 8EP60AAE)  00 x 600 dpi  and cleanup, sharpness); optimized text/picture (scans; erase edges; automatically detect color/ry; Document Editing; Auto Paper Color Remova  andard): 203 x 98 dpi  andard): 203 x 98 dpi  andard): Yes Fax delayed sending: No Enone mode supported: No Junk barrier supporthandset supported: No  eneration (HIP2); 1 Hi-Speed USB 2.0 (host); 1 S  JP) support	As fast as 4.9 sec (with 8EP61AAE)  Auto, text, mixed, printed picture, photograp monochrome; image preview; Image Shift; Pi; Job Separation; Automatically Straighten;  Distinctive ring detection supported: No Fax fed: Yes Maximum speed dialing numbers: Up	As fast as 4.3 sec (with BEP62AAE)  wh); N-Up; N or Z-ordering; content orient aper Selection; collate; Blank Page Supp forwarding supported: Yes Fax phone TAI to to 1000 numbers (each with 210 destinations).		
aximum number of copies  aximum number of copi	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color  Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies  25 to 400%  Two-sided copying; scalability; image adjucture collation; booklet; ID scan; job build; job std Auto Orientation; Auto Tone; Crop to page; Up to: 33.6 kbps  Black (best): Up to 300 × 300 dpi (400 × 40) Fax memory: Up to 500 pages; Up to 500 interface supported: No Fax polling suppor PC interface supported: Yes Remote retrieved to 16 Gigabit Ethernet 10/100/1000T network Standard (built-in GIGABIT 10/100/1000T) Optional, enabled with purchase of a hardy	As fast as 6.5 sec  dipi; Color (text and graphics): Up to 6  stments (darkness, contrast, backgroundings; watermark; stamps; book mode Multi-feed Detection; Reverse and Retropolation of the state of	As fast as 5.6 sec (with 8EP60AAE)  00 x 600 dpi  and cleanup, sharpness); optimized text/picture (scans; erase edges; automatically detect color/ry; Document Editing; Auto Paper Color Remova  andard): 203 x 98 dpi  andard): 203 x 98 dpi  andard): Yes Fax delayed sending: No Enone mode supported: No Junk barrier supporthandset supported: No  eneration (HIP2); 1 Hi-Speed USB 2.0 (host); 1 S  JP) support	As fast as 4.9 sec (with 8EP61AAE)  Auto, text, mixed, printed picture, photograp monochrome; image preview; Image Shift; Pi; Job Separation; Automatically Straighten;  Distinctive ring detection supported: No Fax fed: Yes Maximum speed dialing numbers: Up	As fast as 4.3 sec (with BEP62AAE)  wh); N-Up; N or Z-ordering; content orient aper Selection; collate; Blank Page Supp forwarding supported: Yes Fax phone TAI to to 1000 numbers (each with 210 destinations).		
aximum number of copies  ppier resize  ppier settings  ax speed  ax resolution  ax Features  tandard connectivity  etwork capabilities  lireless capability  obile printing capability  emory	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color  Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies  25 to 400%  Two-sided copying; scalability; image adjust collation; booklet; ID scan; job build; job str. Auto Orientation; Auto Tone; Crop to page; Up to: 33.6 kbps  Black (best): Up to 300 x 300 dpi (400 x 40) Fax memory: Up to 500 pages; Up to 500 pinterface supported: No Fax polling suppor PC interface supported: Yes Remote retrieved to the property of th	As fast as 6.5 sec  1 dpi; Color (text and graphics): Up to 6  2 dpi; Color (text and graphics): Up to 6  3 strments (darkness, contrast, backgrourage; watermark; stamps; book mode  Multi-feed Detection; Reverse and Ret  10 dpi for received faxes only); Black (st  10 ages Auto fax reduction supported: Ye  12 ted: Yes (poll to receive only) Fax telep  12 capability supported: No Telephone  13 Hardware Integration Pocket 2nd gr  14 terdware Integration Pocket 2nd gr  15 ternet); Microsoft Universal Print (Multi-  16 vare accessory  17 Direct Printing; NFC Touch-to-print (opt-  17 SD(766R7A): Optional, HP Laser Jet 512	As fast as 5.6 sec (with 8EP60AAE)  00 x 600 dpi  and cleanup, sharpness); optimized text/picture (scans; erase edges; automatically detect color/ry; Document Editing; Auto Paper Color Remova  andard): 203 x 98 dpi  andard): 203 x 98 dpi  andard): Yes Fax delayed sending: No Enone mode supported: No Junk barrier supporthandset supported: No  eneration (HIP2); 1 Hi-Speed USB 2.0 (host); 1 S  JP) support	As fast as 4.9 sec (with BEP61AAE)  Auto, text, mixed, printed picture, photograp monochrome; image preview; Image Shift; Pi; Job Separation; Automatically Straighten;  Distinctive ring detection supported: No Fax fed: Yes Maximum speed dialing numbers: UpuperSpeed USB 3.0 (device); 1 SuperSpeed UpperSpeed UpperSpeed USB 3.0 (device); 1 SuperSpeed UpperSpeed Uppe	As fast as 4.3 sec (with BEP62AAE)  wh); N-Up; N or Z-ordering; content orient laper Selection; collate; Blank Page Supp  forwarding supported: Yes Fax phone TAI to 1000 numbers (each with 210 destir		
aximum number of copies  aximum number of copi	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color  Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies  25 to 400%  Two-sided copying; scalability; image adjust collation; booklet; ID scan; job build; job str. Auto Orientation; Auto Tone; Crop to page; Up to: 33.6 kbps  Black (best): Up to 300 x 300 dpi (400 x 40) Fax memory: Up to 500 pages; Up to 500 pinterface supported: No Fax polling suppor PC interface supported: Yes Remote retrieved to the property of th	As fast as 6.5 sec  1 dpi; Color (text and graphics): Up to 6  2 dpi; Color (text and graphics): Up to 6  3 dpi; Color (text and graphics): Up to 6  3 dpi; Color (text and graphics): Up to 6  3 dpi; Color (text and graphics): Up to 6  4 dpi; Color (text and graphics): Up to 6  4 dpi; Color (text and graphics): Up to 6  5 dpi; Color (text and graphics): Up to 6  5 dpi; Color (text and graphics): Up to 6  5 dpi; Color (text and graphics): Up to 7  5 dpi; Color (text and graphics): Up to 180,000 pages  4 dpi; Color (text and graphics): Up to 180,000 pages  4 dpi; Color (text and graphics): Up to 180,000 pages  4 dpi; Color (text and graphics): Up to 180,000 pages	As fast as 5.6 sec (with 8EP60AAE)  00 x 600 dpi  od cleanup, sharpness); optimized text/picture (scans; erase edges; automatically detect color/ry; Document Editing; Auto Paper Color Remova  andard): 203 x 98 dpi  es Auto-redialing; Yes Fax delayed sending; No Ehone mode supported: No Junk barrier support handset supported: No eneration (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SJP) support  ional); PrinterOn Print  2 GB SED-TAA Solid State Drive / Storage: Standi Temporary Job Files, Secure Erase-Job Data, Se  Up to 200,000 pages (with 8EP60AAE)	As fast as 4.9 sec (with BEP61AAE)  Auto, text, mixed, printed picture, photograp monochrome: image preview; Image Shift; Pil; Job Separation; Automatically Straighten; li; Job Separation; Automatically Straighten; Distinctive ring detection supported: No Fax fed: Yes Maximum speed dialing numbers: U; uperSpeed USB 3.0 (device); 1 SuperSpeed UperSpeed UperS	As fast as 4.3 sec (with 8EP62AAE)  wh); N-Up; N or Z-ordering; content orient laper Selection; collate; Blank Page Supp  forwarding supported: Yes Fax phone TAI or to 1000 numbers (each with 210 destire USB 3.0 (host)  d disk: Standard, HP Laser Jet 500GB Hara Up to 300,000 pages (with 8EP62A)		
opy resolution laximum number of copies opier resize opier settings  ax speed ax resolution ax Features tandard connectivity letwork capabilities //ireless capability lobile printing capability lemory rocessor speed uty cycle (monthly) ecommended monthly page volum	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color  Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies  25 to 400%  Two-sided copying; scalability; image adjuctly collation; booklet; ID scan; job build; job stock Auto Orientation; Auto Tone; Crop to page; Up to: 33.6 kbps  Black (best): Up to 300 × 300 dpi (400 × 40) Fax memory: Up to 500 pages; Up to 500 interface supported: No Fax polling supported: No Fax polling supported: Seamote retrieved to the supported to the su	As fast as 6.5 sec  1 dpi; Color (text and graphics): Up to 6  2 dpi; Color (text and graphics): Up to 6  3 dpi; Color (text and graphics): Up to 6  3 dpi; Color (text and graphics): Up to 6  3 dpi; Color (text and graphics): Up to 6  4 dpi; Color (text and graphics): Up to 6  4 dpi; Color (text and graphics): Up to 6  4 dpi; Color (text and graphics): Up to 6  5 dpi; Color (text and graphics): Up to 6  6 dpi; Color (text and graphics): Up to 6  6 dpi; Color (text and graphics): Up to 6  6 dpi; Color (text and graphics): Up to 6  6 dpi; Color (text and graphics): Up to 6  6 dpi; Color (text and graphics): Up to 6  6 dpi; Color (text and graphics): Up to 6  6 dpi	As fast as 5.6 sec (with 8EP60AAE)  00 x 600 dpi  and cleanup, sharpness); optimized text/picture (scans; erase edges; automatically detect color/ry; Document Editing; Auto Paper Color Remova  andard): 203 x 98 dpi  andard): 203 x 98 dpi  andard): Yes Fax delayed sending: No Inhone mode supported: No Junk barrier support handset supported: No Deneration (HIP2); 1 Hi-Speed USB 2.0 (host); 1 S  JP) support  ional); PrinterOn Print  2 GB SED-TAA Solid State Drive / Storage: Stand: Temporary Job Files, Secure Erase-Job Data, Se	As fast as 4.9 sec (with BEP61AAE)  Auto, text, mixed, printed picture, photograp monochrome; image preview; Image Shift; Pi; Job Separation; Automatically Straighten; Jostinctive ring detection supported: No Fax fed: Yes Maximum speed dialing numbers: UguperSpeed USB 3.0 (device); 1 SuperSpeed UperSpeed UperSpeed USB 3.0 (device); 1 SuperSpeed UperSpeed USB 3.0 (device); 1 SuperSpeed UperSpeed UperSpee	As fast as 4.3 sec (with BEP62AAE)  wh); N-Up; N or Z-ordering; content orient aper Selection; collate; Blank Page Supp  conwarding supported: Yes Fax phone TAI to 1000 numbers (each with 210 destir  USB 3.0 (host)		

# **Technical specifications**

Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, HP Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored				
Media weight supported	Tray 1, 2, 3: 60 to 325 g/m <sup>2</sup>				
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, 8K, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope B1; Tray 3: A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope B6, Envelope B7, Envelope B7, Envelope B8, Envelope B8, Envelope B8, Envelope B8, Envelope B9, Envelo				
Media Sizes Custom	Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm				
What's in the box	5QK08A HP Color Laser Jet Managed MFP E877z Printer; In box materials; Guide install; Flyer Regulatory; Power Cords; Keyboard/Overlay; Label; Drums				
Replacement cartridges <sup>4</sup>	HP Black Managed LaserJet Toner Cartridge (ISO Yield 25,000) W9160MC; HP Cyan Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9161MC; HP Yellow Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9162MC; HP Magenta Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9162MC; HP Magenta Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9173MC HP Cyan Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9171MC; HP Yellow Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9173MC				
Product dimensions	<b>W x d x h</b> : 638.8 x 745.9 x 933.9 mm; <b>Maximum</b> : 1656.7 x 1301 x 1503.9 mm;				
Product weight	104.6 kg;				
Warranty features	1 Year Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options i region.				
Energy star certified	Yes				
Ecolabels	IT ECO Declaration; Blue Angel; EPEAT® registered; ENERGY STAR® certified				
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker				
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)				
Software included	No software solutions are included in the box, only on http://hp.com http://123.hp.com				
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTP: Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good cor HP Memory Shield®, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Mes processed and accessible in Arcsight and Splunk SIEMs				
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS				
Compatible network operating systems	Windows 8; Windows Server; Linux; Citrix; UNIX				
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see http://www.microsoft.com; Mac: 2 GB available hard drive space, Internet connection, o USB port, Internet browser. For additional OS hardware requirements see http://www.apple.com				
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing), 102 printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)				
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing); 52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 60ppm; 55dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 60ppm; 55dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 60ppm; 55dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 60ppm; 55dB(A), printing col				
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH				

#### Messaging Footnotes

.... 3.1003 Global Red Garden Security leatures are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: http://www.hp.com/go/PrinterSecurityClaims .

2 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: <a href="http://standards.iso.org/lttf/PubliclyAvailableStandards/SC28\_Test\_Pages/">http://standards.iso.org/lttf/PubliclyAvailableStandards/SC28\_Test\_Pages/</a>

Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

4 HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity.

5 Third-party certification based on Common Criteria Information Technology Security Evaluation ISQ/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf.

6 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
7 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See http://www.hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

B HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

#### **Technical Specifications Footnotes**

- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

  Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.
  First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printer claims. Exact speed varies depending on the system configuration and document.

Acoustic values are subject to change. For current information see https://www.hp.com/support

Scan to Onedrive, scan to Onedrive for Business, and scan to Sharepoint Online requires HP FutureSmart 5.8 or later.
Requires HP FutureSmart 5.8.1.1 or later.

### To learn more, visit

