HP Color LaserJet Managed Flow MFP E877z Printer series



Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity

- Experience speed and performance like no other with our fastest ever 300 ipm² duplex scan technology.
- Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.³
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of expensive color matching systems.

Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified⁵ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁶
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁷ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.⁸
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.9

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to A3
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. Hi-Speed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3
- 14. 300-sheet dual side ADF supports media sizes up to A3 (Flow models only) 3
- 15. 25.6 cm color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to SRA3
- 20. 520-sheet tray 3 supports media sizes up to SRA3
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3



Series at a glance

Model	HP Color LaserJet Managed Flow MFP E877z					
Product number	5QK08A	5QK08A(Base) + 8EP60AAE (Speed license)	5QK08A(Base) + 8EP61AAE (Speed license)	5QK08A(Base) + 8EP62AAE (Speed license)		
Print speed (A4 and letter, black and color) ³	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm		
Scan speed(A4 and letter, black and color) ⁴	150 ppm/300 ipm, simplex/duplex					
Functions	Print, copy, and scan (fax and wireless optional) (all models)					
ADF capacity	300 sheets					
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)					
Advanced workflow features	HP EveryPage technology, full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation					

² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 The E877 series Flow models include a 300-sheet ADF. The E877 series of models include a 200-sheet ADF. The Hardware Integration (Series Flow models include a 300-sheet ADF. The E877 series Flow models include a 300-sheet ADF. The E877 series Flow models include a 300-sheet ADF. The E877 series Flow models include a 300-sheet ADF. The E877 series Flow models include a 300-sheet ADF. The E877 series Flow models include a 300-sheet ADF. The E877 series Flow models include a 300-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3).
5 Measured using ISO/IEC 24734, excludes First set of test documents. For more information, see hp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Front panel optional colors



*Available with optional color panel accessories

Services and Solutions

Service and Support	U03HCE HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HCE HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HCE HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HCE HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HCE HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HCE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HCE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HMCE HP 1 year Post Suchange Service for Color LaserJet Managed MFP E877xx U03HMCE HP 3 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HOE HP 4 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HRE HP 5 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HRE HP 5 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HRE HP 5 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HRE HP 5 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HRE HP 5 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only)
Solutions	Security: HP Access Control: HP Security Manager; HP Advancer; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit
Accessories (Optional)	1 SSPA HP Laser let ImmerFinable z 2H blade Punch 1 SSPA HP Laser let ImmerFinable z 2H blade Punch 1 SSPA HP Laser let Immer Finable Swedeth into Punch 1 SSPA HP Laser let Immer Finable Swedeth into Punch 1 SSPA HP Laser let Department skope David Note Punch 1 SSPA HP Laser let Department High Capably Paper TrayStand Lanar Gray Color Panel 1 SSPA HP Laser let Department Expand the Stand Lanar Gray Color Panel 1 SSPA HP Laser let Department Expand the Stand Lanar Gray Color Panel 1 SSPA HP Laser let Department Expand Lanar Gray Color Panel 1 SSPA HP Laser let Department Expand Lanar Gray Color Panel 1 SSPA HP Laser let Department Stand Cannel Red Color Panel 1 SSPA HP Laser let Department Stand Cannel Red Color Panel 1 SSPA HP Laser let Department Stand Cannel Red Color Panel 1 SSPA HP Laser let Department Stand Cannel Red Color Panel 1 SSPA HP Laser let Department Stand Cannel Red Color Panel 1 SSPA HP Laser let Department Stand Cannel Red Color Panel 1 SSPA HP Laser let Department High Capably Paper TrayStand Connel Red Color Panel 1 SSPA HP Laser let Department High Capably Paper TrayStand Connel Red Color Panel 1 SSPA HP Laser let Department High Capably Paper TrayStand Connel Red Color Panel 1 SSPA HP Laser let Department Stand Connel Red Color Panel 1 SSPA HP Laser let Department Stand Connel Red Color Panel 1 SSPA HP Laser let Department Stand Connel Red Color Panel 1 SSPA HP Laser let Department Stand Connel Red Color Panel 1 SSPA HP Laser let Department Stand Connel Red Color Panel 1 SSPA HP Laser let Department Stand Connel Red Color Panel 1 SSPA HP Laser let Department Stand Connel Red Color Panel 1 SSPA HP Laser let Department Stand Connel Red Color Panel 1 SSPA HP Laser let Department Stand Connel Red Color Panel 2 SSPA HP Laser let Department Stand Connel Red Color Panel 2 SSPA HP Laser let Department Stand Connel Red Color Panel 2 SSPA HP Laser let Department Stand Connel Red Color Panel 2 SSPA HP Laser let Department Stand Connel Red Color Panel 2 SSPA HP Laser let Department Stand Connel Red Co
Speed Licenses	YTCOTA HP SIM for HID IClass for HIP2 Reader BEP60AAE HP Color Laser Jet Managed MFP E877 40 to 50ppm License BEP61AAE HP Color Laser Jet Managed MFP E877 740 to 60ppm License BEP62AAE HP Color Laser Jet Managed MFP E877 70 to 70ppm License BLB48AAE HP Color Laser Jet Managed MFP E877 70 to 70ppm License BLB49AAE HP Color Laser Jet Managed MFP E877 50 to 70ppm License BLB49AAE HP Color Laser Jet Managed MFP E877 50 to 70ppm License BLB49AAE HP Color Laser Jet Managed MFP E877 50 to 70ppm License BLB50AAE HP Color Laser Jet Managed MFP E877 50 to 70ppm License
Supplies	W9160MC HP W9160MC Black Managed Laser Jet Toner Cartridge (Average cartridge yields 25,000 standard pages. Declared yield value in accordance with ISP/IEC 19752.) W9161MC HP W9161MC Cyan Managed Laser Jet Toner Cartridge (22,500 standard pages in accordance with ISP/IEC 19798) W9163MC HP W9162MC Yellow Managed Laser Jet Toner Cartridge (22,500 standard pages in accordance with ISP/IEC 19799) W9163MC HP W9163MC Magenta Managed Laser Jet Toner Cartridge (22,500 standard pages in accordance with ISP/IEC 19798)

Model	HP Color LaserJet Managed MFP E8	SI IZ						
Product number	5QK08A							
unctions	Print, copy, scan, fax (optional)							
rint speed ^{1,2}	A4 Black A4 Color	Up to 40 ppm Up to 40 ppm	Up to 50 ppm (with 8EP60AAE) Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE) Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE) Up to 70 ppm (with 8EP62AAE)			
	A4 Black Duplex	Up to 40 ipm	Up to 50 ipm (with 8EP60AAE)	Up to 60 ipm (with 8EP61AAE)	Up to 70 ipm (with 8EP62AAE)			
	A4 Color Duplex A3 Black	Up to 40 ipm Up to 21 ppm	Up to 50 ipm (with 8EP60AAE) Up to 26 ppm (with 8EP60AAE)	Up to 60 ipm (with 8EP61AAE) Up to 30 ppm (with 8EP61AAE)	Up to 70 ipm (with 8EP62AAE) Up to 35 ppm (with 8EP62AAE)			
	A3 Color	Up to 21 ppm	Up to 26 ppm (with 8EP60AAE)	Up to 30 ppm (with 8EP61AAE)	Up to 35 ppm (with 8EP62AAE)			
	First page out Letter Black First page out Letter Color	As fast as 6.6 sec As fast as 7.7 sec	As fast as 6.1 sec (with 8EP60AAE) As fast as 7.0 sec (with 8EP60AAE)	As fast as 5.7 sec (with 8EP61AAE) As fast as 6.5 sec (with 8EP61AAE)	As fast as 5.7 sec (with 8EP62AAE) As fast as 6.4 sec (with 8EP62AAE)			
	First page out A4 Black First page out A4 Color	As fast as 6.6 sec As fast as 7.7 sec	As fast as 6.1 sec (with 8EP60AAE) As fast as 7.0 sec (with 8EP60AAE)	As fast as 5.7 sec (with 8EP61AAE) As fast as 6.5 sec (with 8EP61AAE)	As fast as 5.7 sec (with 8EP62AAE) As fast as 6.4 sec (with 8EP62AAE)			
int resolution##prntresftntnbr##				•	Instastas of the (with our our view)			
int technology	# Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi; Color (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi Laser; Optical: Fine lines (1200x1200dpi); Normal (600x600dpi); Quick view (300x300dpi)							
int cartridges number	4 (1 each black, cyan, magenta, yellow)							
andard print languages			compatible					
rinter smart software features	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible							
	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB							
olor scanning	Yes							
can speed ³	A4: Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color) Duplex: Letter: A4: Up to 300 ipm (b&w), up to 300 ipm (color)							
an type / Technology	Flatbed, ADF / Platen Scanner CCD Digital-CIS							
can resolution	Hardware: Up to 600 x 600 dpi; Opt	· · · · · · · · · · · · · · · · · · ·						
can file format6	JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compression PDF; High-Compression PDF/A; Searchable PDF (OCR); Searchable PDF/A (OCR); High-Compression Searchable PDF (OCR); High-Compression Searchable PDF/A							
can input modes	Front panel applications: Copy; Fax;	Scan to Email; Scan to Network Folder; S	Scan to USB; Scan to Job Storage; Open Extensibility	Platform (OXP), HP Workpath applications				
can Size	ADF Maximum: 297 x 420 mm; ADF	Minimum: 68 x 127 mm; Flatbed: 297 x	432 mm;					
canner advanced features	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank p barcode); watermark; stamps							
uplex ADF scanning	Yes, single pass duplex scanning							
DF capacity	Standard, 300 sheets							
wain version	Version 2.4							
it depth / Grayscale levels	24-bit/256							
igital sending standard features opy speed ⁷	Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSI; auto color sense adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; De scan; job build, watermark; stamps; erase edges; image preview, blank page suppression; scan to multi destination; embedded OCR; auto-tone, auto orientation, auto-page-crop; multi-feed detection; reverse and retry; document edit removal; job separation; automatically straighten; scan to Onedrive; scan to Onedrive for Business; scan to Sharepoint Online A4 Black Up to 40cpm Up to 50cpm (with 8EP60AAE) Up to 60cpm (with 8EP61AAE) Up to 70cpm (with 84 Ord) Up to 60cpm (with 8EP61AAE) Up to 70cpm (with 84 Ord) Up to 60cpm (with 84 Ord) Up to 70cpm (with 84 Ord) Up to 60cpm (with 84 Ord) Up to 70cpm (with 74 Ord)							
	A4 Black Duplex A4 Color Duplex	Up to 40 cpm Up to 40 cpm	Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE) Up to 70 cpm (with 8EP62AAE)			
	First copy out Letter Black	ор то 40 српт	ор то зо срит (мин вероодде)	Up to 60 cpm (with 8EP61AAE)	op to 70 cpill (with 6EP62AAE)			
	First copy out Letter Color First copy out A4 Black	As fast as 4.3 sec	As fast as 3.6 sec (with 8EP60AAE)	As fast as 3.2 sec (with 8EP61AAE)	As fast as 2.9 sec (with 8EP62AAE)			
	First copy out A4 Color	As fast as 5.7 sec	As fast as 4.8 sec (with 8EP60AAE)	As fast as 4.2 sec (with 8EP61AAE)	As fast as 3.7 sec (with 8EP62AAE)			
ppy resolution	Black (text and graphics): ; Up to 60	00 x 600 dpi ; Color (text and graphics): U	p to 600 x 600 dpi					
aximum number of copies	Up to 9999 copies							
opier resize	25 to 400%							
opier settings	25 to 400% Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orient collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect cloin/monochrome; image preview, image Shift; Paper Selection; collate; Blank Page Supp Auto Orientation; Auto Tone; Crop to page; Whiti-feed Detection; Reverse and Retry; Obcument Editing; Auto Paper Color Removal; Job Separation; Automatically Straighten;							
ax speed	Up to: 33.6 kbps		<u> </u>					
ex resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi							
ax Features	Fax memory: Up to 500 x 300 dp1400 x 400 dp1 for received raxes only); black (standard): 203 x 98 dp1 Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destir PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No							
tandard connectivity	•••		2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1	SuperSpeed USB 3.0 (device): 1 SuperSpeed	JSB 3.0 (host)			
etwork capabilities		1000T Ethernet); Microsoft Universal Pri		Tapa and and an analy is adversible on				
			т (мог) заррот					
reless capability	Optional, enabled with purchase of		t (aptional): PrinterC - Print					
obile printing capability	Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print							
	Standard:6GB; Maximum:6GB							
lemory	Quad Core (1.6GHz), Dual Core (1.4GHz); SSD(766R7A): Optional, HP LaserJet 512 GB SED-TAA Solid State Drive / Storage : Standard, embedded 500 GB hard disk drive / Hard disk : Standard, HP LaserJet 500GB Hard Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)							
lemory	Drive; AES 256 hardware encryption							
lemory rocessor speed		n; Secure erase capabilities (Secure File E Up to 180,000 pages Up to 180,000 pages	Up to 200,000 pages (with 8EP60AAE Up to 200,000 pages (with 8EP60AAE		Up to 300,000 pages (with 8EP62A Up to 300,000 pages (with 8EP62A			
Memory Processor speed Outy cycle (monthly) Recommended monthly page volum	Drive; AES 256 hardware encryption Letter: A4:	Up to 180,000 pages	Up to 200,000 pages (with 8EP60AAE					

Technical specifications

Model	HP Color LaserJet Managed MFP E877z				
Product number	5QK08A				
Media types supported	Plain, HP EccEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Gloss 111-130g, HP Matte 150g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored				
Media weight supported	Tray 1, 2, 3: 60 to 325 g/m²				
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, RA4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k				
Media Sizes Custom	Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm				
What's in the box	5QK08A HP Color LaserJet Managed MFP E877z Printer; In box materials; Guide install; Flyer Regulatory; Power Cords; Keyboard/Overlay; Label; Drums				
Replacement cartridges ⁴	HP Black Managed LaserJet Toner Cartridge (ISO Yield 25,000) W9160MC; HP Cyan Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9161MC; HP Yellow Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9162MC; HP Magenta Managed LaserJet Toner Cartridge (ISO Yield 50,000) W9170MC; HP Cyan Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9171MC; HP Yellow Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9171MC; HP Magenta Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9173MC				
Product dimensions	W x d x h : 638.8 x 745.9 x 933.9 mm; Maximum : 1656.7 x 1301 x 1503.9 mm;				
Product weight	104.6 kg;				
Warranty features	1 Year Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in region.				
Energy star certified	Yes				
Ecolabels	IT ECO Declaration; Blue Angel; EPEAT® registered; ENERGY STAR® certified				
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker				
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)				
Software included	No software solutions are included in the box, only on http://hp.com http://123.hp.com				
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTP: Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good cor HP Memory Shield ^{IM} ; Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Mes processed and accessible in Arcsight and Splunk SIEMs				
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS				
Compatible network operating systems	Windows 8; Windows Server; Linux; Citrix; UNIX				
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see http://www.microsoft.com; Mac: 2 GB available hard drive space, Internet conne USB port, Internet browser. For additional OS hardware requirements see http://www.apple.com				
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)				
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing); 52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 60ppm; 55dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 50ppm; 55dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 50ppm; 55dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 50ppm; 55dB(A), printing col				
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH				

Messaging Footnotes

- 1 HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrinterStatProtect. For more information, visit: bttp://www.hp.com/go/PrinterSecurityClaims .
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28_Test_Pages/ Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

 HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity.
- 5 HT SECURITY STOWN HWO SECURITY, SECURITY ENGINEED AND YOU PREMION TO HOLD ENGINEED AND AND AND ADMINISTRATION OF THE PROPERTY OF THE PROPERT
- $100\%\,outer\,fiber-based\,packaging\,and\,internal\,fiber-based\,cushions\,made\,from\,sustainably\,sourced\,certified\,and\,recycled\,fibers.$
- HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines.
- HP printer, HP paper and Original HP supply Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- A phoroximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.
 For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT). Open Office XML requires HP FutureSmart 5.9 or later.
 For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT). Open Office XML requires HP FutureSmart 5.9 or later.
 For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT). Open Office XML requires HP FutureSmart 5.9 or later.
 For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT). Open Office XML requires HP FutureSmart 5.9 or later.
- a ground the same subject to change. For current information see https://www.hp.com/support groundstates are subject to change. For current information see https://www.hp.com/support Coan to Onedrive, scan to Onedrive for Business, and scan to Sharepoint Online requires HP FutureSmart 5.8 or later. Requires HP FutureSmart 5.8.1.1 or later.













To learn more, visit

