# HP Color LaserJet Managed MFP E785dn



#### Powerful, Flexible, Secure,

Change is the only constant in business. Advance your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers 'vou'll stay secure and simplify fleet management for busy IT pros.



### Unleash peak productivity.

- Tackle anything with our powerful processor. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Increase your day-to-day productivity with our industry leading, single pass 120 ipm <sup>2</sup> duplex scanning.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 8-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart <sup>3</sup> firmware.

#### Customizable solutions built to last.

- Make your day-to-day more productive with customized experiences with cloud-connected HP Workpath apps <sup>4</sup> that let you access personalized content, integrate paper and digital workflows.
- Unleash your creativity and match any office decor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform, containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of
  expensive color matching systems.

#### Always on guard with HP Wolf Security. 5

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified <sup>6</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

#### Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. 8 Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Silver, Energy Star, and Blue Angel.
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

#### Product walkaround

- 1. Flatbed scanner handles sheets up to 11x17-inch (297 x 432 mm)
- 2. 500-sheet output bin
- 3. Automatic two-sided printing
- 4. Easy-access USB port1
- 5. Front door access to toner cartridges
- 6. Slot for cable-type security lock
- 7. Super Speed USB 3.0 Host Port
- 8. Hi-Speed USB 2.0 Host Port
- 9. Gigabit Ethernet Port
- 10. Hi-Speed USB 2.0 device port
- 11. 520-sheet tray 3 supports media sizes up to A3 (11x17-inch)
- 12. 100-sheet dual side ADF supports media sizes up to A3 (11x17-inch)
- 13. 8-inch color touchscreen display (20.3 cm)
- 14. Power button
- 15. Hardware Integration Pocket(for connecting accessory and third-party devices)<sup>2</sup>
- 16. Right door access to the print path
- 17. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17-inch)
- 18. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 19. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17-inch)



# Series at a glance

Model	HP Color LaserJet Managed MFP E785dn	
Product number	1701837	5QJ83A (Base) + 8EP54AAE(Speed license)
Print speed (A4 and letter, black and color) <sup>3</sup>	Up to 23 ppm	Up to 28 ppm
Scan speed(A4 and letter, black and color)4	60 ppm/120 ipm, simplex/duplex (both models)	
Functions	Print, copy, and scan (fax and wireless optional) (both models)	

An administrator must enable the easy-access USB port before use.

#### Top features

Get more done faster with leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quad-core processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Silver, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

#### Services and Solutions

Service and Support	U09LGE HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U35LSE HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LGE HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LGE HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LJE HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJE HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJE HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJE HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx U36LJE HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only) U36LNE HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only) U36LNE HP 4 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only) U36LQE HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only) U36LQE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LSPE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LVPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LVPE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LVPE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LVPE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LVPE HP 2 year PW Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only) U36LWPE HP 2 year PW Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only)
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights  Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App  Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

An administrator must enable the east-actes to say port before use.

Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.

Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Speed Licenses

#### Accessories 190A0A HP Color LaserJet Workgroup Lunar Gray Color Panel 190A6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel 190A9A HP Laser Jet Workgroup Stand Lunar Gray Color Panel 190B0A HP Color Laser Jet Workgroup Comet Red Color Panel 190B6A HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel 190B9A HP LaserJet Workgroup Stand Comet Red Color Panel 190C0A HP Color Laser Jet Workgroup Cosmic Green Color Panel 190C6A HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel 190C9A HP LaserJet Workgroup Stand Cosmic Green Color Panel 190D0A HP Color LaserJet Workgroup Constellation Yellow Color Panel 190D6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel 190D9A HP LaserJet Workgroup Stand Constellation Yellow Color Panel 190F0A HP Color LaserJet Workgroup Aurora Purple Color Panel 190F6A HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel 190F9A HP Laser Jet Workgroup Stand Aurora Purple Color Panel 6GW46A HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand 6GW49A HP LaserJet Inner Finisher 6GW54A HP LaserJet Workgroup Stand Y1G13A HP LaserJet Inner/Booklet Staples 155P7A HP LaserJet InnerFinisher 2/3 Hole Punch 155P8A HP LaserJet InnerFinisher 2/4 Hole Punch 6GW52A HP LaserJet Workgroup Job Separator Y1G22A HP LaserJet Paper Tray Heaters Accessory Y1G23A HP Laser Jet Second Exit Accessory 9EQ11A HP 500GB CCC, FIPS Hard Disk Drive 4XN67A Internal USB Expansion Kit 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory B5L31A HP Foreign Interface Harness 8FP31A HP Jetdirect LAN Accessory 4QL32A HP Legic Secure USB Reader X3D03A HP USB Universal Card Reader Y7C05A HP HIP2 Keystroke Reader Y7C07A HP SIM for HID iClass for HIP2 Reader 7ZA09A HP MFP 801 Analog Single Fax 7ZA07A HP MFP 811 Analog Dual Fax

8EP54AAE HP Color LaserJet Managed MFP E785 23 to 28ppm License

# Technical specifications

Functions	Print, copy, scan, fax (optional)					
Print speed <sup>2,3</sup>	Letter Black	Up to 23 ppm	Up to 28 ppm (with 8EP54AAE)	Up to 30 ppm (with A00WQAAE, with A00WRAAE)		
an specu	Letter Color	Up to 23 ppm	Up to 28 ppm (with 8EP54AAE)	Up to 30 ppm (with A00WQAAE, with A00WRAAE)		
	Letter Black Duplex Letter Color Duplex	Up to 16 ipm Up to 16 ipm	Up to 21 ipm (with 8EP54AAE) Up to 21 ipm (with 8EP54AAE)	Up to 21.5 ipm (with A00WQAAE, with A00WRAAE)  Up to 21.5 ipm (with A00WQAAE, with A00WRAAE)		
	A4 Black	Up to 23 ppm	Up to 28 ppm (with 8EP54AAE)	Up to 30 ppm (with A00WQAAE, with A00WRAAE)		
	A4 Color	Up to 23 ppm	Up to 28 ppm (with 8EP54AAE)	Up to 30 ppm (with A00WQAAE, with A00WRAAE)		
	A4 Black Duplex A4 Color Duplex	Up to 16 ipm Up to 16 ipm	Up to 21 ipm (with 8EP54AAE) Up to 21 ipm (with 8EP54AAE)	Up to 21.5 ipm (with A00WQAAE, with A00WRAAE)  Up to 21.5 ipm (with A00WQAAE, with A00WRAAE)		
	A3 Black	Up to 12 ppm	Up to 15 ppm (with 8EP54AAE)	Up to 16 ppm (with A00WQAAE, with A00WRAAE)		
	A3 Color	Up to 12 ppm	Up to 15 ppm (with 8EP54AAE)	Up to 16 ppm (with A00WQAAE, with A00WRAAE)		
	First page out Letter Black First page out Letter Color	As fast as 10.2 sec	As fast as 9.0 sec (with 8EP54AAE)	As fast as 8.6 sec (with ADDWQAAE, with ADDWQAAE)		
	First page out A4 Black	As fast as 12.2 sec As fast as 10.2 sec	As fast as 10.6 sec (with 8EP54AAE) As fast as 9.0 sec (with 8EP54AAE)	As fast as 10.2 sec (with A00WQAAE, with A00WRAAE) As fast as 8.6 sec (with A00WQAAE, with A00WRAAE)		
	First page out A4 Color	As fast as 12.2 sec	As fast as 10.6 sec (with 8EP54AAE)	As fast as 10.2 sec (with A00WQAAE, with A00WRAAE		
nt resolution##prntresftntnbr##	Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 12	00x1200 dpi reduced speed; <b>Color (normal):</b> Up to 600 x 600	dpi; Color (fine lines): Up to 1200 x 1200 dpi reduced speed			
nt technology	Laser; Optical: Fine lines (1200x1200dpi); Normal (600x600dpi); Quick view (300x300dpi)					
nt cartridges number	4 (1 each black, cyan, magenta, yellow)					
andard print languages	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible					
nter smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB					
lor scanning	Yes					
an speed Normal <sup>6</sup>	Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color); Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color) (bw), up to 120 ipm (color); Up to 120 ipm (bw), up					
an type / Technology	ADF; Flatbed / Contact Image Sensor (CIS)					
an resolution	Hardware: Up to 600 x 600 dpi; Optical: UP to 600 x 600 dpi					
an file format <sup>10</sup>		gh-Compression PDF/A; Searchable PDF (OCR); Searchable PDI	/A (OCR); High-Compression Searchable PDF (OCR); High-Comp	oression Searchable PDF/A (OCR)		
an input modes	JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compression PDF; High-Compression PDF; A (OCR): Searchable PDF (OCR): High-Compression Searchable PDF (OCR): High-Compression Searchable PDF (OCR): High-Compression Searchable PDF (OCR): High-Compression Searchable PDF/A (OCR): High-Compression Searchable PDF/A (OCR): High-Compression Searchable PDF/A (OCR): High-Compression Searchable PDF (OCR): High-Compression Searchable PDF/A (OCR): High-Compression					
an Size	ADF Maximum: 297 x 420 mm; 11.7 x 17 in ADF Minimum: 10:					
uplex ADF scanning	Yes, single pass duplex scanning					
OF capacity	Standard, 100 sheets					
vain version	Version 2.4					
depth / Grayscale levels	24-bit/256					
		Control Character College Control Control	Cities Constituted the Constitute of the Constit	TO COLUMN TO COLUMN TO THE PARTY OF THE PART		
igital sending standard features		compression PDF; Image adjustments (darkness, contrast, bar	folder; Scan to USB drive; Scan to SharePoint; Scan to FTP; Scan kground cleanup, sharpness); Optimize text/picture (text, mixed			
ppy speed <sup>8</sup>	Letter Black Letter Color	Up to 23 cpm Up to 23 cpm	Up to 28 cpm (with 8EP54AAE) Up to 28 cpm (with 8EP54AAE)	Up to 30 cpm (with A00WQAAE, with A00WRAAE)  Up to 30 cpm (with A00WQAAE, with A00WRAAE)		
	A4 Black	Up to 23 cpm	Up to 28 cpm (with 8EP54AAE)	Up to 30 cpm (with A00WQAAE, with A00WRAAE)		
	A4 Color	Up to 23 cpm	Up to 28 cpm (with 8EP54AAE)	Up to 30 cpm (with A00WQAAE, with A00WRAAE)		
	Letter Black Duplex	Up to 16 cpm	Up to 21 cpm (with 8EP54AAE)	Up to 21.5 cpm (with A00WQAAE, with A00WRAAE)		
	Letter Color Duplex A4 Black Duplex	Up to 16 cpm Up to 16 cpm	Up to 21 cpm (with 8EP54AAE)  Up to 21 cpm (with 8EP54AAE)	Up to 21.5 cpm (with A00WQAAE, with A00WRAAE) Up to 21.5 cpm (with A00WQAAE, with A00WRAAE)		
	A4 Color Duplex	Up to 16 cpm	Up to 21 cpm (with 8EP54AAE)	Up to 21.5 cpm (with A00WQAAE, with A00WRAAE)		
	First copy out Letter Black	As fast as 7.3 sec	As fast as 6.0 sec (with 8EP54AAE)	As fast as 5.6 sec (with A00WQAAE, with A00WRAAE)		
	First copy out Letter Color	As fast as 9.5 sec As fast as 7.3 sec	As fast as 8.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)	As fast as 7.6 sec (with A00WQAAE, with A00WRAAE) As fast as 5.6 sec (with A00WQAAE, with A00WRAAE)		
	First copy out A4 Black First copy out A4 Color	As fast as 9.5 sec	As fast as 8.0 sec (with 8EP54AAE)	As fast as 7.6 sec (with A00WQAAE, with A00WRAAE)		
py resolution	Black (text and graphics): ; Up to 600 × 600 dpi ; Color (text and		ns tust as 0.0 sec (with our same)	ns tast as 7.0 sec (with noowgrant, with noowtone)		
iximum number of copies	Up to 9999 capies					
pier resize	25 to 400%					
opier settings	Auto-fit; Booklet; Collation; Content orientation; Edge Erase; Im	nage adjustment; Job build; N or Z-ordering; N-up; Optimize; Tv	ro-sided copy; Watermark; reduce/enlarge; Scan mode (book, 2	!-sided ID); Stamps; Image overlay; Image shift; Image previ		
· -	selection; Blank page suppression; Scan to job storage					
ax speed	Up to: 33.6 kbps / Letter: 3 sec per page					
ax resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi					
ax Features	Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax pollin supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability support Telephone handest supported: No					
andard connectivity	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integra	ation Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (device	e); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (host)			
etwork capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet); Microsoft U	Jniversal Print (MUP) support				
reless capability	Optional, enabled with purchase of a hardware accessory					
bile printing capability	Apple Air Print™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print					
emory	Standard:56B; Maximum:5GB					
ocessor speed	Quad Core (1.6 GHz)+Dual Core (1.4GHz); SSD(766R7A): Optional, HP Laser Jet 512 GB SED-TAA Solid State Drive / Hard disk: Standard, 32GB eMMC; Optional, HP Laser Jet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities					
uty cycle (monthly)	(Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)  Letter: Up to 60,000 pages Up to 80,000 pages (with 8EP54AAE) Up to 80,000 pages (with A00WQAAE, with A00WRAAE)					
	A4:	Up to 60,000 pages	Up to 80,000 pages (with 8EP54AAE)	Up to 80,000 pages (with A00WQAAE, with A00WRAA		
ecommended monthly page volume	Up to 16,000					
per handling	Input Canacities: Up to 1140 sheets (Trav1: up to 100 sheets:	Frav2: up to 520 sheets: Trav3: up to 520 sheets) Standard: Ur	to 10 envelopes: Input Capacities, Max: Up to 2180 sheets (Tra	ay1: up to 100 sheets; Tray 2, 3, 4 & 5: up to 520 sheets);		

## **Technical specifications**

Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WiGlossy 96-110g, Heavy Gloss 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 176-220g, Color Transparency, Labels, Letterhead, Envelope, Preprinted, Pre-punched, Colored			
Media weight supported	Tray 1: 16 to 47 lb bond; Tray 2, 3: 16 to 58.5 lb bondTray 1: 60 to 176 g/m²; Tray 2, 3: 60 to 220 g/m²			
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio8.5X13, 11 x 17, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Postcard, Postcard (JIS), Envelope B5, En C5, Envelope C6, Envelope D1; Tray 2: A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k			
Media Sizes Custom	Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.48 x 8.27 to 11.69 x 17 inTray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 to 297 x 432 mm			
What's in the box	5QJ83A In box materials, Guide install, Flyer Regulatory, Power Cords, Label, Drums.			
Replacement cartridges <sup>1</sup>	HP Black Managed LJ Toner Cartridge (ISO Yield 12,500) W9120MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 10,000) W9121MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 10,000) W9123MC, HP Black Managed LJ Toner Cartridge (ISO Yield 25,000) W9130MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 20,000) W9131MC, HP Yellow Manage LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC			
Product dimensions	<b>W</b> x d x h: 566 x 646 x 848 mm; 22.3 x 25.4 x 33.4 in <b>Maximum</b> : 1369 x 1196 x 1171 mm; 53.9 x 47.1 x 46.1 in			
Product weight	77.8 kg; 171.5 lb			
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.			
Energy star certified	Yes			
Ecolabels	IT ECO Declaration; Blue Angel; EPEAT® registered; ENERGY STAR® certified			
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker			
Display description	8-in (20.3 cm) touchscreen, XGA Color Graphic Display (CGD)			
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com			
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Preshared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield*, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messag processed and accessible in Arcsight and Splunk SIEMs			
Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey			
Compatible network operating systems	Windows Server; Linux; Citrix; UNIX; Novell			
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or port, Internet browser. For additional OS hardware requirements see apple.com			
Power <sup>5</sup>	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 1.0.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%) Hz (+/-3 Hz), 1.0.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%) Hz (+/-3 Hz), 5.0 A 100 VAC (+/-3 H			
Acoustics	Acoustic power emissions: 6.58 Bel(A), printing color simplex A4 at 23ppm; 6.70 Bel(A), printing color simplex A4 at 30ppm; Acoustic Pressure Emissions (active, printing color simplex A4 at 23ppm; 53 dB(A), printing color simplex A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 54 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 54 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 54 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions (active scan): 54 dB(A), DF scan A4 at 30ppm; Acoustic Pressure Emissions			
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity ope 20 to 80% RH			

#### **Messaging Footnotes**

1 HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- <sup>4</sup> Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.
- HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details.
- <sup>6</sup> Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf
- 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
- <sup>8</sup> 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.
- HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label quidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

  HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

#### Technical Specifications Footnotes

- Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

  Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.
- Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
  Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- PEPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- s First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printer claims. Exact speed varies depending on the system configuration and document
- OCR requires HP FutureSmart 5.8.1.1 or later. Scan to Onedrive, Scan to Onedrive for Business, and Scan to Sharepoint Online requires HP FutureSmart 5.8 or later
- For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT). OCR requires HP FutureSmart 5.8.1.1 or later Requires HP FutureSmart 5.8.1.1 or later











#### To learn more, visit

