HP LaserJet Managed MFP E826dn Printer Series



Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers¹ you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Get time back with industry leading print speeds up to 70ppm⁶
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware²

Customizable solutions built to last.

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.⁷
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.

Always on guard with HP Wolf Security.4


- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified³ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield[™] is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁸
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁹ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Silver, Energy Star, and Blue Angel.¹⁰
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.¹¹

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 297 x 432 mm (11x17 in)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (12x18 in)
- 14. 200-sheet dual side ADF supports media sizes up to A3 (11x17 in)³
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12x18 in)
- 19. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (12x18 in)



Series at a glance

| HP LaserJet Managed MFP E826dn | | | |
|--|---|---|--|
| 5QK09A | 5QK09A (Base) + 8EP63AAE (Speed license) | 5QK09A (Base) + 8EP64AAE (Speed license) | |
| Up to 50 ppm | Up to 60 ppm | Up to 70 ppm | |
| 90 ppm/180 ipm, simplex/duplex | | | |
| Print, copy, and scan (fax and wireless optional) (all models) | | | |
| 200 sheets | | | |
| Standard: 1,140 sheets; Maximum: 6,140 sheets (all models) | | | |
| No | | | |
| | SQK09A Up to 50 ppm 90 ppm/180 ipm, simplex/duplex Print, copy, and scan (fax and wireless option 200 sheets Standard: 1,140 sheets; Maximum: 6,140 sh | SQK09A SQK09A (Base) + 8EP63AAE (Speed license) Up to 50 ppm Up to 60 ppm 90 ppm/180 ipm, simplex/duplex Print, copy, and scan (fax and wireless optional) (all models) 200 sheets Standard: 1,140 sheets; Maximum: 6,140 sheets (all models) | |

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. An administrator must enable the easy-access USB port before use. ³ The BZ/5 series dm models include a 200-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3). ⁵ Measured using IS/I/EC 24734, excludes First set of test documents. For more information, see hp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow. HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats.¹ We keep trouble out so you can

keep your business running. Save resources with our energy efficient printing that meets EPEAT Silver, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

| Service and Support | U03HZE HP 1 year Next Business Day with DMR Service for LaserJet Managed MFP E826xx U03J0E HP 3 year Next Business Day with DMR Service for LaserJet Managed MFP E826xx U04MWE HP 4 year Next Business Day with DMR Service for LaserJet Managed MFP E826xx U04MXE HP 5 year Next Business Day with DMR Service for LaserJet Managed MFP E826xx U04MXE HP 3 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04MZE HP 4 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04MZE HP 4 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04MZE HP 1 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx U04NZE HP 1 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only) U04N2E HP 3 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only) U04N2E HP 4 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only) U04N3E HP 4 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only) U04N3E HP 4 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only) U04N3FPE HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E826xx U04N6PE HP 2 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E826xx U04N6PE HP 2 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E826xx U04N6PE HP 2 year Post Warranty A hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04N6PE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04N8PE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04N8PE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04N8PE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04N8PE HP 2 year Post Warranty A hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04N8PE HP 2 year Post Warranty 4 ho |
|---------------------|---|
| Solutions | Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator's Resource Kit |

Front panel optional colors



*Available with optional color panel accessories

| Accessories | 190A3A HP Laserlet Department Lunar Gray Color Panel 190A5A HP Laserlet Department Xs20 sheet Paper Tray/Stand Lunar Gray Color Panel 190A5A HP Laserlet Department Stand Lunar Gray Color Panel 190A5A HP Laserlet Department Stand Lunar Gray Color Panel 190B5A HP Laserlet Department Scand Lunar Gray Color Panel 190B5A HP Laserlet Department Xs20 Sheet Paper Tray/Stand Comet Red Color Panel 190B5A HP Laserlet Department Xs20 Sheet Paper Tray/Stand Comet Red Color Panel 190B5A HP Laserlet Department Xs20 Sheet Paper Tray/Stand Comet Red Color Panel 190B5A HP Laserlet Department Xs20 Sheet Paper Tray/Stand Comet Red Color Panel 190B5A HP Laserlet Department Stand Comet Red Color Panel 190C5A HP Laserlet Department Kas20 Sheet Paper Tray/Stand Cosmic Green Color Panel 190C5A HP Laserlet Department Kishd Cosmic Green Color Panel 190C5A HP Laserlet Department Kishd Cosmic Green Color Panel 190D5A HP Laserlet Department Kishd Cosmic Idreen Color Panel 190D5A HP Laserlet Department Stand Constellation Vellow Color Panel 190D5A HP Laserlet Department Stand Constellation Vellow Color Panel 190D5A HP Laserlet Department Xs20 Sheet Paper Tray/Stand Constellation Vellow Color Panel 190F5A HP Laserlet Department Xs20 Sheet Paper Tray/Stand Constellation Vellow Color Panel 190F5A HP Laserlet Department Xs40 Sheet Paper Tray/Stand Aurora Purple Color Panel 190F5A HP Laserlet Department Xs40 Sheet Paper Tray/Stand Aurora Purple Color Panel 190F5A HP Laserlet Department Xs40 Sheet Paper Tray/Stand Aurora Purple Color Panel 190F5A HP Laserlet Department Kind Gapacity Paper Tray/Stand Aurora Purple Color Panel 190F5A HP Laserlet Department Kind Capacity Paper Tray/Stand Aurora Purple Color Panel 190F5A HP Laserlet Department High Capacity Paper Tray/Stand 6GW53A HP Laserlet Department High Capacity Paper Tray/Stand 6GW53A HP |
|----------------|---|
| | Y1G14A HP Laser Jet Stapler/Stacker Finisher Staples 155P7A HP Laser Jet InnerFinisher 2/3 Hole Punch 155P8A HP Laser Jet InnerFinisher 2/4 Hole Punch 6GW50A HP Laser Jet Department Job Separator Y1G10A HP Laser Jet Hole Punch 2/3 Accessory Y1G1A HP Laser Jet Hole Punch 2/4 Accessory Y1G2AA HP Laser Jet Paper Tray Heaters Accessory |
| | 7ZA039A HP MFP 801 Analog Single Fax 7ZA07A HP MFP 811 Analog Dual Fax 6HN30A HP LaserJet Workflow Accelerator Card 9EQ11A HP 500GB CCC, FIPS Hard Disk Drive 4XN67A Internal USB Expansion Kit 6HN31A HP 500GB CCC, FIPS, TAA Hard Disk Drive 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory BSL31A HP Foreign Interface Harness 8FP31A HP Jetdirect LAN Accessory 4QL32A HP Leqic Secure USB Reader |
| Speed Licenses | X3D03A HP USB Universal Card Reader Y7C05A HP HIP2 Keystroke Reader Y7C07A HP SIM for HID iClass for HIP2 Reader BEP63AAE HP LaserJet Managed MFP E826 50 to 60ppm License BEP64AAE HP LaserJet Managed MFP E826 50 to 70ppm License BLB51AAE HP LaserJet Managed MFP E826 60 to 70ppm License |
| | |

* Inner finisher/inner finisher hole punches are not compatible with 70ppm ** HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023.

Data sheet | HP LaserJet Managed MFP E826dn Printer Series Technical specifications

| reenned speen | | | | | |
|-----------------------------------|---|--|---|--|--|
| Functions | Print, copy, scan, fax (optional) | | | | |
| Print speed ^{3,4} | Letter Black | Up to 50ppm | Up to 60ppm (with 8EP63AAE) | Up to 70ppm (with 8EP64AAE) | |
| | Letter Black Duplex | Up to 50 ipm | Up to 60 ipm (with 8EP63AAE) | Up to 70 ipm (with 8EP64AAE) | |
| | A4 Black A4 Black Duplex | Up to 50ppm Up to 50 ipm | Up to 60ppm (with 8EP63AAE) Up to 60 ipm (with 8EP63AAE) | Up to 70ppm (with 8EP64AAE) Up to 70 ipm (with 8EP64AAE) | |
| | A3 Black | Up to 25ppm | Up to 29ppm (with 8EP63AAE) | Up to 34ppm (with 8EP64AAE) | |
| | First page out Letter Black | As fast as 6.3 sec | As fast as 6.0 sec (with 8EP63AAE) | As fast as 5.9 sec (with 8EP64AAE) | |
| | First page out A4 Black | As fast as 6.3 sec | As fast as 6.0 sec (with 8EP63AAE) | As fast as 5.9 sec (with 8EP64AAE) | |
| rint resolution##prntresftntnbr## | Black (normal): Up to 600 × 600 dpi; Black (fine lines): | Up to 1200 x 1200 dpi | | | |
| rint technology | Laser; Optical: Fine lines (1200 x 1200 dpi); Normal (6 | 00 x 600 dpi); Quick view (300 x 300 dp | i) | | |
| rint cartridges number | 1 (black) | | | | |
| tandard print languages | HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, | PDF (v 1.7), AirPrint™ compatible | | | |
| rinter smart software features | Print preview, duplex printing, print multiple pages pe | r sheet (2, 4, 6, 9, 16), collation, waterm | arks, store print jobs, easy-access USB | | |
| olor scanning | Yes | | | | |
| can speed Normal ⁵ | Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm | (color) ; Up to 90 ppm/180 ipm (b&w), u | up to 90 ppm/180 ipm (color) Duplex: Up to 180 ipm (b&w), up | to 180 ipm (color) ; Up to 180 ipm (b&w), up to 180 ipm (co | |
| can type / Technology | Flatbed, ADF / Platen Scanner CCD Digital-CIS | | | | |
| can resolution | Hardware: Up to 600 × 600 dpi; Optical: Up to 600 × 6 | 00 dpi | | | |
| can file format6 | JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compressio | n PDF; High-Compression PDF/A; Search | able PDF (OCR); Searchable PDF/A (OCR); High-Compression S | earchable PDF (OCR); High-Compression Searchable PDF/A (| |
| can input modes | Front panel applications: Copy; Fax; Scan to Email; Sca | n to Network Folder; Scan to USB; Scan | to Job Storage; Open Extensibility Platform (OXP), HP Workpa | th applications | |
| can Size | ADF Maximum: 297 x 864 mm; ADF Minimum: 68 x 1. | 27 mm; 2.7 x 5 in Flatbed: 297 x 432 mr | n; | | |
| uplex ADF scanning | Yes, single pass duplex scanning | | | | |
| DF capacity | Standard, 200 sheets | | | | |
| wain version | Version 2.4 | | | | |
| t depth / Grayscale levels | 24-bit/256 | | | | |
| Digital sending standard features | | SL; auto color sense; compact PDF; ima | can to e-mail; save-to-network folder; save-to-USB drive; sen ge adjustments (darkness, contrast, background cleanup, shar ase edges; image preview; blank page suppression | | |
| opy speed ⁷ | Letter Black | Up to 50 cpm | Up to 60 cpm (with 8EP63AAE) | Up to 70 cpm (with 8EP64AAE) | |
| | A4 Black | Up to 50 cpm | Up to 60 cpm (with 8EP63AAE) | Up to 70 cpm (with 8EP64AAE) | |
| | Letter Black Duplex | Up to 50 cpm | Up to 60 cpm (with 8EP63AAE) | Up to 70 cpm (with 8EP64AAE) | |
| | A4 Black Duplex First copy out Letter Black | Up to 50 cpm | Up to 60 cpm (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) | Up to 70 cpm (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) | |
| | First copy out A4 Black | As fast as 3.9 sec As fast as 3.9 sec | As fast as 3.4 sec (with 8EP63AAE) As fast as 3.4 sec (with 8EP63AAE) | As fast as 3.3 sec (with 8EP64AAE) As fast as 3.3 sec (with 8EP64AAE) | |
| py resolution | Black (text and graphics): ; Up to 600 x 600 dpi | As Idst ds 5.9 Sec | AS TASE AS 5.4 SEC (WILLI DEPOSARE) | AS IDSU DS 5.5 SEC (WILLI DEPOTANE) | |
| | | | | | |
| laximum number of copies | Up to 9999 copies | | | | |
| opier resize | 25 to 400% | | | | |
| opier settings | | | nup, sharpness); optimize text/picture (text, mixed, printed pic es; job build; image preview; image shift; paper selection; blan | | |
| ax speed | Up to: 33.6 kbps / Letter: 3 sec per page | | | | |
| ax resolution | Black (best): Up to 300 × 300 dpi (400 × 400 dpi for re | ceived faxes only); Black (standard): 20. | 3 x 98 dpi | | |
| ax Features | Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinati PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No | | | | |
| tandard connectivity | 1 Gigabit Ethernet 10/100/1000T network; 1 Hardwa | re Integration Pocket 2nd generation (H | IP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device | e); 1 SuperSpeed USB 3.0 (host) | |
| etwork capabilities | Standard (built-in Gigabit 10/100/1000T Ethernet); Microsoft Universal Print (MUP) support | | | | |
| ireless capability | Optional, enabled with purchase of a hardware accessory | | | | |
| obile printing capability | Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print | | | | |
| emory | Standard:6 GB; Maximum:6 GB | | | | |
| rocessor speed | Quad Core (1.6GHz), Dual Core (1.4GHz); SSD(766R7A): Optional, HP Laser Jet S12 GB SED-TAA Solid State Drive / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP Laser Jet 500GB Hard Di Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) | | | | |
| outy cycle (monthly) | Letter: A4: | Up to 200,000 pages Up to 200,000 pages | Up to 250,000 pages (with 8EP63AAE) Up to 250,000 pages (with 8EP63AAE) | Up to 300,000 pages (with 8EP64AAE) | |
| ecommended monthly page volume | | טף נט בטט,טטט אמאפצ | op to 200,000 pages (with 82Po3AAE) | Up to 300,000 pages (with 8EP64AAE) | |
| aper handling | | 00 sheets Transparencies; | up to 520 sheets) Standard; Up to 50 envelopes; Input Capaci | ities, Max: Up to 6,140 sheets; | |

Technical specifications

| Media types supported | Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, Mid-Weight 96-110g, Heavy 111-130g, HP Matte 150g, Extra Heavy 131-175g, HP Matte 200 Card-stock 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Mono Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored | | | | |
|--------------------------------------|--|--|--|--|--|
| Media weight supported | Tray 1, 2, 3: 60 to 325 g/m ² | | | | |
| Media sizes supported | Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Envelope C5, Envelope C5, Envelope C6, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k | | | | |
| Media Sizes Custom | Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm | | | | |
| What's in the box | 5QK09A In box materials ; Guide install, Flyer Regulatory, Power Cords, Label, Drums. | | | | |
| Replacement cartridges ¹ | HP Black Managed LJ Toner Cartridge (ISO Yield 30,000) W9084MC, HP Black Managed LJ Toner Cartridge (ISO Yield 60,000) W9085MC | | | | |
| Product dimensions | W x d x h: 585 x 694.7 x 907.7 mm; Maximum: 1656.7 x 1269 x 1488.5 mm; | | | | |
| Product weight | 78.2 kg; | | | | |
| Warranty features | 90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region. | | | | |
| Energy star certified | Yes | | | | |
| Ecolabels | IT ECO Declaration; Blue Angel; EPEAT® registered; ENERGY STAR® certified | | | | |
| Control panel | 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker | | | | |
| Display description | 10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD) | | | | |
| Software included | No software solutions are included in the Box only on http://hp.com http://123.hp.com | | | | |
| Security management | Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Prr shared Key authentication, Supports WIA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code) HP Memory Shield TM , Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messa processed and accessible in Arcsight and Splunk SIEMs | | | | |
| Compatible operating systems | Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS | | | | |
| Compatible network operating systems | Ig Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 201 | | | | |
| Minimum system requirements | PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional 0S hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional 0S hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional 0S hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional 0S hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional 0S hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional 0S hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional 0S hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional 0S hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional 0S hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional 0S hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet browser. For additional 0S hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet browser. For additional 0S hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet browser. For additional 0S hardware requirements see microsoft.com; Mac: 2 GB available hard drive see microsoft.com; Mac: 2 GB ava | | | | |
| Power | Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 870 watts (50ppm, printing), 1010 watts (60ppm, printing), 1090 watts (70ppm, printing), 36 watts (ready), 0.9 watts (sleep), 0.2 watts (auto-off). | | | | |
| Acoustics | Acoustic power emissions: 6.85 Bel(A), printing simplex A4 at 50ppm; 6.95 Bel(A), printing simplex A4 at 60ppm; 7.10 Bel(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 53dB(A), printing simplex A4 at 50ppm; 54B(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan): 54dB(A), ADF scan A4 at 90ipm; 55dB(A), ADF scan A4 at 150ipm | | | | |
| Operating environment | Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH | | | | |

Messaging Footnotes

¹ HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

³ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20%20HP%20Intrusion%20Detection.pdf

⁴ HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit hp.com/wolfsecurity

⁵ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
⁷ Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require

optional accessory or firmware to be upgraded. Subscription may be required.

100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.

10% outer thee-based packaging and internal thee-based cushions made from sustainably sourced certified and recycled theers. 10% of Original HP Toner Cartidges contained between 1-77% post-consumer or post-inductrial recycled content. Does not include foner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT "registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. ¹¹ HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software

7 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printer claims. Exact speed varies depending on the system configuration and document. Acoustic values are subject to change. For current information see https://www.hp.com/support

9 OCR requires HP FutureSmart 5.8.1.1 or later. Scan to Onedrive, scan to Onedrive for Business, and scan to Sharepoint Online requires HP FutureSmart 5.8 or later. To

Requires HP FutureSmart 5.8.1.1 or later.





To learn more, visit

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries, Linux is a U.S. registered trademark of Linus Torvalds, UNIX is a registered trademark of The Open Group,

