



# HP Color LaserJet Managed MFP E877dn Printer Series

## Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers<sup>1</sup> you'll stay secure and simplify fleet management for busy IT pros.



## Unleash peak productivity

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Get time back with industry leading print speeds up to 70ppm.<sup>2</sup>
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 25.65 cm (10.1-inch) color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.<sup>3</sup>

## Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.<sup>4</sup>
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of expensive color matching systems.

## Always on guard with HP Wolf Security<sup>5</sup>


- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified<sup>6</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

## Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.<sup>7</sup>
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.<sup>8</sup> Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.<sup>9</sup>
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.<sup>10</sup>

Gaminio apžvalga

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)<sup>1</sup>
- 2. Flatbed scanner handles sheets up to 297 x 432 mm
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port<sup>2</sup>
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. Hi-Speed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3
- 14. 200-sheet dual side ADF supports media sizes up to A3<sup>3</sup>
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to A3
- 19. 520-sheet tray 2 supports media sizes up to A4
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3



Apie seriją trumpai

|                                                                       |                                                                |                                          |                                          |                                          |
|-----------------------------------------------------------------------|----------------------------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|
| Modelis                                                               | HP Color LaserJet Managed MFP E877dn                           |                                          |                                          |                                          |
| Gaminio numeris                                                       | 5QK03A                                                         | 5QK03A (Base) + 8EP60AAE (Speed license) | 5QK03A (Base) + 8EP61AAE (Speed license) | 5QK03A (Base) + 8EP62AAE (Speed license) |
| Spausdinimo greitis (A4 ir laiškas, juodas ir spalvotas) <sup>3</sup> | Up to 40 ppm                                                   | Up to 50 ppm                             | Up to 60 ppm                             | Up to 70 ppm                             |
| Nuskaitymo greitis (A4 ir laiškas, juodas ir spalvotas) <sup>4</sup>  | 90 ppm/180 ipm, simplex/duplex                                 |                                          |                                          |                                          |
| Funkcijos                                                             | Print, copy, and scan (fax and wireless optional) (all models) |                                          |                                          |                                          |
| ADF talpa                                                             | 200 sheets                                                     |                                          |                                          |                                          |
| Įvesties dėklo talpa                                                  | Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)     |                                          |                                          |                                          |
| Išplėstinės darbo srauto funkcijos                                    | No                                                             |                                          |                                          |                                          |

<sup>1</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.  
<sup>2</sup> An administrator must enable the easy-access USB port before use.  
<sup>3</sup> The E877 series Flow models include a 300-sheet ADF. The E877 series dn models include a 200-sheet ADF. The ADF on all devices can scan documents up to A3.  
<sup>4</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.  
<sup>5</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.  
<sup>6</sup> HP EveryPage Technology is powered by ultrasonic multi-feed detection.

Priekinio skydelio pasirenkamos spalvos



\*Galima įsigyti su pasirinkamais spalvotų skydelių priedais

Paslaugos ir sprendimai

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Priežiūra ir pagalba    | U03HDE HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx<br>U03HFE HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx<br>U03HGE HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx<br>U03HHE HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx<br>U03HSPE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx<br>U03HTPE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx<br>U03HME HP 1 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only)<br>U03HNE HP 3 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only)<br>U03HQE HP 4 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only)<br>U03HRE HP 5 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only)<br>U03HXPE HP 1 year PW Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only)<br>U03HYPE HP 2 year PW Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Sprendimai              | Sauga: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights<br>Mobilus ir universalus spausdinimas: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App<br>Tarkymas: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Priedai (Pasirinktinis) | 155P8A HP LaserJet InnerFinisher 2/4 Hole Punch<br>155P9A HP LaserJet Inner Finisher Swedish Hole Punch<br>190A2A HP Color LaserJet Department Lunar Gray Color Panel<br>190A4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel<br>190A5A HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel<br>190A8A HP LaserJet Department Stand Lunar Gray Color Panel<br>190B2A HP Color LaserJet Department Comet Red Color Panel<br>190B4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel<br>190B5A HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel<br>190B8A HP LaserJet Department Stand Comet Red Color Panel<br>190C2A HP Color LaserJet Department Cosmic Green Color Panel<br>190C4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel<br>190C5A HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel<br>190C8A HP LaserJet Department Stand Cosmic Green Color Panel<br>190D2A HP Color LaserJet Department Constellation Yellow Color Panel<br>190D4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel<br>190D5A HP LaserJet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel<br>190D8A HP LaserJet Department Stand Constellation Yellow Color Panel<br>190F2A HP Color LaserJet Department Aurora Purple Color Panel<br>190F4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel<br>190F5A HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel<br>190F8A HP LaserJet Department Stand Aurora Purple Color Panel<br>2NR12A HP Removable Hard Drive Enclosure<br>2TD64A HP Accessibility Kit<br>3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory<br>478C2A HP Printing Voice Assistant<br>4QL32A HP Legic Secure USB Reader<br>5QK14A HP MFP 810 Analog Dual Fax<br>63C80A HP LaserJet Stapler/Stacker Finisher with Print Quality Diagnostics<br>63C81A HP LaserJet Booklet Finisher with Print Quality Diagnostics<br>6GW49A HP LaserJet Inner Finisher<br>6GW50A HP LaserJet Department Job Separator<br>6GW51A HP LaserJet Booklet Finisher<br>6GW55A HP LaserJet Stapler/Stacker Finisher<br>6GW56A HP LaserJet 3000 sheet Department High Capacity Paper Tray/Stand<br>766R7A HP LaserJet 512 GB SED-TAA Full Kit SSD<br>8FP31A HP Jetdirect LAN Accessory<br>A19FTA HP LaserJet 2x520 sheet Department Paper Tray/Stand<br>A19FWA HP LaserJet Department Stand<br>A19X4A HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand<br>B5L31A HP Foreign Interface Harness<br>Y1G11A HP LaserJet Hole Punch 2/4 Accessory<br>Y1G12A HP LaserJet Hole Punch Swedish Accessory<br>Y1G13A HP LaserJet Inner/Booklet Staples<br>Y1G14A HP LaserJet Stapler/Stacker Finisher Staples<br>Y1G22A HP LaserJet Paper Tray Heaters Accessory<br>Y7C05A HP HiP2 Keystroke Reader<br>Y7C07A HP SIM for HID iClass for HiP2 Reader |
| Greičio licencijos      | 8EP60AAE HP Color LaserJet Managed MFP E877 40 to 50ppm License<br>8EP61AAE HP Color LaserJet Managed MFP E877 40 to 60ppm License<br>8EP62AAE HP Color LaserJet Managed MFP E877 40 to 70ppm License<br>8LB48AAE HP Color LaserJet Managed MFP E877 50 to 60ppm License<br>8LB49AAE HP Color LaserJet Managed MFP E877 60 to 70ppm License<br>8LB50AAE HP Color LaserJet Managed MFP E877 50 to 70ppm License                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Atsargos                | W9160MC HP W9160MC Black Managed LaserJet Toner Cartridge (Average cartridge yields 25,000 standard pages. Declared yield value in accordance with ISP/IEC 19752.)<br>W9161MC HP W9161MC Cyan Managed LaserJet Toner Cartridge (22,500 standard pages in accordance with ISP/IEC 19798)<br>W9162MC HP W9162MC Yellow Managed LaserJet Toner Cartridge (22,500 standard pages in accordance with ISP/IEC 19798)<br>W9163MC HP W9163MC Magenta Managed LaserJet Toner Cartridge (22,500 standard pages in accordance with ISP/IEC 19798)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

\* Inner finisher/inner finisher hole punches are not compatible with 70ppm

Techninės specifikacijos

|                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                     |                                     |                                     |                                     |
|-------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Funkcijos                                                   | Print, copy, scan, fax (optional)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                     |                                     |                                     |                                     |
| Spausdinimo greitis <sup>1-2</sup>                          | A4 dydžio popierius Juodas                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Up to 40 ppm        | Up to 50 ppm (with 8EP60AAE)        | Up to 60 ppm (with 8EP61AAE)        | Up to 70 ppm (with 8EP62AAE)        |
|                                                             | A4 dydžio popierius Spalva                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Up to 40 ppm        | Up to 50 ppm (with 8EP60AAE)        | Up to 60 ppm (with 8EP61AAE)        | Up to 70 ppm (with 8EP62AAE)        |
|                                                             | A4 dydžio popierius Juodas Dvipusis                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Up to 40 ipm        | Up to 50 ipm (with 8EP60AAE)        | Up to 60 ipm (with 8EP61AAE)        | Up to 70 ipm (with 8EP62AAE)        |
|                                                             | A4 dydžio popierius Spalva Dvipusis                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Up to 40 ipm        | Up to 50 ipm (with 8EP60AAE)        | Up to 60 ipm (with 8EP61AAE)        | Up to 70 ipm (with 8EP62AAE)        |
|                                                             | A3 dydžio popierius Juodas                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Up to 21 ppm        | Up to 26 ppm (with 8EP60AAE)        | Up to 30 ppm (with 8EP61AAE)        | Up to 35 ppm (with 8EP62AAE)        |
|                                                             | A3 dydžio popierius Spalva                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Up to 21 ppm        | Up to 26 ppm (with 8EP60AAE)        | Up to 30 ppm (with 8EP61AAE)        | Up to 35 ppm (with 8EP62AAE)        |
|                                                             | Pirmasis išspausdintas puslapis A4 dydžio popierius Juodas                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | As fast as 7.1 sec  | As fast as 6.5 sec (with 8EP60AAE)  | As fast as 6.3 sec (with 8EP61AAE)  | As fast as 6.2 sec (with 8EP62AAE)  |
|                                                             | Pirmasis išspausdintas puslapis A4 dydžio popierius Spalva                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | As fast as 8.3 sec  | As fast as 7.4 sec (with 8EP60AAE)  | As fast as 7.0 sec (with 8EP61AAE)  | As fast as 6.9 sec (with 8EP62AAE)  |
| Spausdinimo skiriamoji geba##pmtresfntnbnr##                | Nespalvotas (normalus): Up to 600 x 600 dpi; Nespalvotas (smulkios eilutės): Up to 1200 x 1200 dpi; Spalva (normali): Up to 600 x 600 dpi; Spalva (plonos linijos): Up to 1200 x 1200 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                     |                                     |                                     |                                     |
| Spausdinimo technologija                                    | Laser; Optinis: Fine lines (1200x1200dpi); Normal (600x600dpi); Quick view (300x300dpi)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                     |                                     |                                     |                                     |
| Spausdinimo kasetės numeris                                 | 4 (1 each black, cyan, magenta, yellow)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                     |                                     |                                     |                                     |
| Standartinės spausdinimo kalbos                             | HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                     |                                     |                                     |                                     |
| Intelektualiosios spausdintuvo programinės įrangos ypatybės | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                     |                                     |                                     |                                     |
| Spalvinis skenavimas                                        | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |                                     |                                     |                                     |
| Nuskaitymo greitis <sup>3</sup>                             | A4 dydžio popierius: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) Dvipusis: „Letter“ („Letter“ dydžio): A4 dydžio popierius: Up to 180 ipm (b&w), up to 180 ipm (color)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |                                     |                                     |                                     |
| Nuskaitymo tipas / technologija                             | Flatbed, ADF / Platen Scanner CCD Digital-CIS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                     |                                     |                                     |                                     |
| Skanavimo skiriamoji geba                                   | Aparatūra: Up to 600 x 600 dpi; Optinis: Up to 600 x 600 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                     |                                     |                                     |                                     |
| Skenuojamo failo formatai                                   | JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compression PDF; High-Compression PDF/A; Searchable PDF (OCR); Searchable PDF/A (OCR); High-Compression Searchable PDF (OCR); High-Compression Searchable PDF/A (OCR); CSV (OCR); HTML (OCR); Open Office XML (.docx, .xlsx, .pptx); RTF (OCR); TEXT (OCR); Unicode TEXT (OCR)                                                                                                                                                                                                                                                                                                                                                                                               |                     |                                     |                                     |                                     |
| Skenavimo įvesties režimai                                  | Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                     |                                     |                                     |                                     |
| Nuskaitymo dydis                                            | Automatinis dokumentų tiek tuvas (adf) Daugiausia: 297 x 420 mm; Automatinis dokumentų tiek tuvas (adf) Minimumas: 68 x 127 mm; Planšetinis: 297 x 432 mm;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                     |                                     |                                     |                                     |
| Dvipusis nuskaitymas ADT                                    | Yes, single pass duplex scanning                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                     |                                     |                                     |                                     |
| ADF talpa                                                   | Standard, 200 sheets                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                     |                                     |                                     |                                     |
| TWAIN režimas                                               | Version 2.4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                     |                                     |                                     |                                     |
| Bitų gytis / pilkų pustonų skalės                           | 24-bit/256                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                     |                                     |                                     |                                     |
| Skaitmeninio siuntimo standartinės ypatybės                 | Embedded OCR; scan to Onedrive; scan to Onedrive for Business; scan to Sharepoint Online; scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten                                                                         |                     |                                     |                                     |                                     |
| Kopijavimo sparta <sup>7</sup>                              | A4 dydžio popierius Juodas                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Up to 40cpm         | Up to 50cpm (with 8EP60AAE)         | Up to 60cpm (with 8EP61AAE)         | Up to 70cpm (with 8EP62AAE)         |
|                                                             | A4 dydžio popierius Spalva                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Up to 40 cpm        | Up to 50 cpm (with 8EP60AAE)        | Up to 60 cpm (with 8EP61AAE)        | Up to 70 cpm (with 8EP62AAE)        |
|                                                             | A4 dydžio popierius Juodas Dvipusis                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Up to 40 cpm        | Up to 50 cpm (with 8EP60AAE)        | Up to 60 cpm (with 8EP61AAE)        | Up to 70 cpm (with 8EP62AAE)        |
|                                                             | A4 dydžio popierius Spalva Dvipusis                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Up to 40 cpm        | Up to 50 cpm (with 8EP60AAE)        | Up to 60 cpm (with 8EP61AAE)        | Up to 70 cpm (with 8EP62AAE)        |
|                                                             | Pirmasis išspausdintas lapas A4 dydžio popierius Juodas                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | As fast as 4.9 sec  | As fast as 4.2 sec (with 8EP60AAE)  | As fast as 3.8 sec (with 8EP61AAE)  | As fast as 3.5 sec (with 8EP62AAE)  |
|                                                             | Pirmasis išspausdintas lapas A4 dydžio popierius Spalva                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | As fast as 6.5 sec  | As fast as 5.6 sec (with 8EP60AAE)  | As fast as 4.9 sec (with 8EP61AAE)  | As fast as 4.3 sec (with 8EP62AAE)  |
|                                                             | Kopijavimo raiška Nespalvotas (tekstas ir grafika): ; Up to 600 x 600 dpi ; Spalvotas (tekstas ir paveikslėliai): Up to 600 x 600 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                     |                                     |                                     |                                     |
|                                                             | Didžiausias kopijų skaičius Up to 9999 copies                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                     |                                     |                                     |                                     |
| Mastelio keitimas kopijuokliu                               | 25 to 400%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                     |                                     |                                     |                                     |
| Kopijavimo aparato nustatymai                               | Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage                                                                                                                                                                                                                           |                     |                                     |                                     |                                     |
| Faksogramų perdavimo sparta                                 | Iki: 33.6 kbps                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                     |                                     |                                     |                                     |
| Fakso skiriamoji geba                                       | Nespalvotas (geriausias kokybės): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Nespalvotas (standartinis): 203 x 98 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                     |                                     |                                     |                                     |
| Fakso ypatybės                                              | Fakso atmintis: Up to 500 pages; Suderinamas su automatine faksogramų mažinimo funkcija: Yes Pakartotinis rinkimas: Yes Uždelstas faksų siuntimas: No Suderinamumas su specialaus skambučio signalo aptikimo funkcija: No Suderinamumas su faksogramų persiuntimo funkcija: Yes Suderinamumas su fakso telefono TAM sąsaja: No Suderinamumas su faksogramų užklauskų funkcija: Yes (poll to receive only) Suderinamumas su fakso telefono režimu: No Suderinamumas su šiukšlių barjeru: Yes Maksimalus greitojo rinkimo numerių skaičius: Up to 1000 numbers (each with 210 destinations) Suderinamumas su AK sąsaja: Yes Suderinamumas su nuotolinio nuskaitymo funkcija: No Suderinamumas su telefono aparatais: No |                     |                                     |                                     |                                     |
| Standartinis junglumas                                      | 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |                                     |                                     |                                     |
| Tinklo galimybės                                            | Standard (built-in GIGABIT 10/100/1000T Ethernet); Microsoft Universal Print (MUP) support                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                     |                                     |                                     |                                     |
| Belaidžio ryšio galimybės                                   | Optional, enabled with purchase of a hardware accessory                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                     |                                     |                                     |                                     |
| Mobiliojo spausdinimo galimybė                              | Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                     |                                     |                                     |                                     |
| Atmintis                                                    | Standartinis:5GB; Daugiausia:6GB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                     |                                     |                                     |                                     |
| Procesoriaus sparta                                         | Quad Core (1.6GHz), Dual Core (1.4GHz); SSD(766R7A): Optional, HP Laser Jet 512 GB SED-TAA Solid State Drive / Saugykla: Standard, embedded 500 GB hard disk drive / Kietasis diskas: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)                                                                                                                                                                                                                                                                                                                                       |                     |                                     |                                     |                                     |
| Darbo ciklas (mėnesinis)                                    | A4 dydžio popierius:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Up to 180,000 pages | Up to 200,000 pages (with 8EP60AAE) | Up to 250,000 pages (with 8EP61AAE) | Up to 300,000 pages (with 8EP62AAE) |
| Rekomenduojama apimtis puslapiais per mėnesį                | Up to 60,000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                     |                                     |                                     |                                     |
| Popieriaus tvarkymas                                        | Tiekimo dėklo talpa: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standartinis: Up to 50 envelopes; Įvesties talpa, didž.: Up to 6,140 sheets; Išvesties dėklo talpa: Up to 500 sheets Standartinis: Up to 100 sheets Skaidrės; Dvipusio spausdinimo parinktis: Automatic; Vokų tiek tuvas: No; Standartiniai popieriaus loveliai: 3                                                                                                                                                                                                                                                                                                                                 |                     |                                     |                                     |                                     |

## Techninės specifikacijos

|                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tinkami laikmenų tipai                 | Plain, HP EcoEFFICIENT, HP Matte 90g, Light 60–74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96–110g, Heavy 111–130g, Mid-WtGlossy 96–110g, Heavy Glossy 111–130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131–175g, XHyvGlossy 131–175g, HP Matte 200g, HP Glossy 200g, Card-stock 176–220g, Card Glossy 176–220g, Light Paperboard 221–255g, Paperboard 256–300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored                                                                                                                                                                                                                                                                                                                                                                                                |
| Suderinamas laikmenų svoris            | Tray 1, 2, 3: 60 to 325 g/m²                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Tinkami laikmenų matmenys              | <b>Tray 1:</b> A3, A4, A4R, A5, ASR, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; <b>Tray 2:</b> A4, A4R, A5, ASR, A6, RA4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, 8K, 16k, Envelope B5, Envelop C5, Envelope C6, Envelope DL; <b>Tray 3:</b> A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Pasirinktinis laikmenos dydis          | Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Kas yra dėžėje                         | 50K03A HP Color LaserJet Managed MFP E877dn Priner; In box materials; Guide install; Flyer Regulatory; Power Cords; Label; Drums                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Pakaitinės kasetės <sup>4</sup>        | HP Black Managed LaserJet Toner Cartridge (ISO Yield 25,000) W9160MC; HP Cyan Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9161MC; HP Yellow Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9162MC; HP Magenta Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9163MC; HP Black Managed LaserJet Toner Cartridge (ISO Yield 50,000) W9170MC; HP Cyan Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9171MC; HP Yellow Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9172MC; HP Magenta Managed LaserJet Toner Cartridge (ISO Yield 45,000) W9173MC                                                                                                                                                                                                                                                                                                                                                             |
| Gaminio matmenys                       | <b>Plotis x gylis x aukštis:</b> 585 x 694.7 x 907.7 mm; <b>Daugiausia:</b> 1656.7 x 1269 x 1488.5 mm;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Produkto svoris                        | 99.8 kg;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Garantijų ypatybės                     | 1 Year Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> to learn about HP award winning service and support options in your region.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| „Energy star“ sertifikuotas produktas  | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Ekologinės etiketės                    | IT ECO Declaration; Blue Angel; EPEAT® registered; ENERGY STAR® certified                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Valdymo pultas                         | 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Ekrano aprašas                         | 10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Kartu pateikta programinė įranga       | No software solutions are included in the box, only on <a href="http://www.hp.com">http://www.hp.com</a> or <a href="http://123.hp.com">http://123.hp.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Saugos valdymas                        | Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs |
| Suderinamos operacinės sistemos        | Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Suderinamos tinklo operacinės sistemos | Windows Server; Linux; Citrix; Novell                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Minimalūs reikalavimai sistemai        | <b>Kompiuteris:</b> 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see <a href="http://www.microsoft.com">http://www.microsoft.com</a> ; <b>„Mac“:</b> 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see <a href="http://www.apple.com">http://www.apple.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Galia                                  | <b>Maitinimo tipas:</b> Internal (Built-in) power supply; <b>Reikalavimai dėl maitinimo:</b> Input voltage: 220 to 240VAC 50/60Hz; <b>Energijos sąnaudos:</b> 820 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Akustika                               | <b>Akustinės galios emisija:</b> 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; <b>Garsinio slėgio emisija (aktyvus, spausdinimas):</b> 52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 60ppm; 55dB(A), printing color simplex A4 at 70ppm; <b>Garsinio slėgio emisija (aktyvus nuskaitymas):</b> 54dB(A), ADF scan A4 at 90ppm; 59dB(A), ADF scan A4 at 150ipm                                                                                                                                                                                                                                                                                                                                           |
| Darbinė aplinka                        | <b>Darbinės temperatūros intervalas:</b> 15 to 30°C; <b>Rekomenduojama darbinė temperatūra:</b> 15 to 30°C; <b>Saugojimo temperatūros diapazonas:</b> -10 to 40°C; <b>Darbinės drėgmės diapazonas:</b> 20 to 80% RH; <b>Rekomenduojamas drėgmės intervalas dirbant:</b> 20 to 80% RH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

### Pranešimų puslapių išnašos

- <sup>1</sup> HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: <http://www.hp.com/go/PrinterSecurityClaims>.
- <sup>2</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>3</sup> Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- <sup>4</sup> Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.
- <sup>5</sup> HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit <http://www.hp.com/wolfsecurity>.
- <sup>6</sup> Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019–2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: <https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf>
- <sup>7</sup> 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
- <sup>8</sup> 100% of Original HP Toner Cartridges contain between 1–77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See <http://www.hp.com/go/TonerRecycledContent> for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.
- <sup>9</sup> HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines
- <sup>10</sup> HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

### Techninių specifikacijų puslapio išnašos

- <sup>1</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>2</sup> Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>3</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- <sup>4</sup> Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see <http://www.hp.com/go/learnaboutsupplies>.
- <sup>5</sup> For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT). OCR requires HP FutureSmart 5.8.1.1 or later. Open Office XML and other editable OCR formats require optional HP Editable OCR license.
- <sup>7</sup> First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
- <sup>8</sup> Acoustic values are subject to change. For current information see <https://www.hp.com/support>
- <sup>9</sup> OCR requires HP FutureSmart 5.8.1.1 or later. Scan to OneDrive, scan to OneDrive for Business, and scan to Sharepoint Online requires HP FutureSmart 5.8 or later.
- <sup>10</sup> Requires HP FutureSmart 5.8.1.1 or later.

### Dauiau žr.

© Autorių teisės priklauso „HP Development Company, L.P.“, 2025 m. Informacija, esanti šiame dokumente, gali būti keičiama be įspėjimo. Visos HP gaminių ir paslaugų garantijos pateikiamos šių gaminių ir paslaugų garantijos pareiškimo. Jokie čia esantys teiginiai negali būti laikomi papildoma garantija. HP neatsako už technines ar redakcines klaidas arba praleistą informaciją šiame leidinyje.

Gegužė 2025

...

