HP Color LaserJet Managed MFP E786

Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers 'you'll stay secure and simplify fleet management for busy IT pros.



Customizable solutions built to last.

- Your business needs met. Make the most of performance with unprecedented, flexible configurations built to support the demands of your business.
- Expand device functionality and performance with upgradeable options through any point in contract.
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.²

Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.³
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.⁴

Always on guard with HP Wolf Security.


- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified ⁶ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield[™] with active system monitoring is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁸
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁹ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel. ⁷
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.¹¹

Series at a glance

HP LaserJet 120ipm 100 sheet DADF Scanner (5QK34A)
 HP LaserJet 180ipm 200 sheet DADF Scanner (5QK36A)
 HP LaserJet 240ipm 200 sheet Flow DADF Scanner (5QK36A)
 HP LaserJet 32GB Multi Media Card (5QK44A)
 HP LaserJet 32GB SED Hard Disk Drive (5QK45A)
 HP LaserJet 256GB SED Solid State Drive (733M6A)
 HP Color LaserJet Managed MFP E786 Core Printer (5QK18A)
 HP LaserJet 10.1 in (25.6cm) Touchscreen (5QK42A)
 HP LaserJet 8.0 in (20.3cm) Touchscreen (5QK41A)
 HP LaserJet Atmosphere Blue Color Panel (76801A)
 HP LaserJet Comet Red Color Panel (190B0A)
 HP LaserJet Cosmic Green Color Panel (190C0A)
 HP LaserJet Constellation Yellow Color Panel (190D0A)
 HP LaserJet Lunar Gray Color Panel (190A)



Model	HP Color LaserJet Managed MFP E786 Core Printer					
Product number	Engine(5QK18A) Scanner(5QK34A) Control panel(5QK41A) Storage(5QK44A)	Engine(5QK18A) Scanner(5QK34A) Control panel(5QK41A) Storage(5QK45A) or SSD (733M6A)	Engine(5QK18A) Scanner(5QK35A) Control panel(5QK41A) Storage(5QK45A) or SSD (733M6A)	Engine(5QK18A) Scanner(5QK35A) Control panel(5QK42A) Storage(5QK45A) or SSD (733M6A)	Engine(5QK18A) Scanner(5QK36A) Control panel(5QK41A) Storage(5QK45A) or SSD (733M6A)	Engine(5QK18A) Scanner(5QK36A) Control panel(5QK42A) Storage(5QK45A) or SSD (733M6A)
Function	Print, copy and scan (fax and wireless optional)					
Control panel	8-in (20.3 cm) touchscreen	8-in (20.3 cm) touchscreen	8-in (20.3 cm) touchscreen	10.1-in (25.65 cm) touchscreen	8-in (20.3 cm) touchscreen	10.1-in (25.65 cm) touchscreen
Mass Storage	32GB eMMC	500GB Hard Disk Drive or 256GB Solid State Drive	500GB Hard Disk Drive or 256GB Solid State Drive			
Scan speed	60/120ipm (simplex/duplex)	60/120ipm (simplex/duplex)	90/180ipm (simplex/duplex)	90/180ipm (simplex/duplex)	120/240ipm (simplex/duplex)	120/240ipm (simplex/duplex)
ADF capacity	100 sheets	100 sheets	200 sheets	200 sheets	200 sheets	200 sheets
Advanced workflow features	N/A	N/A	N/A	N/A	HP EveryPage technology, full size keyboard, embedded OCR, features auto- orientation, auto-tone, auto page-crop, document editing, auto paper color removal, job separation	HP EveryPage technology, full size keyboard, embedded OCR, features auto- orientation, auto-tone, auto page-crop, document editing, auto paper color removal, job separation

* To build the Flex Build unit, the Color Panel must be selected. The same color panel should also be selected for the paper input accessory.

Bata Sheet Thi Color	Laser set Managed MEP E7 00 COLE PHILLER SELES			
Scanner	SQK34A HP LaserJet 120ipm 100 sheet DADF Scanner SQK35A HP LaserJet 180ipm 200 sheet DADF Scanner SQK36A HP LaserJet 240ipm 200 sheet Flow DADF Scanner (Keyboard included)			
Control panel	5QK41A HP LaserJet 8.0 in (20.3cm) Touchscreen 5QK42A HP LaserJet 10.1 in (25.6cm) Touchscreen			
Mass Storage	5QK44A HP LaserJet 32GB Multi Media Card 5QK45A HP LaserJet 500GB SED Hard Disk Drive 733M6A HP LaserJet 256GB SED Solid State Drive			
Paper input accessory without	7G7ZOA HP LaserJet 2x520sh WG Paper Tray/Stand-No color panel 7G7Z1A HP LaserJet Workgroup Stand-No color panel 7G7Z2A HP LaserJet 2000 sheet Workgroup High Capacity Paper Tray/Stand-No color papel			
panel	7G7Z2A HP LaserJet 2000 sheet Workgroup High Capacity Paper Tray/Stand-No color panel			
Color panel for engine & scanner	7G801A HP Color LaserJet Workgroup Atmosphere Blue Color Panel 190A0A HP Color LaserJet Workgroup Lunar Gray Color Panel 190D0A HP Color LaserJet Workgroup Constellation Yellow Color Panel 190F0A HP Color LaserJet Workgroup Atmosphere Blue Color Panel 190F0A HP Color LaserJet Workgroup Cosmic Green Color Panel 190C0A HP Color LaserJet Workgroup Cosmic Green Color Panel 190B0A HP Color LaserJet Workgroup Cosmic Green Color Panel 190B0A HP Color LaserJet Workgroup Cosmic Green Color Panel			
Color panel for high capacity paper tray	7G805A HP LaserJet Workgroup High Capacity Paper Tray/Stand Atmosphere Blue Color Panel 190A7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Panel 190D7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel 190F7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Aurora Purple Color Panel 190C7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel 190B7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel 190B7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel			
Color panel for 2x520sh paper tray	7G804A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Atmosphere Blue Color Panel 190A6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel 190D6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel 190F6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel 190C6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel 190B6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel 190B6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel			
Color panel for stand	7G803A HP LaserJet Workgroup Stand Atmosphere Blue Color Panel 190A9A HP LaserJet Workgroup Stand Lunar Gray Color Panel 190D7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel 190F9A HP LaserJet Workgroup Stand Aurora Purple Color Panel 190C9A HP LaserJet Workgroup Stand Cosmic Green Color Panel 190B9A HP LaserJet Workgroup Stand Cosmet Red Color Panel			
Accessory	Same as E786 (Check E786 datasheet for more details)			
Speed Licenses	8EP56AAE HP Color LaserJet Managed MFP E786 25 to 30ppm License 8EP57AAE HP Color LaserJet Managed MFP E786 25 to 35ppm License 8LB46AAE HP Color LaserJet Managed MFP E786 30 to 35ppm License			
Supplies	W9074MC HP W9074MC Black Managed LaserJet Imaging Drum W9075MC HP W9075MC Color Managed LaserJet Imaging Drum W9140MC HP W9140MC Black Managed LaserJet Toner Cartridge W9141MC HP W9141MC Cyan Managed LaserJet Toner Cartridge W9142MC HP W9142MC Yellow Managed LaserJet Toner Cartridge W9143MC HP W9142MC Yellow Managed LaserJet Toner Cartridge W9143MC HP W9143MC Magenta Managed LaserJet Toner Cartridge W9151MC HP W9151MC High Yield Black Managed LaserJet Toner Cartridge W9152MC HP W9151MC High Yield Cyan Managed LaserJet Toner Cartridge W9152MC HP W9151MC High Yield Usan Managed LaserJet Toner Cartridge W9152MC HP W9152MC High Yield Wanaged LaserJet Toner Cartridge W9152MC HP W9153MC High Yield Magenta Managed LaserJet Toner Cartridge W9153MC HP W9153MC High Yield Magenta Managed LaserJet Toner Cartridge			
Service and Support	U03GVE HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03GWE HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03GYE HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03GYE HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03GYE HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03GYE HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03HDE HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H1E HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H1E HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H2E HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H3E HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H4E HP 4 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H5E HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H6FE HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H6FE HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H6FE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year PW Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03HCPE HP 2 year PW Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03HCPE HP 2 ye			
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit			

Data sheet | HP Color LaserJet Managed MFP E786 Core Printer Series

Technica	l specifications	
----------	------------------	--

u ^d	Print, copy, scan, fax (optional)					
Print speed [°]	A4 Black	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)		
	A4 Color	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)		
	First page out A4 Black First page out A4 Color	As fast as 11.1 sec As fast as 13.0 sec	As fast as 9.4 sec (with 8EP56AAE) As fast as 11.4 sec (with 8EP56AAE)	As fast as 9.1 sec (with 8EP57AAE) As fast as 10.8 sec (with 8EP57AAE)		
Print resolution	· -					
	Black (best): Up to 1200 x 1200 dpi reduced speed; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi; Color (best): Up to 1200 x 1200 dpi reduced speed; Color (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi					
Print technology	Laser; Optical: Normal (600 × 600 4 bit); Be	st (1200 x 1200 1 bit)				
rint cartridges number	4 (1 each black, cyan, magenta, yellow)					
tandard print languages	HP PCL 5c, HP PCL 6, HP Postscript level 3 e	emulation, PDF (v 1.7), AirPrint	t™ compatible			
Printer smart software eatures		e pages per sheet (2, 4, 6, 9, 1	6), collation, watermarks, store print jobs, easy-access	s USB		
Color scanning	Yes					
ican speed Normal ⁵	5QK34A : Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color); 5QK35A : Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color); 5QK36A : Up to 120 ppm/ ipm (b&w), up to 120 ppm/240 ipm (color)					
Scan type / Technology	ADF; Flatbed / D-CIS; Platen Scanner (CCD)					
can resolution	Hardware: Up to 600 × 600 dpi; Optical: Up	to 600 x 600 dpi				
Scan file format	Hi-Compression PDF; JPEG; MTIFF; PDFA; RTF; TIFF; TXT; XPS					
can input modes			er; Scan to USB; Scan to Job Storage; Open Extensibility	/ Platform (OXP), HP Workpath applicatior		
ican Size	ADF Maximum: 297 x 420 mm; ADF Minimu					
canner advanced features	(Flow model only) embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps					
Duplex ADF scanning	Yes, single pass duplex scanning					
ADF capacity	Standard. 100 sheets or 200 sheets					
wain version						
it depth / Grayscale levels	Version 2.4 24-bit/256					
igital sending standard			int; scan to FTP; scan to sFTP; scan to LAN fax; scan to			
eatures	SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (tr mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten; (Flow model only) embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detect document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps					
Copy speed						
opy speed	A4 Black	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)		
opy speed	A4 Color	Up to 25 cpm	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE)		
opy speed	A4 Color A4 Black Duplex	Up to 25 cpm Up to 18 cpm	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE)		
opy speed	A4 Color A4 Black Duplex A4 Color Duplex	Up to 25 cpm Up to 18 cpm Up to 18 cpm	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE)		
opy speed	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE)		
	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Color	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE)		
opy resolution	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE)		
Copy resolution Naximum number of copies	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE)		
Copy speed Copy resolution Maximum number of copies Copier resize	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies 25 to 400%	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec dpi ; Color (text and graphics)	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) : Up to 600 x 600 dpi	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE)		
Copy resolution Maximum number of copies	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edg (book, 2-sided ID); Stamps; Image overlay;	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec dpi ; Color (text and graphics) e Erase; Image adjustment; Jc mage shift; Image preview; Pa	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) : Up to 600 x 600 dpi	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE)		
opy resolution laximum number of copies opier resize opier settings	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edg (book, 2-sided ID); Stamps; Image overlay; Automatically detect color/monochrome; Au	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec dpi ; Color (text and graphics) e Erase; Image adjustment; Jc mage shift; Image preview; Pa	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Up to 600 x 600 dpi	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE)		
Copy resolution Maximum number of copies Copier resize Copier settings	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 x 600 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edg (book, 2-sided ID); Stamps; Image overlay; Automatically detect color/monochrome; Au Up to: 33.6 kbps / Letter: 3 sec per page	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec dpi ; Color (text and graphics) e Erase; Image adjustment; Jc mage shift; Image preview; Pa to tone; Multi-feed detection	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Up to 600 x 600 dpi Up to 600 x 600 dpi	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE)		
Copy resolution Maximum number of copies Copier resize Copier settings Tax speed Tax resolution	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edg (book, 2-sided ID); Stamps; Image overlay; Automatically detect color/monochrome; Au Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec dpi ; Color (text and graphics) e Erase; Image adjustment; Jc mage shift; Image preview; Pa uto tone; Multi-feed detection	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) (Up to 600 x 600 dpi) Up to 600 x 600 dpi) bb build; N or Z-ordering; N-up; Text/Photo; Two-sided aper selection; Blank page suppression; Scan to job sto ; Document editing; Auto paper color removal Black (standard): 203 x 98 dpi	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) copy; Watermark; reduce/enlarge; Scan m orage; Automatically strainghten;		
Copy resolution Aaximum number of copies Copier resize Copier settings	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edg (book, 2-sided ID); Stamps; Image overlay; Automatically detect color/monochrome; Ar Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400 Fax memory: Up to 500 pages; Up to 500 p forwarding supported: Yes Fax phone TAM I	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec dpi ; Color (text and graphics) e Erase; Image adjustment; Jc mage shift; Image preview; Pa ito tone; Multi-feed detection 0 dpi for received faxes only); ages Auto fax reduction supp nterface supported: No Fax pc	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Up to 600 x 600 dpi Up to 600 x 600 dpi	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) as fast as 6.8 sec (with 8EP57AAE) copy; Watermark; reduce/enlarge; Scan morage; Automatically strainghten; Distinctive ring detection supported: No F ne mode supported: No Junk barrier		
opy resolution faximum number of copies opier resize opier settings ax speed ax resolution ax Features	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edg (book, 2-sided ID); Stamps; Image overlay; Automatically detect color/monochrome; Au Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400 Fax memory: Up to 500 pages; Up to 500 p forwarding supported: Yes Fax phone TAM i supported: Yes Maximum speed dialing nur Telephone handset supported: No	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec dpi ; Color (text and graphics) e Erase; Image adjustment; Jc mage shift; Image preview; Pa to tone; Multi-feed detection 0 dpi for received faxes only); ages Auto fax reduction supported : No Fax por nbers: Up to 1000 numbers (e	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) : Up to 600 x 600 dpi bb build; N or Z-ordering; N-up; Text/Photo; Two-sided aper selection; Blank page suppression; Scan to job sta ; Document editing; Auto paper color removal Black (standard): 203 x 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending: No olling supported: Yes (poll to receive only) Fax telephor	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) copy; Watermark; reduce/enlarge; Scan m brage; Automatically strainghten; Distinctive ring detection supported: No F ne mode supported: No Junk barrier s Remote retrieval capability supported: N		
opy resolution laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edg (book, 2-sided ID); Stamps; Image overlay; Automatically detect color/monochrome; Au Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400 Fax memory: Up to 500 pages; Up to 500 p forwarding supported: Yes Fax phone TAM is supported: Yes Maximum speed dialing nur Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network;	Up to 25 cpm Up to 18 cpm As fast as 6.7 sec As fast as 6.7 sec dpi ; Color (text and graphics) e Erase; Image adjustment; Jc mage shift; Image preview; Pa uto tone; Multi-feed detection D dpi for received faxes only); ages Auto fax reduction supported: No Fax pc nbers: Up to 1000 numbers (er 1 Hardware Integration Pocket	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) : Up to 600 x 600 dpi bb build; N or Z-ordering; N-up; Text/Photo; Two-sided aper selection; Blank page suppression; Scan to job str ; Document editing; Auto paper color removal Black (standard): 203 x 98 dpi oorted: Yes Auto-redialing: Yes Fax delayed sending: No olling supported: Yes (poll to receive only) Fax telephor each with 210 destinations) PC interface supported: Ye	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) copy; Watermark; reduce/enlarge; Scan m brage; Automatically strainghten; Distinctive ring detection supported: No F ne mode supported: No Junk barrier s Remote retrieval capability supported: N		
opy resolution laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edg (book, 2-sided ID); Stamps; Image overlay; Automatically detect color/monochrome; Au Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400 Fax memory: Up to 500 pages; Up to 500 p forwarding supported: Yes Fax phone TAM is supported: Yes Maximum speed dialing nur Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network; USB 3.0 (host)	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec dpi ; Color (text and graphics) e Erase; Image adjustment; Jc mage shift; Image preview; Pa uto tone; Multi-feed detection D dpi for received faxes only); ages Auto fax reduction supported : No Fax ponters nterface supported: No Fax ponters : Up to 1000 numbers (effects) 1 Hardware Integration Pocket hernet)	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) : Up to 600 x 600 dpi bb build; N or Z-ordering; N-up; Text/Photo; Two-sided aper selection; Blank page suppression; Scan to job str ; Document editing; Auto paper color removal Black (standard): 203 x 98 dpi oorted: Yes Auto-redialing: Yes Fax delayed sending: No olling supported: Yes (poll to receive only) Fax telephor each with 210 destinations) PC interface supported: Ye	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) copy; Watermark; reduce/enlarge; Scan m brage; Automatically strainghten; Distinctive ring detection supported: No F ne mode supported: No Junk barrier s Remote retrieval capability supported: N		
opy resolution faximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities Vireless capability	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edg (book, 2-sided ID); Stamps; Image overlay; Automatically detect color/monochrome; Au Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400 Fax memory: Up to 500 pages; Up to 500 p forwarding supported: Yes Fax phone TAM is supported: Yes Maximum speed dialing nur Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network; USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Et	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec dpi ; Color (text and graphics) e Erase; Image adjustment; Jc mage shift; Image preview; Pa to tone; Multi-feed detection 0 dpi for received faxes only); ages Auto fax reduction supported : No Fax ported : nbers: Up to 1000 numbers (e 1 Hardware Integration Pocket hernet) are accessory	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) : Up to 600 x 600 dpi bb build; N or Z-ordering; N-up; Text/Photo; Two-sided aper selection; Blank page suppression; Scan to job str ; Document editing; Auto paper color removal Black (standard): 203 x 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending: No olling supported: Yes (poll to receive only) Fax telephor each with 210 destinations) PC interface supported: Ye et 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) copy; Watermark; reduce/enlarge; Scan m brage; Automatically strainghten; Distinctive ring detection supported: No f ne mode supported: No Junk barrier s Remote retrieval capability supported: N		
opy resolution faximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities Vireless capability fobile printing capability	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edg (book, 2-sided ID); Stamps; Image overlay; Automatically detect color/monochrome; At Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 × 400 Fax memory: Up to 500 pages; Up to 500 p forwarding supported: Yes Fax phone TAM i supported: Yes Maximum speed dialing nur Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network; USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Et Optional, enabled with purchase of a hardw	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec dpi ; Color (text and graphics) e Erase; Image adjustment; Jc mage shift; Image preview; Pa to tone; Multi-feed detection 0 dpi for received faxes only); ages Auto fax reduction supported : No Fax ported : nbers: Up to 1000 numbers (e 1 Hardware Integration Pocket hernet) are accessory	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) : Up to 600 x 600 dpi bb build; N or Z-ordering; N-up; Text/Photo; Two-sided aper selection; Blank page suppression; Scan to job str ; Document editing; Auto paper color removal Black (standard): 203 x 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending: No olling supported: Yes (poll to receive only) Fax telephor each with 210 destinations) PC interface supported: Ye et 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) copy; Watermark; reduce/enlarge; Scan m brage; Automatically strainghten; Distinctive ring detection supported: No ne mode supported: No Junk barrier s Remote retrieval capability supported: N		
Copy resolution Aaximum number of copies Copier resize Copier settings Tax speed Tax resolution	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edg (book, 2-sided ID); Stamps; Image overlay; Automatically detect color/monochrome; At Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400 Fax memory: Up to 500 pages; Up to 500 p forwarding supported: Yes Fax phone TAM i supported: Yes Maximum speed dialing nur Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network; USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Et Optional, enabled with purchase of a hardw Apple AirPrint™; Mopria™ Certified; Wi-Fi® D Standard: 6 GB; Maximum: 6 GB	Up to 25 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec dpi ; Color (text and graphics) e Erase; Image adjustment; Jc mage shift; Image preview; Pa to tone; Multi-feed detection 0 dpi for received faxes only); ages Auto fax reduction supported : No Fax ported : nbers: Up to 1000 numbers (e 1 Hardware Integration Pocket hernet) are accessory	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) : Up to 600 x 600 dpi bb build; N or Z-ordering; N-up; Text/Photo; Two-sided aper selection; Blank page suppression; Scan to job str ; Document editing; Auto paper color removal Black (standard): 203 x 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending: No olling supported: Yes (poll to receive only) Fax telephor each with 210 destinations) PC interface supported: Ye et 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) copy; Watermark; reduce/enlarge; Scan m brage; Automatically strainghten; Distinctive ring detection supported: No f ne mode supported: No Junk barrier s Remote retrieval capability supported: N		
Copy resolution Maximum number of copies Copier resize Copier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities Vireless capability Mobile printing capability Memory Processor speed	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edg (book, 2-sided ID); Stamps; Image overlay; Automatically detect color/monochrome; At Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400 Fax memory: Up to 500 pages; Up to 500 p forwarding supported: Yes Fax phone TAM i supported: Yes Maximum speed dialing nur Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network; USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Et Optional, enabled with purchase of a hardw Apple AirPrint™; Mopria™ Certified; Wi-Fi® E Standard: 6 GB; Maximum: 6 GB Quad Core (1.6GHz), Dual Core (1.4GHz)	Up to 25 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec dpi ; Color (text and graphics) e Erase; Image adjustment; Jc mage shift; Image preview; Pa to tone; Multi-feed detection 0 dpi for received faxes only); ages Auto fax reduction supp enterface supported: No Fax pc nbers: Up to 1000 numbers (e 1 Hardware Integration Pocket hernet) are accessory irect Printing; NFC Touch-to-p	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) : Up to 600 x 600 dpi bb build; N or Z-ordering; N-up; Text/Photo; Two-sided aper selection; Blank page suppression; Scan to job sta ; Document editing; Auto paper color removal Black (standard): 203 x 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending: No olling supported: Yes (poll to receive only) Fax telephor each with 210 destinations) PC interface supported: Ye et 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) copy; Watermark; reduce/enlarge; Scan m brage; Automatically strainghten; Distinctive ring detection supported: No f ne mode supported: No Junk barrier s Remote retrieval capability supported: N		
Copy resolution Aaximum number of copies Copier resize Copier settings Copier settings	A4 Color A4 Black Duplex A4 Color Duplex First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 600 × 600 Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edg (book, 2-sided ID); Stamps; Image overlay; Automatically detect color/monochrome; At Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400 Fax memory: Up to 500 pages; Up to 500 p forwarding supported: Yes Fax phone TAM i supported: Yes Maximum speed dialing nur Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network; USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Et Optional, enabled with purchase of a hardw Apple AirPrint™; Mopria™ Certified; Wi-Fi® D Standard: 6 GB; Maximum: 6 GB	Up to 25 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec dpi ; Color (text and graphics) e Erase; Image adjustment; Jc mage shift; Image preview; Pa to tone; Multi-feed detection 0 dpi for received faxes only); ages Auto fax reduction supp enterface supported: No Fax pc nbers: Up to 1000 numbers (e 1 Hardware Integration Pocket hernet) are accessory irect Printing; NFC Touch-to-p	Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) : Up to 600 x 600 dpi bb build; N or Z-ordering; N-up; Text/Photo; Two-sided aper selection; Blank page suppression; Scan to job sta ; Document editing; Auto paper color removal Black (standard): 203 x 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending: No olling supported: Yes (poll to receive only) Fax telephor each with 210 destinations) PC interface supported: Ye et 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1	Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) copy; Watermark; reduce/enlarge; Scan m brage; Automatically strainghten; Distinctive ring detection supported: No F ne mode supported: No Junk barrier s Remote retrieval capability supported: N		

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes;				
	Input Capacities, Max: Up to 3140 sheets;				
	Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3				
Media types supported	Plain, HP EccEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 9111- 130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Color Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored				
Media weight supported	Tray 1:60 to 300 g/m ² ; Tray 2, 3:60 to 220 g/m ²				
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Dítcio, 8K, 16k, Postcard, Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, Ra4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k				
Media Sizes Custom	Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm				
What's in the box	50K18A In box materials; Guide install; Flyer Regulatory; Power Cords; Label; Drums				
Replacement cartridges	HP Black Managed LJ Toner Cartridge (ISÓ Yield 14,500) W9140MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 12,000) W9141MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 12,000) W9142MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 12,000) W9143MC, HP Black Managed LJ Toner Cartridge (ISO Yield 29,000) W9150MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC, HP Magenta Toner Cartridge (ISO Yield 24,000) W9152MC, HP Mater Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC, HP Mater Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC, HP Cyan Managed LJ Toner Cart				
Product dimensions	W x d x h: 566 x 646 x 848 mm - 640.8 x 725.5 x 908.1 mm Maximum: 1681 x 1196 x 1190 mm - 1681 x 1196 x 1241 mm				
Product weight	~77.8 kg - 84.2 kg				
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.				
Energy star certified	Ves				
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel				
Control panel	5QK41A: 5.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display, Speaker, SQK42A: 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display, Speaker				
Display description	5QK41A: 8-in (20.3 cm) touchscreen, XGA Color Graphic Display (CGD), 5QK42A: 10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)				
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com				
Security management	Identity management: Kerberos authentication, IDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers), Network: IPsec/firewall with fertificate/Pre- shared Key authentication, Supports WIA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates: Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attack), Whitelisting (loads only known good code), H Memory Shield [™] , Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsinght and Solunk SIEMs				
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS				
Compatible network operating systems	Windows Server; Linux; Citrix; UNIX; Novell				
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB				
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), S0/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%), S0/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%), S0/60 (+/-10%), S0/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 580 watts (25ppm, printing), 670 watts (30ppm, printing), 720 watts (35ppm, printing), 32.0 watts (and voltage). O 22 watts (and voltage), 0.2 watts (and voltage). The super supply varies (35ppm, printing), 32.0 watts (35ppm, printing), 720 watts (35ppm, printing), 32.0 watts (35ppm, printing), 0.2 watts (and voltage).				
Acoustics	Acoustic power emissions: 6.60 Bel(A), printing color simplex A4 at 25ppm; 6.70 Bel(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active, printing, dB(A), printing color simplex A4 at 25ppm; 51 dB(A), printing color simplex A4 at 25ppm; 51 dB(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 52 dB(A), printing color simplex A4 at 35ppm; 3 dB(A), ADF scan A4 at 90ipm; 52 dB(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 90				
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH				

Messaging Footnotes

¹ HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

⁴ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

⁵ HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details
⁶ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. ⁸100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.

⁹ 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic. ¹⁰ HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

¹² Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical Specifications Footnotes

Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and

document complexity. ³Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
 ⁶ For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)

32 GB MultiMedia Card is compatible with an 8-inch control panel only and 120ipm scanne

⁸ Dimension and weight vary by Flex Build configuration



To learn more, visit hp.com

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. May 2023

