HP Color LaserJet Managed MFP E877dn Printer Series



Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Get time back with industry leading print speeds up to 70ppm.⁶
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.²

Customizable solutions built to last.

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.⁷
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of expensive color matching systems.

Always on guard with HP Wolf Security.4


- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified³ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁸
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.9 Printing that puts the
 planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Silver, Energy Star, and Blue Angel.
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 297 x 432 mm (11x17 in)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (12×18 in)
- 14. 200-sheet dual side ADF supports media sizes up to A3 (11x17 in)³
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12×18 in)
- 19. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (12×18 in)



Series at a glance

Model	HP Color LaserJet Managed MFP E877dn				
Product number	5QK03A	5QK03A (Base) + 8EP60AAE (Speed license)	5QK03A (Base) + 8EP61AAE (Speed license)	5QK03A (Base) + 8EP62AAE (Speed license)	
Print speed (A4 and letter, black and color) ³	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm	
Scan speed(A4 and letter, black and color)4	90 ppm/180 ipm, simplex/duplex				
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	200 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)				
Advanced workflow features	No	_		_	

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can

Save resources with our energy efficient printing that meets EPEAT Silver, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U03HDE HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HGE HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HGE HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HJE HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HJE HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HKE HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HKE HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HME HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNE HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNE HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HSPE HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HSPE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 The E877 series Flow models include a 300-sheet ADF. The E877 series on models include a 200-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3).

Measured using ISO/IEC 24734, excludes First set of test documents. For more information, see hp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

⁶ HP EveryPage Technology is powered by ultrasonic multi-feed detection.

Front panel optional colors



*Available with optional color panel accessories

```
ISSPTA.HP Laser let InnerFinisher 2/3 Hole Punch
155PTA.HP Laser let InnerFinisher 2/3 Hole Punch
155PTA.HP Claser let InnerFinisher 2/3 Hole Punch
155PTA.HP Claser let Department Lunar Gray Clor Panel
1900A.HP Claser let Department Sez-Sob sheet Paper Tray/Stand Lunar Gray Color Panel
1900A.HP Claser let Department Sez-Sob sheet Paper Tray/Stand Lunar Gray Color Panel
1900A.HP Claser let Department Help Capacity Paper Tray/Stand Cuner Red Color Panel
1900B.AHP Claser Let Department Laser Sez-Sob sheet Paper Tray/Stand Corner Red Color Panel
1900B.AHP Laser let Department Sand Corner Red Color Panel
1900B.AHP Laser let Department Sand Corner Color Panel
1900B.AHP Laser let Department Help Capacity Paper Tray/Stand Cornic Green Color Panel
1900B.AHP Laser let Department Help Capacity Paper Tray/Stand Corner Cellor Panel
1900B.AHP Laser let Department Help Capacity Paper Tray/Stand Corner Cellor Panel
1900B.AHP Laser let Department Help Capacity Paper Tray/Stand Corner Cellor Panel
1900B.AHP Laser let Department Help Capacity Paper Tray/Stand Corner Cellor Panel
1900B.AHP Laser let Department Help Capacity Paper Tray/Stand Aurora Purple Color Panel
1900B.AHP Laser let Department Help Capacity Paper Tray/Stand Aurora Purple Color Panel
1900B.AHP Laser let Department Help Capacity Paper Tray/Stand Aurora Purple Color Panel
1900B.AHP Laser let Department Help Capacity Paper Tray/Stand Aurora Purple Color Panel
1900B.AHP Laser let Department Aurora Purple Color Panel
1900B.AHP Laser let Department Help Capacity Paper Tray/Stand Aurora Purple Color Panel
1900B.AHP Laser let Department Aurora Purple Color Panel
1900B.AHP Laser let Department Aurora Purple Color Panel
1900B.AHP Laser let Department Aurora Purple Color Panel
1900B.AHP Laser let Depart
                           3.JNGSAH PLetdirect 3100x BLE/NFC/Wireless Accessory
40(122A PL Deigo Secure USB Readed
4NNGFA Internal USB Expansion Kit
50K(14A PM PMF 910 Analog Dual Fax
60WATA PL Daserlet 2-5250 sheet Department Paper Tray/Stand
60WASA PL Daserlet Inner Finishe
60WSA PL Daserlet Inner Finishe
60WSA PL Daserlet Department Job Separator
60WSA PL Daserlet Department Stand
60WSA PL Daserlet Booklet Finishe
60WSA PL Daserlet Booklet Finishe
60WSA PL Daserlet Booklet Finishe
60WSA PL Daserlet Department Stand
                           GGWS34 H Laser let Department Stand
GGWS34 H Laser let Stapler/Stacker Finisher
GGWS64 H Laser let Stapler/Stacker Finisher
GGWS64 H Laser let 3000 sheet Department High Capacity Paper Tray/Stand
GGWS74 H Laser let 2000 sheet Department High Capacity Paper Tray/Stand
GHW314H P S00GB CCC, FIPS, TAA Hard Disk Drive
T200AB1 HVPP S00G Analog Single F-
BEP314 HVP 100GB CCC, FIPS Hard Disk Drive
BS1314 HVP Foreign Interface Harness
BS1314 HVP Foreign Interface Harness
S100AB1 LIVER S10AB1 HIGH S10AB1 LIVER S10AB1
S10AB1 HVP Foreign Interface Harness
                           BBLS 14HH Foreign interface Harness
A2003A HF USE hinversal Card Reader
Y1G10A HF Laser let Hole Punch 23 Accessory
Y1G10A HF Laser let Hole Punch 273 Accessory
Y1G13A HF Laser let Hole Punch 274 Accessory
Y1G13A HF Laser let Hole Punch 274 Accessory
Y1G13A HF Laser let Stapler/Stacker Finisher Staples
Y1G22A HF Laser let Paper Tray Heaters Accessory
Y1G2A HF HD Keystrole Reader
Y1G07A HF SIM for HID (Lass for HID 2 Reader
Y1G07A HF SIM for HID (Lass for HID 2 Reader
VILLIAN PLASS Jet Spågler Jackser Finsher Subjess
VILLIAN PLASS Jet Spågler Jackser Finsher Subjess
VILLIAN PLASS JET SPÅGLER 
                    BEPGAAE HP Color Laser Jet Managed MP E877 40 to Soppm License
BEPGA IAB HP Color Laser Jet Managed MP E877 40 to Soppm License
BEPGAAE HP Color Laser Jet Managed MP E877 40 to Soppm License
BLB46AB HP Color Laser Jet Managed MP E877 50 to Soppm License
BLB46AB HP Color Laser Jet Managed MP E877 50 to Toppm License
BLB46AB HP Color Laser Jet Managed MP E877 50 to Toppm License
BLB50AB HP Color Laser Jet Managed MP E877 50 to Toppm License
```

^{*} Inner finisher/inner finisher hole punches are not compatible with 70ppm

Technical specifications

Functions	Print, copy, scan, fax (optional)							
Print speed ^{3,4}	Letter Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)			
-unic speed	Letter Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)			
	Letter Black Duplex	Up to 40 ipm	Up to 50 ipm (with 8EP60AAE)	Up to 60 ipm (with 8EP61AAE)	Up to 70 ipm (with 8EP62AAE)			
	Letter Color Duplex	Up to 40 ipm	Up to 50 ipm (with 8EP60AAE)	Up to 60 ipm (with 8EP61AAE)	Up to 70 ipm (with 8EP62AAE)			
	A4 Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)			
	A4 Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)			
	A4 Black Duplex	Up to 40 ipm	Up to 50 ipm (with 8EP60AAE)	Up to 60 ipm (with 8EP61AAE)	Up to 70 ipm (with 8EP62AAE)			
	A4 Color Duplex	Up to 40 ipm	Up to 50 ipm (with 8EP60AAE)	Up to 60 ipm (with 8EP61AAE)	Up to 70 ipm (with 8EP62AAE)			
	A3 Black	Up to 21 ppm	Up to 26 ppm (with 8EP60AAE)	Up to 30 ppm (with 8EP61AAE)	Up to 35 ppm (with 8EP62AAE)			
	A3 Color	Up to 21 ppm	Up to 26 ppm (with 8EP60AAE)	Up to 30 ppm (with 8EP61AAE)	Up to 35 ppm (with 8EP62AAE)			
	First page out Letter Black	As fast as 7.1 sec	As fast as 6.5 sec (with 8EP60AAE)	As fast as 6.3 sec (with 8EP61AAE)	As fast as 6.2 sec (with 8EP62A			
	First page out Letter Color	As fast as 8.3 sec	As fast as 7.4 sec (with 8EP60AAE)	As fast as 7.0 sec (with 8EP61AAE)	As fast as 6.9 sec (with 8EP62A			
	First page out A4 Black	As fast as 7.1 sec	As fast as 6.5 sec (with 8EP60AAE)	As fast as 6.3 sec (with 8EP61AAE)	As fast as 6.2 sec (with 8EP62A			
	First page out A4 Color	As fast as 8.3 sec	As fast as 7.4 sec (with 8EP60AAE)	As fast as 7.0 sec (with 8EP61AAE)	As fast as 6.9 sec (with 8EP62A			
rint esolution##prntresftntnbr##	Black (normal): Up to 600 x 600 dpi	; Black (fine lines): Up to 1200 x 12	00 dpi; Color (normal): Up to 600 x 600 dp	oi; Color (fine lines): Up to 1200 x 120	0 dpi			
rint technology	Lacer: Ontical: Fine lines (1200v120	Odni): Normal (600×600dni): Ouic	view (300×300dpi)					
<u>.</u>	Laser; Optical: Fine lines (1200x1200dpi); Normal (600x600dpi); Quick view (300x300dpi)							
rint cartridges number	4 (1 each black, cyan, magenta, yellow)							
tandard print languages	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible							
rinter smart software features	Print preview, duplex printing, print	multiple pages per sheet (2, 4, 6, 9), 16), collation, watermarks, store print jo	bs, easy-access USB				
olor scanning	Yes							
ican speed Normal ⁵		.00 ppm/190 ipm (color) : Up to 00	2 ppm/100 ipm (h8 w) up to 00 ppm/100	inm (color) Duplay: Up to 190 inm (h)	w) up to 100 ipm (color) : Up to 1			
can speed Northal	Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color); Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) Duplex: Up to 180 ipm (b&w), up to 180 ipm (color); Up to 1 ipm (b&w), up to 1 80 ipm (color)							
ican type / Technology		Naital CIS						
	Flatbed, ADF / Platen Scanner CCD Digital-CIS							
Scan resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi							
ican file format	PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A							
ican input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications							
Scan Size	ADF Maximum: 297 x 420 mm; ADF Minimum: 68 x 127 mm; 2.7 x 5 in Flatbed: 297 x 432 mm;							
Ouplex ADF scanning								
· -	Yes, single pass duplex scanning							
ADF capacity	Standard, 200 sheets							
wain version	Version 2.4							
it depth / Grayscale levels	24-bit/256							
Digital sending standard	Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL;							
eatures								
catares	automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten							
Copy speed ⁷	Letter Black	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
ору эрсеи	Letter Color	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
	A4 Black	Up to 40cpm	Up to 50cpm (with 8EP60AAE)	Up to 60cpm (with 8EP61AAE)	Up to 70cpm (with 8EP62AAE)			
	A4 Color	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
	Letter Black Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
	Letter Color Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
	A4 Black Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
	A4 Color Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)			
	First copy out Letter Black	As fast as 4.9 sec	As fast as 4.2 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62A			
	riist copy out Letter black		As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE)				
	First copy out Letter Color	As fast as 6.5 sec			As fast as 4.3 sec (with 8EP62A)			
		As fast as 6.5 sec As fast as 4.9 sec	As fast as 4.2 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE)	II.			
	First copy out Letter Color		As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62A			
Copy resolution	First copy out Letter Color First copy out A4 Black First copy out A4 Color	As fast as 4.9 sec As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)	II.	As fast as 3.5 sec (with 8EP62A			
	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 60	As fast as 4.9 sec As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)	II.	As fast as 3.5 sec (with 8EP62A			
Maximum number of copies	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 60 Up to 9999 copies	As fast as 4.9 sec As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)	II.	As fast as 3.5 sec (with 8EP62A			
Maximum number of copies Copier resize	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 60 Up to 9999 copies 25 to 400%	As fast as 4.9 sec As fast as 6.5 sec 0 × 600 dpi ; Color (text and graph i	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi	As fast as 4.9 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62A; As fast as 4.3 sec (with 8EP62A;			
Maximum number of copies Copier resize	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically d printed picture, photograph); N-Up;	As fast as 4.9 sec As fast as 6.5 sec 0 x 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientatic	As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62A; As fast as 4.3 sec (with 8EP62A; s); optimize text/picture (text, mix			
Maximum number of copies Copier resize Copier settings	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically d printed picture, photograph); N-Up; preview; image shift; paper selectio	As fast as 4.9 sec As fast as 6.5 sec 0 × 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientation; blank page suppression; automates	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, corn; collate; booklet; scan mode (book, 2-si	As fast as 4.9 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62Ar As fast as 4.3 sec (with 8EP62Ar s); optimize text/picture (text, mix			
Maximum number of copies Copier resize Copier settings Fax speed	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics); ; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically d printed picture, photograph); N-Up; preview; image shift; paper selectio Up to: 33.6 kbps / Letter: 3 sec per	As fast as 4.9 sec As fast as 6.5 sec 0 × 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientation; blank page suppression; automapage	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, corin; collate; booklet; scan mode (book, 2-sistically straighten; scan to job storage	As fast as 4.9 sec (with 8EP61AAE)				
Maximum number of copies Copier resize Copier settings Fax speed Fax resolution	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically d printed picture, photograph); N-Up; preview; image shift; paper selectio Up to: 33.6 kbps / Letter: 3 sec per Black (best): Up to 300 x 300 dpi (4)	As fast as 4.9 sec As fast as 6.5 sec 0 x 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientation; blank page suppression; automopage 00 x 400 dpi for received faxes onl	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, cor in; collate; booklet; scan mode (book, 2-si stically straighten; scan to job storage y); Black (standard): 203 x 98 dpi	As fast as 4.9 sec (with 8EP61AAE) itrast, background cleanup, sharpnesded ID); watermark; stamps; image ov	As fast as 3.5 sec (with 8EP62A) As fast as 4.3 sec (with 8EP62A) Solve the second of			
Aaximum number of copies Copier resize Copier settings Fax speed Fax resolution	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically d printed picture, photograph); N-Up; preview; image shift; paper selectio Up to: 33.6 kbps / Letter: 3 sec per Black (best): Up to 300 x 300 dpi (4 Fax memory: Up to 500 pages; Up t supported: Yes Fax phone TAM inter	As fast as 4.9 sec As fast as 6.5 sec 0 × 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientatic is blank page suppression; automi bage 00 × 400 dpi for received faxes onl o 500 pages Auto fax reduction su face supported: No Fax polling sup	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, corin; collate; booklet; scan mode (book, 2-sistically straighten; scan to job storage	As fast as 4.9 sec (with 8EP61AAE) ntrast, background cleanup, sharpnes: ded ID); watermark; stamps; image ov ved sending: No Distinctive ring detect	As fast as 3.5 sec (with 8EP62A As fast as 4.3 sec (with 8EP62A s); optimize text/picture (text, mix- verlay; erase edges; job build; ima- cion supported: No Fax forwarding er supported: Yes Maximum spee			
faximum number of copies opier resize opier settings ax speed ax resolution ax Features	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically d printed picture, photograph); N-Up; preview; image shift; paper selectio Up to: 33.6 kbps / Letter: 3 sec per Black (best): Up to 300 x 300 dpi (4 Fax memory: Up to 500 pages; Up t supported: Yes Fax phone TAM inter dialing numbers: Up to 1000 numb	As fast as 4.9 sec As fast as 6.5 sec 0 x 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientatic page 00 x 400 dpi for received faxes onl o 500 pages Auto fax reduction su face supported: No Fax polling sup ers (each with 210 destinations) Po	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, con; collate; booklet; scan mode (book, 2-sistically straighten; scan to job storage y); Black (standard): 203 x 98 dpi pported: Yes Auto-redialing: Yes Fax delay pported: Yes (poll to receive only) Fax telep: interface supported: Yes Remote retrieva	As fast as 4.9 sec (with 8EP61AAE) htrast, background cleanup, sharpness ded ID); watermark; stamps; image ov ved sending: No Distinctive ring detect shone mode supported: No Junk barri al capability supported: No Telephone	As fast as 3.5 sec (with 8EP62A As fast as 4.3 sec (with 8EP62A s); optimize text/picture (text, mix- verlay; erase edges; job build; ima- tion supported: No Fax forwarding er supported: Yes Maximum spec handset supported: No			
laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically d printed picture, photograph); N-Up; preview; image shift; paper selectio Up to: 33.6 kbps / Letter: 3 sec per Black (best): Up to 300 x 300 dpi (4 Fax memory: Up to 500 pages; Up t supported: Yes Fax phone TAM inter dialing numbers: Up to 1000 numbors 1 Gigabit Ethernet 10/100/1000T n	As fast as 4.9 sec As fast as 6.5 sec 0 x 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientatic is blank page suppression; automi bage 00 x 400 dpi for received faxes onl o 500 pages Auto fax reduction su face supported: No Fax polling sup ers (each with 210 destinations) Pol etwork; 1 Hardware Integration Pol	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, corn; collate; booklet; scan mode (book, 2-siatically straighten; scan to job storage y); Black (standard): 203 x 98 dpi pported: Yes Auto-redialing: Yes Fax delay pported: Yes (poll to receive only) Fax telep	As fast as 4.9 sec (with 8EP61AAE) htrast, background cleanup, sharpness ded ID); watermark; stamps; image ov ved sending: No Distinctive ring detect shone mode supported: No Junk barri al capability supported: No Telephone	As fast as 3.5 sec (with 8EP62A As fast as 4.3 sec (with 8EP62A s); optimize text/picture (text, mix verlay; erase edges; job build; ima cion supported: No Fax forwardiner er supported: Yes Maximum spec handset supported: No			
laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically d printed picture, photograph); N-Up; preview; image shift; paper selectio Up to: 33.6 kbps / Letter: 3 sec per Black (best): Up to 300 x 300 dpi (4 Fax memory: Up to 500 pages; Up t supported: Yes Fax phone TAM inter dialing numbers: Up to 1000 numb 1 Gigabit Ethernet 10/100/1000T r Standard (built-in GIGABIT 10/100/	As fast as 4.9 sec As fast as 6.5 sec 0 x 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientatic n; blank page suppression; automo page 00 x 400 dpi for received faxes onl o 500 pages Auto fax reduction su face supported: No Fax polling supers (each with 210 destinations) Pol etwork; 1 Hardware Integration Pol 1000T Ethernet)	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, con; collate; booklet; scan mode (book, 2-sistically straighten; scan to job storage y); Black (standard): 203 x 98 dpi pported: Yes Auto-redialing: Yes Fax delay pported: Yes (poll to receive only) Fax telep: interface supported: Yes Remote retrieva	As fast as 4.9 sec (with 8EP61AAE) htrast, background cleanup, sharpness ded ID); watermark; stamps; image ov ved sending: No Distinctive ring detect shone mode supported: No Junk barri al capability supported: No Telephone	As fast as 3.5 sec (with 8EP62A As fast as 4.3 sec (with 8EP62A s); optimize text/picture (text, mix verlay; erase edges; job build; ima cion supported: No Fax forwardin er supported: Yes Maximum spec handset supported: No			
laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically d printed picture, photograph); N-Up; preview; image shift; paper selectio Up to: 33.6 kbps / Letter: 3 sec per Black (best): Up to 300 x 300 dpi (4 Fax memory: Up to 500 pages; Up t supported: Yes Fax phone TAM inter dialing numbers: Up to 1000 numbors 1 Gigabit Ethernet 10/100/1000T n	As fast as 4.9 sec As fast as 6.5 sec 0 x 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientatic n; blank page suppression; automo page 00 x 400 dpi for received faxes onl o 500 pages Auto fax reduction su face supported: No Fax polling supers (each with 210 destinations) Pol etwork; 1 Hardware Integration Pol 1000T Ethernet)	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, con; collate; booklet; scan mode (book, 2-sistically straighten; scan to job storage y); Black (standard): 203 x 98 dpi pported: Yes Auto-redialing: Yes Fax delay pported: Yes (poll to receive only) Fax telep: interface supported: Yes Remote retrieva	As fast as 4.9 sec (with 8EP61AAE) htrast, background cleanup, sharpness ded ID); watermark; stamps; image ov ved sending: No Distinctive ring detect shone mode supported: No Junk barri al capability supported: No Telephone	As fast as 3.5 sec (with 8EP62A As fast as 4.3 sec (with 8EP62A s); optimize text/picture (text, mix verlay; erase edges; job build; ima cion supported: No Fax forwardin er supported: Yes Maximum spec handset supported: No			
laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities //reless capability	First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically d printed picture, photograph); N-Up; preview; image shift; paper selectio Up to: 33.6 kbps / Letter: 3 sec per Black (best): Up to 300 x 300 dpi (4 Fax memory: Up to 500 pages; Up t supported: Yes Fax phone TAM inter dialing numbers: Up to 1000 numbe 1 Gigabit Ethernet 10/100/1000T r Standard (built-in GIGABIT 10/100/ Optional, enabled with purchase of	As fast as 4.9 sec As fast as 6.5 sec 0 x 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientatic n; blank page suppression; automo page 00 x 400 dpi for received faxes onl o 500 pages Auto fax reduction su face supported: No Fax polling supers (each with 210 destinations) P(etwork; 1 Hardware Integration Pol 1000T Ethernet) a hardware accessory	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, corin; collate; booklet; scan mode (book, 2-sistically straighten; scan to job storage y); Black (standard): 203 x 98 dpi pported: Yes Auto-redialing: Yes Fax delay ported: Yes (poll to receive only) Fax telep: interface supported: Yes Remote retrievalucket 2nd generation (HIP2); 1 Hi-Speed U	As fast as 4.9 sec (with 8EP61AAE) htrast, background cleanup, sharpness ded ID); watermark; stamps; image ov ved sending: No Distinctive ring detect shone mode supported: No Junk barri al capability supported: No Telephone	As fast as 3.5 sec (with 8EP62A As fast as 4.3 sec (with 8EP62A s); optimize text/picture (text, mix verlay; erase edges; job build; ima cion supported: No Fax forwardin er supported: Yes Maximum spec handset supported: No			
laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities lireless capability lobile printing capability	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically d printed picture, photograph); N-Up; preview; image shift; paper selectio Up to: 33.6 kbps / Letter: 3 sec per Black (best): Up to 300 x 300 dpi (4 Fax memory: Up to 500 pages; Up t supported: Yes Fax phone TAM inter daling numbers: Up to 1000 numbe 1 Gigabit Ethernet 10/100/1000T r Standard (built-in GIGABIT 10/100/ Optional, enabled with purchase of Apple AirPrint™; Mopria™ Certified;	As fast as 4.9 sec As fast as 6.5 sec 0 x 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientatic n; blank page suppression; automo page 00 x 400 dpi for received faxes onl o 500 pages Auto fax reduction su face supported: No Fax polling supers (each with 210 destinations) P(etwork; 1 Hardware Integration Pol 1000T Ethernet) a hardware accessory	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, corin; collate; booklet; scan mode (book, 2-sistically straighten; scan to job storage y); Black (standard): 203 x 98 dpi pported: Yes Auto-redialing: Yes Fax delay ported: Yes (poll to receive only) Fax telep: interface supported: Yes Remote retrievalucket 2nd generation (HIP2); 1 Hi-Speed U	As fast as 4.9 sec (with 8EP61AAE) htrast, background cleanup, sharpness ded ID); watermark; stamps; image ov ved sending: No Distinctive ring detect shone mode supported: No Junk barri al capability supported: No Telephone	As fast as 3.5 sec (with 8EP62A As fast as 4.3 sec (with 8EP62A s); optimize text/picture (text, mix verlay; erase edges; job build; ima cion supported: No Fax forwardin er supported: Yes Maximum spec handset supported: No			
Aaximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities Vireless capability Adoble printing capability	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically dyrinted picture, photograph); N-Up; preview; image shift; paper selectio Up to: 33.6 kbps / Letter: 3 sec per: Black (best): Up to 300 x 300 dpi (4 Fax memory: Up to 500 pages; Up t supported: Yes Fax phone TAM inter dialing numbers: Up to 1000 numb 1 Gigabit Ethernet 10/100/10007 r Standard (built-in GIGABIT 10/100/ Optional, enabled with purchase of Apple Air Print™; Mopria™ Certified; Standard: 6GB; Maximum: 6GB Quad Core (1.6GHz), Dual Core (1.44) Standard, HP LaserJet 500GB Hard	As fast as 4.9 sec As fast as 6.5 sec 0 × 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientatic n; blank page suppression; automi bage 00 × 400 dpi for received faxes onl o 500 pages Auto fax reduction su face supported: No Fax polling sup ers (each with 210 destinations) Pol etwork; 1 Hardware Integration Pol 1000T Ethernet) a hardware accessory Wi-Fi® Direct Printing; NFC Touch-t 5H2); SSD(766R7A): Optional, HP L	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, corin; collate; booklet; scan mode (book, 2-sistically straighten; scan to job storage y); Black (standard): 203 x 98 dpi pported: Yes Auto-redialing: Yes Fax delay ported: Yes (poll to receive only) Fax telep: interface supported: Yes Remote retrievalucket 2nd generation (HIP2); 1 Hi-Speed U	As fast as 4.9 sec (with 8EP61AAE) Intrast, background cleanup, sharpness ded ID); watermark; stamps; image over ed sending: No Distinctive ring detect shone mode supported: No Junk barri al capability supported: No Telephone SB 2.0 (host); 1 SuperSpeed USB 3.0 in / Storage: Standard, embedded 500 in	As fast as 3.5 sec (with 8EP62A As fast as 4.3 sec (with 8EP62A As fast as 4.3 sec (with 8EP62A sec (with 8E			
Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities Wireless capability Mobile printing capability Memory Processor speed	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically d printed picture, photograph); N-Up; preview; image shift; paper selectio Up to: 33.6 kbps / Letter: 3 sec per Black (best): Up to 300 x 300 dpi (4 Fax memory: Up to 500 pages; Up to supported: Yes Fax phone TAM inter dialing numbers: Up to 1000 numb 1 Gigabit Ethernet 10/100/1000T r Standard (built-in GIGABIT 10/100/ Optional, enabled with purchase of Apple AirPrint™; Mopria™ Certified; Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.44)	As fast as 4.9 sec As fast as 6.5 sec 0 × 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientatic n; blank page suppression; automi bage 00 × 400 dpi for received faxes onl o 500 pages Auto fax reduction su face supported: No Fax polling sup ers (each with 210 destinations) Pol etwork; 1 Hardware Integration Pol 1000T Ethernet) a hardware accessory Wi-Fi® Direct Printing; NFC Touch-t 5H2); SSD(766R7A): Optional, HP L	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, corus; collate; booklet; scan mode (book, 2-sitically straighten; scan to job storage y); Black (standard): 203 x 98 dpi pported: Yes Auto-redialing: Yes Fax delay pported: Yes (poll to receive only) Fax teler interface supported: Yes Remote retrieve cket 2nd generation (HIP2); 1 Hi-Speed U p-print (optional); PrinterOn Print asserJet 512 GB SED-TAA Solid State Drive yption; Secure erase capabilities (Secure F	As fast as 4.9 sec (with 8EP61AAE) atrast, background cleanup, sharpness ded ID); watermark; stamps; image over the dending: No Distinctive ring detect shone mode supported: No Junk barri at capability supported: No Telephone SB 2.0 (host); 1 SuperSpeed USB 3.0 (host); 1 Supe	As fast as 3.5 sec (with 8EP62A) As fast as 4.3 sec (with 8EP62A) As fast as 4.3 sec (with 8EP62A) s); optimize text/picture (text, mix verlay; erase edges; job build; ima tion supported: No Fax forwarding er supported: Yes Maximum spee handset supported: No (device); 1 SuperSpeed USB 3.0 (fr GB hard disk drive / Hard disk: Erase-Job Data, Secure ATA Eras Up to 300,000 pages (with			
Asximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Fatures Fitandard connectivity Fiteless capabilities For the company of the c	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically d printed picture, photograph); N-Up; preview; image shift; paper selectio Up to: 33.6 kbps / Letter: 3 sec per Black (best): Up to 300 x 300 dpi (4 Fax memory: Up to 500 pages; Up t supported: Yes Fax phone TAM inter dialing numbers: Up to 1000 numb 1 Gigabit Ethernet 10/100/1000T r Standard (built-in GIGABIT 10/100/ Optional, enabled with purchase of Apple AirPrint™; Mopria™ Certified; Standard: 6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.44 Standard, HP LaserJet 500GB Hard Disk)	As fast as 4.9 sec As fast as 6.5 sec 0 × 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientatic in; blank page suppression; automo page 00 × 400 dpi for received faxes onl o 500 pages Auto fax reduction su face supported: No Fax polling sup ers (each with 210 destinations) Pol etwork; 1 Hardware Integration Pol 1000T Ethernet) a hardware accessory Wi-Fi® Direct Printing; NFC Touch-t 5Hz); SSD(766R7A): Optional, HP L Disk Drive; AES 256 hardware encr	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, corn; collate; booklet; scan mode (book, 2-sistically straighten; scan to job storage y); Black (standard): 203 x 98 dpi pported: Yes Auto-redialing: Yes Fax delay pported: Yes (poll to receive only) Fax telep: interface supported: Yes Remote retrieve ocket 2nd generation (HIP2); 1 Hi-Speed Use 2nd generation (HIP2); 1 Hi-Speed Use 2nd generation (HIP2); 2 GB SED-TAA Solid State Drive yption; Secure erase capabilities (Secure FUP to 200,000 pages (with 8EP60AAE) Up to 200,000 pages (with	As fast as 4.9 sec (with 8EP61AAE) strast, background cleanup, sharpness ded ID); watermark; stamps; image over ded sending: No Distinctive ring detect shone mode supported: No Junk barri al capability supported: No Telephone SB 2.0 (host); 1 SuperSpeed USB 3.0 in / Storage: Standard, embedded 500 in ile Erase-Temporary Job Files, Secure Up to 250,000 pages (with 8EP61AAE) Up to 250,000 pages (with	As fast as 3.5 sec (with 8EP62A As fast as 4.3 sec (with 8EP62A As fast as 4.3 sec (with 8EP62A As fast as 4.3 sec (with 8EP62A S); optimize text/picture (text, mixerlay; erase edges; job build; image in the supported: No Fax forwarding supported: Yes Maximum spechandset supported: No (device); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset supported: No (device); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset supported: No (device); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset supported: No (device); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 1 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 2 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 2 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 3 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 3 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 3 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 3 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 4 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 4 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 4 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 4 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 4 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 4 SuperSpeed USB 3.0 (for supported: Yes Maximum spechandset); 4 SuperSpeed USB 3.0 (for supported: Yes Maxim			
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities Wireless capability Memory Processor speed Duty cycle (monthly)	First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 60 Up to 9999 copies 25 to 400% Two-sided copying; automatically dyrinted picture, photograph); N-Up; preview; image shift; paper selectio Up to: 33.6 kbps / Letter: 3 sec per Black (best): Up to 300 x 300 dpi (4 Fax memory: Up to 500 pages; Up t supported: Yes Fax phone TaM inted dialing numbers: Up to 1000 number 1 Gigabit Ethernet 10/100/1000T r Standard (built-in GIGABIT 10/100/ Optional, enabled with purchase of Apple AirPrint™; Mopria™ Certified; Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1.44 Standard, HP LaserJet 500GB Hard Disk) Letter:	As fast as 4.9 sec As fast as 6.5 sec 0 x 600 dpi; Color (text and graphi etect color/monochrome; reduce/e N or Z-ordering; content orientation; blank page suppression; automogage 00 x 400 dpi for received faxes onloo 500 pages Auto fax reduction sufface supported: No Fax polling supers (each with 210 destinations) Poletwork; 1 Hardware Integration Poletwork; 2 Direct Printing; NFC Touchet SHz); SSD(766R7A): Optional, HP LDisk Drive; AES 256 hardware encr	As fast as 5.6 sec (with 8EP60AAE) cs): Up to 600 x 600 dpi nlarge; image adjustments (darkness, con; collate; booklet; scan mode (book, 2-sistically straighten; scan to job storage y); Black (standard): 203 x 98 dpi pported: Yes Auto-redialing: Yes Fax delay ported: Yes (poll to receive only) Fax telep: interface supported: Yes Remote retrievative 2nd generation (HIP2); 1 Hi-Speed Uro-print (optional); PrinterOn Print asserJet 512 GB SED-TAA Solid State Drive yption; Secure erase capabilities (Secure FU) Up to 200,000 pages (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE) htrast, background cleanup, sharpness ded ID); watermark; stamps; image over yed sending: No Distinctive ring detect shone mode supported: No Junk barri al capability supported: No Telephone SB 2.0 (host); 1 SuperSpeed USB 3.0 (host); 1 SuperSpeed USB 3.0 (like Erase-Temporary Job Files, Secure Up to 250,000 pages (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62A As fast as 4.3 sec (with 8EP62A as fast as fas fast as			

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max: Up to 6,140 sheets;
	Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies;
	Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-
	WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g,
	Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-
	punched, Colored
Media weight supported	Tray 1, 2, 3: 60 to 325 g/m ²
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6,
	Envelope DL; Tray 2 : A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, 8K, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 3 : A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k
Media Sizes Custom	Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm
What's in the box	5QK03A In box materials ; Guide install, Flyer Regulatory, Power Cords, Label, Drums.
Replacement cartridges	HP Black Managed LJ Toner Cartridge (ISO Yield 25,000) W9160MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 22,500) W9161MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 22,500) W9162MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 22,500) W9163MC, HP Black Managed LJ Toner Cartridge (ISO Yield 50,000) W9170MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 45,000) W9171MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 45,000) W9172MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9173MC
Product dimensions	W x d x h: 585 x 694.7 x 907.7 mm; Maximum : 1656.7 x 1269 x 1488.5 mm;
Product weight	99.8 kg;
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield [™] , Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
Compatible network operating systems	Windows Server; Linux; Citrix; Novell
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 820 watts (40ppm, printing),
	890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A)
	printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 50ppm; 54dB(A),
	printing color simplex A4 at 60ppm; 55dB(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan): 54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH

Messaging Footnotes

- HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 quidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims
- Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices
- running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf
- HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit hp.com/wolfsecurity HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin
- ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and
- Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

 8 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
- 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

 10 HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See
- http://www.peda.net for registration status by country.

 HP printer, HP paper and Original HP supply Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

- Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
 For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)
- First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printer claims. Exact speed varies depending on the system configuration and
- Acoustic values are subject to change. For current information see https://www.hp.com/support













© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

October 2023

