# HP LaserJet Pro MFP 4102fdn Printer



Get blazing fast printing speeds, high-volume scanning, and easy management with LaserJet Pro.

Get blazing fast printing speeds, high-volume scanning, and easy management tools with LaserJet Pro.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

## Highlights

- HP Wolf Pro security
- Automatic two-sided printing standard
- Fast print speed (40 ppm A4)
- High monthly duty cycle (80,000 pages)
- 50 sheet ADF with single-pass, two-sided scanning



## Maximum productivity

- Support your dynamic workteam with this high-speed printer, ideal for up to 10 users.
- Step up your workflow. HP Pro-class print speed reaches up to 42 ppm to meet high-demand environments.<sup>1</sup>
- Scan both sides with a single pass. Dual-sided scanning allows your users to get more done in less time.
- Get productivity in the palm of your hand. Print and save time with Shortcuts from HP Smart.

## Seamless management

- Centralise your print management. HP Web Jetadmin makes it easy with its suite of features.<sup>3</sup>
- Set up your printers quickly. Streamlined setup makes it easy to set up and get back to business.
- Help protect your printer. Self-heal Wi-Fi detects anomalies and reboots automatically to prior safe state.

### **HP Wolf Pro Security**

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- · Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Set configuration policies and validate settings universally with HP Security Manager.<sup>4</sup>

## Sustainable printing

- Save up to 20% energy. EcoSmart toner with JetIntelligence balances premium quality with sustainability. <sup>5</sup>
- Start saving paper right out of the box. The default duplex setting prints on both sides to cut usage in half.
- Meet the industry standard for efficiency with Energy Start rating.
- Reduce your footprint. HP Auto-On/Auto-Off technology optimizes printer energy usage. <sup>6</sup>

## Product walkaround

- 1. Designed for workteams of up to 10 users
- 2. Pre-configured security settings
- 3. Walk-up USB
- 4. Automatic 2-sided printing
- 5. Hi-speed USB ports, built-in Gigabit Ethernet
- 6. Print speeds up to 40 ppm (A4), 350-sheet standard paper capacity



# Accessories, Supplies and Support

Supplies	W1020XC HP W1020XC High Yield Black Contract Original Laser Jet Toner Cartridge (Average cartridge yields 10,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1030XC HP Black Contract Laser Jet Toner Cartridge (Average cartridge yields 10,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1490A HP 149A Black Original LaserJet Toner Cartridge (Average cartridge yields 2,900 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1490X HP 149X High Yield Black Original LaserJet Toner Cartridge (Average cartridge yields 9,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
Accessories	
Service and Support	U42TZE - HP 3 year Next Business Day Service for LaserJet Pro MFP 410x U42U8PE - HP 1 year Post Warranty Next Business Day Service for LaserJet Pro MFP 410x

# Technical specifications

Model HP Laser Jet Pro MFP 4102/dn Printer	
HP LaserJet Pro MFP 4102fdn Printer	
28235	
Print, copy, scan, fax 2.7° Color Tourkscreen	
to the control of the	
Laser	
Black (A4, normal): Up to 40 ppm; Black (A4, duples): Up to 34 ipm	
Black (A4, ready): As fast as 6.3 sec; Black (A4, sleep): As fast as 8.8 sec	
Black (best): Fine Lines (1200 x 1200 dpi); Technology: HP FastRes 1200, HP ProRes1200, Economode	
Up to 80,000 pages A4; Recommended monthly page volume 750 to 4,000	
Auto duplex and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types  HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF URF, Native Office, PWG Raster	
Hir Put, D., Hir Put, Se, Hir posssyript level 3 embalation, Put, OH; Radike Unite, Piwo Kaster  84 scalable True Type fronts	
Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area : 207.4 x 347.1mm	
Automatic (default)	
Black (A4)* Up to 38 cpm	
10 Copy, Number of copies, Resize findusing 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defaults; Maximum number of copies: Up to 9999 copies; Reduze/Enlarge; 25 to 400%	
Normal (A4): Up to 29 ppm/46 gpm (b8ev), up to 20 ppm/34 ipm (color). Duplex (A4): Up to 46 gpm (b8ev), up to 34 ipm (color)	
PDE, JPC, TIFF	
Scanner type Flatbed, ADF, Scan technology. Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA; Twain version: Version 2.3; Duplex ADF scanning. Yes; Optical scan resolution: Up to 1200 x 1200 dpi	
Single-pass 2-sided scanning ADF, Scan to cloud (Google Drive and DropBox) Scan to email with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to Microsoft SharePoint®, Scan to computer with software, Fax archive to network folder, Fax archive to email, Fax to	
computer, Enable/disable Fax, Quick Sets 750 to 4000	
750 to 4000  Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 102 x 152 mm Maximum media size (ADF): 216 x 356 mm	
махилип meda size (нациец); 216 x 297 mm, учитили meda size (ниг); 102 x 152 mm махилип meda size (ниг); 266 x 356 mm	
Bit depth/ Grey scale levels 24-bit / 256 Fax	
Yes, 33.6 ktps	
Fax memory. Up to 400 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 200 numbers	
Auto fax reduction; Auto-redaining, Delayed sending; Fax forwarding; TAM interface; Juris barrier; Districtive ring detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting; Print fax log; HP Digital Fax	
Processor speed 1200 MHz Connectivity	
1 II. Copped ISSR 2 (f. 1 may beet ISSP 1 Septed ISSP poet Capable Streemes 10(1)00/10009855. T personal ISSP 2 (f. 1 may beet ISSP 1 September 10(1)	
1 Hi-Speed USB 2.0;1 rear host USB;1 Front USB port; Gigabit Ethernet 10/100/10008ASE-T network; 802.3az(EEE)  Apple AirPrint <sup>res</sup> , Mopria <sup>res</sup> Certified	
TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Apple AirPrint**, Mopria, IPP Print; Discovery; SLP, Bonjour, Web Services Discovery, IP Config: IPv4 (BootP, DHCP, AutolP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL	
Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download	
Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No	
No Standard: 512 MB, Maximum: 512 MB	
Standard 2:Maximum: 3	
Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepurched, recycled, rough); envelopes; labels;	
Custom (metric). Tray 1: 76.2 x 127 to 215 9 x 355.6 mm; Tray 2.3: 104 9 x 148.59 to 215.9 x 355.6 mm; Supported (metric). Tray 1: A4; A5; A6; B5 (IIS); Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Iapanese Postcard; Double Japan Postcard Rotated, Envelope B1, Envelope B1, Envelope B3; Envelope B3; Envelope B1, Custom Size; A5 8 in; 5 x 8 in; 5	
Standard Input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optio	
Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m²	
Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADR: Standard, 50 sheets	
Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets  Miledana 10 Wildean (In Wildean Class Administration Control and Envelope Maximum: Up to 150 sheets	
Windows 11; Windows 10; Windows Client 05; Android; iO5; Mobile 05; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; Chrome 0S  Windows 8; Windows Server; Linux; Citrix; Novell	
Windows 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com;	
Mac: 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com;	
No software solutions are included in the box, only on http://www.hp.com and http://123.hp.com  Management security: SNMP v1 v2 v3, SSL/TLS (HTTPS), 802.1x authentication; wireless network security: WPA (WI-Fi Protected Access) WPA2 WPA3, WEP encryption (64 and 128 bit), 802.1x authentication (EAP-PEAP, LEAP, EAP-TLS) with RADIUS servers	
Management security: SWMP V I VZ V3, SSL/ ILS (H.I. IPS), 8UZ. IX authentication; wireess network security. Why Wir-I Protected Access) wire2 wire3, WEP encryption (64 and 128 bit), 8UZ. IX authentication; wireess network security manager; HP SNMP Proxy Agent (Part of HP Web)etAdmin; Printer Administrator Resource Kit for HP Universal Print Driver Configuration Utility -	
Driver, Deployment Utility - Managed Printing Administration in Journal of Printing Administration (Printing Administration Printing Printing Administration Printing Administration Printing Print	
Minimum 420 x 390 x 323 mm; Maximum: 430 x 634 x 325 mm  12.6 kg	
12.6 kg  Temperature: 10 to 32.5°C Humidity: 30 to 70% RH	
Temperature - 20 to 40°C	
Acoustic power emissions: 6.7 B(A) Acoustic pressure emissions: 54 dB(A)	
Requirements 220-volt input voltage 220 to 240 W.C.(+ 1 OR), 50/60 Hz (+/ 2 Hz);  Consumption: 510 watts factive printing), 7.5 watts (ready), 0.9 watts (sleep), 0.9 watts (Auto Off/Wake on LAN, enabled at shipment), 0.06 watts (Auto-off/Manual-on), 0.06 (Manual Off);  Typical Electricity Consumption (TEC)*-0.40 kW/NVeek (Blue Angel);  Power supply type internal (Bull-in-) power supply were printed (Bull-in-) power supply by printed (Bull-in-) power supply by printed (Bull-in-).	
HP Auto-On/Auto-Off Technology; Instant-on Technology; EcoSmart black toner	
HP Auto-On/Auto-Off Technology, Instant-on Technology, EcoSmart black toner  RCM (Australia), TUV and GS Mark (Germany), BSM (Taiwan), CCC (China), BIS (India), BC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Argentina, Indonesia, Singapore, Philippines, etc.  Betchromagnetic emission standard: CSPR 3:22015 (Lass B; CSPR 35:2016 / EN 55:035:2017 Class B; EN IEC 61:000-3-2:2019; EN 61:000-3-2:2013 + A1:2019; EN 61:000-4-12:2016; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B  IEC COLORITHO (SOUTH OF A COLORITHO (S	
ECM Lacerolad, TUV and CS, Mark Carmany), BSMI (Talwan), CCC (Crina), BS (India), KC (South Koreal, SRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Argentina, Indonesia, Singapore, Philippines, etc.  Electromappi	
RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Argentina, Indonesia, Singapore, Philippines, etc.  Electromagnetic emission standard CSPR 32:2015 (Jass B) CN 55032-2015 (Jass B) CSPR 32:2016 / EN 55035:2017 (Jass B); ELS 61000-3-2:2019; EN 61000-3-2:2013 + A1:2019; EN 61000-4-12:2016; FCC CRR 47 Part 15 (Jass B); ELS -003, Issue 7 (Jass B)  Electromagnetic emission standard CSPR 32:2015 (Jass B) CN 55032-2015 (Jass B); ELS -003, Issue 7 (	
RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Argentina, Indonesia, Singapore, Philippines, etc. Electromagnetic emission standard CSPR 32:2015 (Jass B; CSPR 33:2016 / BN 55035:2017 Class B; CISPR 33:2016 / BN 55035:2017 Class B; EN EC 61000-3-2:2019; EN 61000-3-3:2013-A1:2019; EN 61000-4-12:2016; FCC CFR 47 Part 15 Class B; CISPR 030, Issue 7 Class B IT ECO Detailable. Blue Angel De JUZ 219—only ensured when using Original HP supplies Telecom compliance: ETS EN 301 489-17 V3.2.4.  Recyclable through HP Planet Partners; Compatible with Accessibility Accessories; Contains post-consumer recycled plastic	

#### **Footnotes**

- <sup>1</sup> Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/qo/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document
- <sup>2</sup> Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only. After 3 months, a monthly fee applies to continue advanced features with HP Smart Pro. For more information, see http://www.hpsmart.com.
- $^{3}$  HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- <sup>4</sup> HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
- <sup>5</sup> HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart
- 6 HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
  7 Recycling: Through the HP Planet Partners program (where available), recycled plastics are used as raw material and combined with other materials to help make new Original HP cartridges and other everyday products. For details, see http://www.hp.com/recycle.

### Technical specifications disclaimers

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and
- <sup>2</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

  <sup>3</sup> Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.
- <sup>4</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- <sup>5</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- <sup>6</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel. Please be aware that HP Laser Jet Pro 4001 and MFP 4101 series products are ENERGY STAR 3.0 certified in the US and the functionally equivalent HP Laser Jet Pro 4003 and MFP 4103 series meet ecolabel energy efficiency limits.
- 7 For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.



www.blauer-engel.de/uz219
















gb-en October 2023