

A Keyboard & Mouse Without Compromise

Now you can get everything you want in a wireless keyboard and mouse combo – comfort, productivity, reliability and style. Customize the functions of 20+ keys¹ and enjoy precise mouse tracking to work faster and smarter. This combo contains recycled materials² and they're also easy to keep clean and sanitary³.



*Product image may differ from actual product

Sleek, Stylish & Comfortable

This sleek, stylish keyboard includes legs that can be adjusted by up to 6 degrees while contoured keycaps and 2.0 mm travel delivers an accurate typing experience. A contoured mouse and grip design delivers every day comfort for left or right-handed users.

Customize to Optimize

Program 20+ keys on this keyboard with HP Accessory Center¹ so you can reduce keystrokes and work smarter in your most used apps. Plus you can easily customize mouse DPI settings to control cursor speed and sensitivity.

Free Your Mouse

Working on different surfaces can cause your mouse to work erratically. Problem solved with a Multi-Surface Sensor⁴. With better tracking, you're now free to mouse on more surfaces like marble. Plus this new sensor is more power efficient for an increased battery life.

Long Battery Life

Maximize productivity and avoid the frustration of frequent battery changes with a battery life of up to 20 months for the keyboard with LEDs turned off and up to 24 months for the mouse⁵.

Sustainable Design Features
Responsibly designed, this combo helps reduce landfill waste by using post-consumer recycled materials that make up more than 60% of the plastics in the keyboard and mouse².

Easy to Keep Clean and Sanitary

Will withstand 1,000 cleanings using disinfecting wipes³.





Nation control 0001000 10010000 10010000 10010000 100100000 100100000 100100000 1001000000 100100000000 10010000000000 1001000000000000 1001000000000000000000000000000000000		
	Product number	4R013AA
Name Description Note to extend could AND TOTAL STEET STE	Supported platforms	Compatible with PCs with available USB-A port.
Note of March 1996 APT (1995) (1996) (1996) (1996) (1996) (1996) (1996) (1996) (1996) Note of March 1996 APT (1996) (1996) (1996) (1996) Wildstanger Also State Based Representation All special based (1996) (1996) Representation All special based (1996) (1996) Representation All special based (1996) (1996) (1996) Between the Common of State (1996) (1996	UPC number	196188141229
	JAN code	(UUF) 4573595698069
	Master carton upc code	(ABL) 10196337221441; (ABM) 10196188141165; (AC3) 10196188141349; (UUF) 10196188141721
	Tariff number	8471602000
Report Office Extra Color	Connection type	2.4 GHz wireless connection
Registerature Purpose 20 mentions within the state. Entropy (Entropy) 2 min place (Entropy) (Incompt Controposed (Entropy) (Incompt Controposed (Entropy)) Popular biology Up to 20 1 Sector (Entropy) Montate Classical, Entropy (Incompt Controposed (Entropy)) Sector (Entropy) Montate Classical, Entropy (Incompt Controposed (Entropy)) Sector (Entropy) Montate Classical, Entropy (Incompt Contropy) Sector (Entropy) Multiple Contropy (Incompt Contropy) Sector (Entropy) Multiple Contropy (Incompt Contropy) Contropy (Incompt Contropy)	Wireless range	Up to 10 m in open area; Up to 32.81 ft in open area ³
Date by Centropies 24 Met Bolgorant 2 x 20 Met Bolgorant (10 kil 20 Met 10 Met Bolgorant) (10 kil 20 Met Bol	Keyboard type	Full size; 3-zone layout
Description Use 20 month (linguiser) of 19 month (linguiser) of 19 month (linguiser) Programation Use 20 Stanking Honder Control Control Stanking Honder Control Control Understand Control Control Understand Control Septimization Annoted Septimization and the lost post Section and Profitable 400 months Section and Profitable 400 months Read and Control 400 months <th>Keys structure</th> <th>Plunger; 2.0 mm; Low profile key travel</th>	Keys structure	Plunger; 2.0 mm; Low profile key travel
Programmin logs Up 10/10 ¹² History 7 School logs Kernice Dictions (rengi) History Continue The Social International Continue The Social Internat	Battery description	2 x AAA (keyboard); 2 x AAA (mouse)
	Battery life	Up to 20 months (keyboard); Up to 24 months (mouse) ²
School leys Mr. muse Dicaston Empl.* Soppose Features Sol Investors Temple religional for all the Sept. Regional Features Sol Investors Temple religional for all the Sept. Regional Features 10 million Sept. Features for all the Sept. Section Humbrids Million Sept. Features for all the Sept. Section Humbrids 3 Regional Eduction 3 Regional Eduction 10 million Sept. Redict Outline All Self Selfs encryptors Product Color Million Poduct Color Million Poduct Color Million Management Software 8th Accessory Center Software Million 10 Sept. Sept. Special Education Sept. Million Sept. Live Software Sept. Special Education Sept. Million Sept. Live Sept. Se	Programable keys	Up to 20 ¹
	Hot keys	7
ESP indicator Caps labs. Pri bots, Natury indicator, Ne mun Kop, littords 10 million inspiration for all helipys Sensor individual 4000 dip Billion 3 Programable hards 2 l Aburnosi social wheel 1 kmmal Product big 8010 mm Product roll 818 kmmal Required big forms 818 kmmal Required big forms 818 kmmal Required social wheel 1 kmmal Product roll 818 kmmal Required sparting systems 1 kmmal kmmal Supported sparting systems 1 kmmal Supported sparting systems 2 kmmal Supported sparting systems	Special keys	Mic mute; Dictation; Emoji ¹
Key Hiscycle 10 million beginnises for all the beys Sensor rechnology Addition scheder Batters Addition scheder Batters 2 Programatic butters 2 Account Sight Sormal Microsor Sight Outney Security ASS 12000s servicy in Microsor Sight Microsory Centre Software Supported confering 100 School Minabit Control Sight US 12000s Servicines Minabit Control Sight US 12000s Servicines Supported Connecting Systems UP ACCOUNTY Systems Supported Connecting Systems US 12000s Servicines desiration of Systems Windson Third Look C SCS, TCER RECIPSOR SECURCISE Clause Manage and Security Certifications and complaineds C SCS, TCER RECIPSOR SECURCISE Clause Manage and Security Winds in the box ASS AND ADDRESS Will as in the box ASS AND ADDRESS Water in the box ASS AND ADDRESS	Keyboard features	Spill resistant; Tilt adjustable
Sensor rotardusing Multi Surface backing ¹ Sensor rotarduside 4000 dp Dates 2 1 Agained Southweld 1 Serrary Administry Light Sterney Southy ASS 12010s exceptions Productor MSS 12010s exceptions Postury ASS 12010s exceptions Productor Back Management software Microsory Center Software System Requirement, Milerum USS 1000x 1 Sterney System Requirement, Milerum USS 1000x 1 Sterney Warris Description of Software Warris In Processory Center Software Warris Description of Software Warris In Processory Center Software Warris In	LED indicator	Caps lock; Fn lock; Battery indicator; Mic mute
Senor nominal value 4000 da 40	Keys lifecycle	10 million keystrokes for all the keys
Button 9 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Sensor technology	Multi surface tracking ⁴
Programable buttors 2.1 Abanceds soul wheel Normal Indicator light Sostery Socusity ASS 128 bits encryption Product color Black Hansgament software 169 Act 200 mm System Requirements offware 169 Act 200 mm System Requirements, Minrum USB Type Apr of Type	Sensor nominal value	4000 dpi
Advanced stroil wheel Normal Indicator light Bettey Security ARS 128 list encryption Product color Blak Management software IPP Accessory Center Software Spopper deporating systems Vinchous 11, Windows 10 Spopers Requirements, Minimum USB 10pc A poort Warrenty 2 years Illemediations and compliance CE 655 FCC REM. SBM; EAC (LES, COLUS; Ultraine; India BS; KCC, VCO Warrish in the box Vincless Application Vincless Application USB dougher 2 x AAAA batheries Curry of origin Assist an guide Corntry of origin Assist in the box Assist an guide Warrish of wind 4 ARS batheries Curry of origin Assist an guide Dimensions (Wx Dx kt) 4 ARS per (LES, COLIDERA on the product) Assist guide Weight 0 Ask is (Belleptanet), 0.00 kg (musse) Package weight 0 Ask is (Belleptanet), 0.00 kg (musse) Resider carton quantity 10 Mester carton drienesters (Wx Dx kt) 188 x 40 x 557 rm Getter carton quantity 4 Cattor par layer 4	Buttons	3
Include relight Statety Security ASS 128 bits encryption Product color Back Assessment of Solor PAP Accessory Center Software Supported operating systems Windows 11, Windows 10 System Requirements, Minimum USB Type Aport Warranty 2 years limited warranty 3th Certifications and compliance CESS FECT (RMS PACIES CULLIS, Ulurante; India BIS KYCE VCO Wards in the box Windows In June 2002 Wards in the box Windows In June 2002 Country of origin Asked in China Country of origin Asked in China Wards (W x D x H) 428 22 x 115.47 x 18.06 mm (lury boord): 120.28 x 69.95 x 41.39 mm (mouse) Weight 0.45 lage (beplaced): 0.09 laj (mouse) Package mensions (W x D x H) 47 x 156 x 337 mm Restrict control mensions (W x D x H) 18 x 470 x 557 rm Mester control mensions (W x D x H) 18 x 470 x 557 rm Mester control mensions (W x D x H) 48 x 10 x 51 x 10 x 10 x 10 x 10 x 10 x 10	Programable buttons	21
Security AES 128 bits encryption Product color Management software PRODUCTION Management software PRODUCTION System Requirement, Minimum USB Type-A port Warranty Zyear's limited warranty ¹⁶ Certifications and compliances CEC 657 CER CRUBSHIE EAC; CES CULUs, Usraine: India BIS; KCC, VCO Warranty W	Advanced scroll wheel	Normal
Product color Black Management software IPP Accessory Center Software Supported operating systems Windows 11 Windows 10 System Requirements, Minimum USB Type A port Warrenty 2 years Initiations and compliances CE CE, CE, FCC, PCM, BSMC, FCES, CULus; Usraine; India BIS, KCC, VCO What's in the box Winess septional Winess septional Winess septional Winess septional Use of organization and compliances Visional Policy or Compliance (CE, CE, FCC, PCM, BSMC, FCES, CULus; Usraine; India BIS, KCC, VCO Country of origin Made in china Made in china Dimensions (M x D x H) 482.82.22.11.54.3 x 18.06 mm (Repboard); 120.28 x 69.95 x 41.39 mm (mouse) Weight 0.43 kg (Reported); 15.43 x 18.06 mm (Repboard); 120.28 x 69.95 x 41.39 mm (mouse) Weight 0.43 kg (Reported); 10.09 kg (mouse) Package weight 0.06 kg Master carton quantity 10 Master carton weight 9.06 kg Carton per layer 4 Pallet (layers) 10 Carton per layer 40 Products per pallet 40 Products per pallet 400 Products per pallet 400 <td>Indicator light</td> <td>Battery</td>	Indicator light	Battery
Maragement software HP Accessory Center Software Supported operating systems Windows 11, Windows 10 System Regularements, Minimum USB Type-A port Warranty 2 years limited warranty ^{5,10} Certifications and compliances CE-CS-CRC-RM, BSMR, EAC; KES; CULus; Ukrainer, India BIS; KCC; VCCI What's in the box Windows and product of the Circle Such Shart guide Vision of the Country of drigin Made the Circle Medical Country of drigin Made in Circle MED, Card CEMEA only) Country of drigin Made in Circle MED, Card CEMEA only) Description SW XD	Security	AES 128 bits encryption
Supported operating systems Windows 11; Windows 10 System Requirements, Minimum USS Type- A port Warranty 2 year limited warranty 56 Certifications and compliances CE; GS; FCC; RCH; BSH; EAC; (EES; CULus; Ukraine; India BIS; KCC; VCCI What's in the box Windows Systems of Windows Systems of Windows Systems on USS diorigile 2 x AMA batteries 2 x AMA batteries 2 x AMA batteries 3 x AMA batteries 4 x AMA batteries 5 x AMA batteries 6 x AMA	Product color	Black
System Requirements, Minimum USB Type-A port Warranty 2 years limited warranty ^{1,6} Certifications and compliances EC. 6C. FC. 6C. FC. RV. BSML RAC. (ESC. ULUs. Ukraine: India BIS; KCC, VCCI What's in the box Nintests support Versions mone USB dongle 2 x AAR batteries Quick start quide Warranty and India 2 x AAR batteries Quick start quide Warranty and India Country of origin Made in China Dimensions (W x D x H) 428.22 x 115.47 x 18.06 mm (Reyboard: 170.28 x 69.95 x 41.39 mm (Mouse) Weight 0.43 kp (Reyboard: 170.28 x 69.95 x 41.39 mm (Mouse) Weight 0.45 kp (September) Master carton quantity 0.7 x 156 x 53 mm Master carton quantity 10 Master carton weight 9.86 kg Carton per Payer 4 Pallet (Byers) 10 Carton per Payer 4 Pallet (Byers) 0 Cortron per pallet 40 Products per pallet 400 Pollet weight 410.56 kg	Management software	HP Accessory Center Software
Warranty 2 years limited warranty 56 Certifications and compliances CE; 65; FCC, RCM, BSMI; EAC; KES, CULus; Ukraine; India BS; KCC; VCO What's in the box Wineless keyboard Wineless mouse USB dongle 2 x AAA batteries 2 x AAAA batteries 2 x AAAA batteries 2 x AAAA batteries 3 x AAAA batteries 4 x AAAA batteries 5 x AAAA batteries 5 x AAAA batteries 6 x AAAA batteries 6 x AAAA batteries 6 x AAAA batteries 7 x AAAA batteries 8 x AAAA batteries 9 x AAAAA batteries 9 x AAAAA batteries 9 x AAAAAAA	Supported operating systems	Windows 11; Windows 10
Certifications and compliances CE; 6S; FCC, RCM; BSMI; EAC; KES; CULus; Usraine; India BIS; KCC; VCI What's in the box Wireless keyboard Wireless keyboard Wireless keyboard Wireless keyboard Wireless keyboard Wireless keyboard wireless and wireless a	System Requirements, Minimum	USB Type-A port
What's in the box Wireless keyboard Wireless mous and wireless mous and wireless mous and part of the box wireless mous and part of the part of th	Warranty	2 years limited warranty ^{5,6}
What's in the box Wireless mouse sold dongle 2 x AA batteries 2 x AAA batteries 2 van Abatteries 2 van	Certifications and compliances	CE; GS; FCC; RCM; BSMI; EAC; ICES; CULus; Ukraine; India BIS; KCC; VCCI
Dimensions (W x D x H) 428.22 x 115.47 x 18.06 mm (keyboard); 120.28 x 69.95 x 41.39 mm (mouse) Weight 0.43 kg (keyboard); 0.09 kg (mouse) Package dimensions (W x D x H) 47 x 156 x 537 mm Package weight 0.86 kg Master carton quantity 10 Master carton dimensions (W x D x H) 188 x 470 x 557 mm Master carton weight 9.86 kg Carton per layer 4 Pallet (layers) 10 Carton per pallet 40 Products per layer 40 Products per layer 400 Products per pallet 400 Pallet weight 410.56 kg	What's in the box	Wireless mouse USB dongle 2 x AA batteries 2 x AAA batteries Quick start guide Warranty card
Weight 0.43 kg (keyboard); 0.09 kg (mouse) Package dimensions (Wx Dx H) 47 x 156 x 537 mm Package weight 0.86 kg Master carton quantity 10 Master carton dimensions (Wx Dx H) 188 x 470 x 557 mm Master carton weight 9.86 kg Carton per layer 4 Pallet (layers) 10 Carton per pallet 40 Products per layer 40 Products per pallet 400 Products per pallet 40.56 kg	Country of origin	Made in China
Package dimensions (Wx Dx H) 47 x 156 x 537 mm Package weight 0.86 kg Master carton quantity 10 Master carton dimensions (Wx Dx H) 188 x 470 x 557 mm Master carton weight 9.86 kg Carton per layer 4 Pallet (layers) 10 Carton per pallet 40 Products per layer 40 Products per pallet 400 Pallet weight 410.56 kg	Dimensions (W x D x H)	428.22 × 115.47 x 18.06 mm (keyboard); 120.28 x 69.95 x 41.39 mm (mouse)
Package weight 0.86 kg Master carton quantity 10 Master carton dimensions (Wx Dx H) 188 x 470 x 557 mm Master carton weight 9.86 kg Carton per layer 4 Pallet (layers) 10 Carton per pallet 40 Products per layer 40 Products per layer 400 Products per pallet 400 Pallet weight 410.56 kg	Weight	0.43 kg (keyboard); 0.09 kg (mouse)
Master carton quantity 10 Master carton dimensions (Wx Dx H) 188 x 470 x 557 mm Master carton weight 9.86 kg Carton per layer 4 Pallet (layers) 10 Carton per pallet 40 Products per layer 40 Products per pallet 400 Products per pallet 400 Pallet weight 410.56 kg	Package dimensions (W x D x H)	47 x 156 x 537 mm
Master carton dimensions (W x D x H) 188 x 470 x 557 mm Master carton weight 9.86 kg Carton per layer 4 Pallet (layers) 10 Carton per pallet 40 Products per layer 40 Products per pallet 400 Products per pallet 400 Pallet weight 410.56 kg	Package weight	0.86 kg
Master carton weight 9.86 kg Carton per layer 4 Pallet (layers) 10 Carton per pallet 40 Products per layer 40 Products per pallet 400 Pallet weight 410.56 kg	Master carton quantity	10
Carton per layer 4 Pallet (layers) 10 Carton per pallet 40 Products per layer 40 Products per pallet 400 Pallet weight 410.55 kg	Master carton dimensions (W x D x H)	188 x 470 x 557 mm
Pallet (layers) 10 Carton per pallet 40 Products per layer 40 Products per pallet 400 Pallet weight 410.56 kg	Master carton weight	9.86 kg
Carton per pallet 40 Products per layer 40 Products per pallet 400 Pallet weight 410.56 kg	Carton per layer	4
Products per layer 40 Products per pallet 400 Pallet weight 410.56 kg	Pallet (layers)	10
Products per pallet 400 Pallet weight 410.56 kg	Carton per pallet	40
Pallet weight 410.56 kg	Products per layer	40
	Products per pallet	400
Sustainable impact specifications 60% post-consumer recycled plastic	Pallet weight	410.56 kg
	Sustainable impact specifications	60% post-consumer recycled plastic

Messaging Footnotes

- ¹ Requires HP Accessory Center (HPAC) Software. HPAC available for free download in Microsoft Store or Apple Store.
- ² Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT standard. Keyboard contains 62% PCR and mouse contains 69.8% PCR.

 ³ Select household wipes can be safely used to clean HP 650 Wireless Keyboard & Mouse Combo up to 1,000 wipes: See wipe manufacturer's instructions for disinfecting and the HP cleaning quide for HP-tested wipe solutions at (How to Sanitize Your HP Device Whitepaper (http://h20195.www2.hp.com/v2/GetDocument.aspx?docname=4AA7-7610ENW)
- Does not track on glass.
- ⁵ Actual battery life will vary with use and environmental conditions. The maximum capacity of battery will naturally decrease with time and usage.

Technical Specifications Footnotes

- ¹ Requires HP Accessory Center (HPAC) Software. HPAC available for free download in Microsoft Store or Apple Store.
- ² Actual battery life will vary with use and environmental conditions. The maximum capacity of battery will naturally decrease with time and usage.
- ³ Wireless range may very based on user environmental and computing conditions.
- ⁴ Does not track on glass.
- 5 HP includes a one-year (two-year) limited warranty with online support available 24x7. Consult the HP Customer Support Center for details, or go to www.hp.com/go/orderdocuments. Internet access required and not included.
- ⁶ The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty.

