The Ideal Space to Create

The Z24q G3 displays professional grade color and design optimized for hybrid or office work. Bring your ideas to life with industry-leading color accuracy and HDR 400 or take advantage the pixel dense QHD 23.8-inch screen—perfect for creating wherever your desk may be.



*Product image may differ from actual product

Closing the Gap Between Screen and Reality

Trust the colors you see on screen with the world class Z by HP color accuracy you expect. Equipped with the creative color gamuts you work in most, you'll have all the shades and hues you need for web, photography, and video creation on Mac® or PC. Lean into realism with HDR 400 for darker blacks and brighter whites.

Stunning Detail. Smoother Performance.

Experience every pixel and movement with the precision of reality in crisp QHD resolution and a fast 90hz refresh rate¹. Navigate your workflow in Windows 11 and Adobe® with high definition and smooth motion as you scroll, click, and direct your projects.

Expand Your Canvas

Finally, a display just as resourceful as you.

Make the most of your desk and upgrade your virtual meetings by connecting your HP Z24m G3 display via daisy-chain with just one cable⁸. The razor-thin, frameless designs of both monitors match perfectly while maximizing your screen and integrating premier conferencing features.

Sustainability in action

Build for a better tomorrow

Innovating with purpose and intention to drive impactful, positive, lasting change.



Featuring







Colors Calibrated to Perfection

Every HP Z Display undergoes factory color calibration and testing to achieve a Delta E of less than 2, making color differences virtually indistinguishable to the human eye.

The Color Gamuts You Use Most

Create in the color gamuts you use most. 99%sRGB for web, 90% P3 for photography, and BT.709 for HD video.

Shine Brightly

With 400 nits of brightness, you can clearly see your screen when you're in the sun, by a bright window, or under artificial lighting. 1

Lean into Realism with HDR 400

Lean into realism with HDR 400 for deeper blacks, brighter whites, and richer colors.

Crisp QHD Resolution

See 2x the details on your 23.8-inch screen with crisp QHD resolution.

Display More with DisplayPort™ 1.4

Display more with DisplayPort $^{\text{\tiny{TM}}}$ 1.4 and connect up to 3 QHD displays.

Endless Adjustability

With 4-way adjustability you can customize pivot, tilt, height adjust, and swivel settings to fit you, your desk, and your needs.

Always-on, True Color, Low-Blue Light Filter

HP Eye Ease is a filter that keeps you comfortable by reducing blue light without impacting color accuracy.

Monitors Containing Recycled Materials

HP is helping conserve natural resources, reduce waste sent to landfills, and lower energy consumption by using 90% recycled plastics in the plastics of Z G3 Monitors.²

Thoughtful Product Packaging

HP is committed to reducing plastic in landfills by using 100% recyclable packaging that meets recycling requirements, so it can stay out of the landfill.^{3,4}

More Ports. More Flexibility.

Easily Personalize and Adjust Your Display

Customize your display with easy, intuitive HP Display Center software that lets you tailor your settings, partition screens, and even dim the screen. 6

Remote Management Reimagined

Manage deployment, asset tracking and monitor settings remotely.⁷

3-year Limited Warranty

Get peace of mind with a 3-year warranty.



Specifications

Display specifications

Display size (diagonal, metric)

60.5 cm (23.8")

Aspect ratio

Curvature

Flat

Native resolution

QHD (2560 x 1440)^{1,5}

Resolution (maximum) QHD (2560 x 1440 @ 90 Hz)

Resolutions supported

640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 1024; 1440 x 900; 1600 x 900; Power consumption

1600 x 1200; 1680 x 1050; 1920 x 1080; 1920 x 1200; 2560 x 1400

Panel type

IPS¹ Bezel

4-sided micro-edge

Panel active area

52.68 x 29.64 cm

Panel bit depth

10 bit (8 bit + FRC)

Display colors

Up to 1.07 billion colors supported¹²

Display color gamut

99% sRGB; 90% DCI-P3; 99% BT.709

Display scan frequency

50-90 Hz (Vertical) 30-140 KHz (Horizontal)

Response time

5ms GtG (with overdrive)1

Brightness

400 nits1

Contrast ratio 1000:1 (Static)1 10000000:1 (Dynamic)1

Pixel pitch

0.21 x 0.21 mm

Pixels per inch (ppi)

iaa 821

Viewing angle

178° (Vertical) 178° (Horizontal)

Backlight type

Display features

On-screen controls; Anti-glare; Height Adjust/Tilt/Swivel/Pivot; HP Eye Ease

Display User Control Options

Brightness; Color control; Contrast; Exit; Image control; Information; Language;

Management; Power control; Input control; Menu control

Management software

HP Display Center; HP Display Manager⁶

Low blue light modes

Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)

Flicker-free

Screen treatment

Anti-alare Hardness

ЗН

VESA mount 100 mm x 100 mm (bracket included)

Height adjustment range

150 mm

Tilt

-5 to +20°

Swivel +45°

Pivot

±90 Camera

No integrated camera

Microphone

Speaker output power

Connectivity and communications

Port and connectors

1 HDMI 2.0

1 DisplayPort™ 1.4

1 DisplayPort™ 1.4-out

4 SuperSpeed USB Type-A 5Gbps signaling rate

1USB-B HDCP

Yes, DisplayPort™ and HDMI

Power supply

100 - 240 VAC 50/60 Hz

74 W (maximum), 34 W (typical), 0.5 W (standby)

Logistics and Physical

Product color

Black and Silver

Detachable stand

Physical security

Security lock-ready²

Dimensions without Stand (WxDxH)

53.84 x 3.85 x 31.37 cm

Dimensions with stand (W x D x H)

53.84 x 19.5 x 48.93 cm

Weight

4.8 kg (With stand.)

Packaged Dimensions (W x D x H)

62.5 x 14.1 x 37.3 cm

Packaged weight

Certification and compliance

Energy efficiency

ENERGY STAR® certified

Ecolabels

EPEAT® registered3

Environmental specifications

85% post-consumer recycled plastic: Low Halogen: Outside box and corrugated cushions are 100% sustainably sourced and recyclable; Designed with recycled metals; Contains Ocean-Bound plastic $^{47.8,9.10}$

Certifications

Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CEL; cTUVus; EAC; ENERGY STAR*; FCC; ISO 9241-307; KC/KCC; NOM; PSB; SEPA; TUV/GS; TUV-S; VCCI; Vietnam MEPS; WEEE; ISC; Low blue light; CEL Grade 3; South Africa Energy; ICE; UAE; Ukraine certificates 13

Certified collaboration software

Windows Hello compatible

Operating temperature range

41 to 95°l Operating humidity range

20 to 80% non-condensing

Additional information

Manufacturer Warranty

HP three-year limited warranty What's in the box

Monitor; DisplayPort™ cable; HDMI cable; VESA Mount adapter; Warranty card; USB Type-A to B cable; Quick Setup Poster; AC power cord; Color calibration report¹



Accessories and services (not included)

HP B550 PC Mounting Bracket



Customize an altogether better solution with the HPZPC Mounting Bracket for ZDisplays, which lets you attach a Z Mini Workstation directly behind select Z Displays¹ and P series. Product number: 16U00AA

¹Compatible with 724pf, 724pn, 724pu, 732pk, Z24f G3, Z24n G3, Z24u G3, Z27q G3, Z27u G3, Z27k G3, Z27xs G3, Z25xs G3.

HPZG3ConferencingSpeakerBar



What you say and hear is just as important as what you see on conference calls. If you are looking for clearer, richer sound along with style and flexibility, look no further than the Z G3 Conferencing Speaker Bar to improve your audio experience¹.

Product number: 32C42AA

Mounting is compatible only for the HP 724pf Display, HP 724pn Display, HP 724pu Display, HP 732pk Display, HP Z24f G3 Display, HP Z24n G3 Display, HP Z24u G3 Display, HP Z27q G3 Display, HP Z27u G3 Display, HP Z27k G3 Display, HP Z25xs G3 Display, HP Z27xs G3 Display. Must paired with Z G3 Conferencing Speaker Bar Stand (74N60AA) to be compatible with selected Series 7 Pro monitors 727pq, 727pu and 727pk.

HP Quick Release Bracket 2



Use the HP Quick Release Bracket 2 to attach your HP Desktop Mini to an HP display 1 and a variety of stands, arms or wall mounts.² The failsafe "Sure-Lock" mechanism snaps the PC securely in place, and can be further secured with a theft-deterrent security screw.

Product number: 6KD15AA

HP Integrated Work Center for Desktop Mini and Thin Client



Make the most of small work spaces with an HP IWC Desktop Mini/Thin Client that lets you create a compact desktop solution by combining a display with an HP Desktop Mini, HP Thin Client or HP Chromebox and giving you convenient front access to all of its inputs.

Product number: G1V61AA

1 IWC is compatible with displays up to 24 diagonal inches. See QuickSpecs for exact device compatibility.



Footnotes

Messaging Footnotes

- 1All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.
- ⁸ Not compatible with Mac products.
- ² Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT standard. Plastics consist of 90% Post-Consumer Recycled, with 85% Recycled Information Technology Equipment (ITE) + 5% Ocean-Bound Plastics (PET).
- ³ 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.
- ⁴ Recycling facilities not available in all locations.
- ⁵ Comes with Power Cord, USB Type-A to B cable, HDMI and DisplayPort™ cables, all other cables sold separately.
- ⁶ Host PC requires Windows 10 or higher. HP Display Center is available on the Microsoft store.
- ⁷HP Display Manager software agent must be running on a web server and host PC. Some limitations may apply to legacy monitors.

Technical Specifications Footnotes

- ¹All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.
- ² Lock sold separately.
- ³ EPEAT* registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. Based on US EPEAT* registration according to IEEE 1680.1-2018 EPEAT*. Status varies by country. Visit www.epeat.net for more information.
- ⁴ External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Haloger
- ⁵ DisplayPort™ 1.2 or HDMI 1.4 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 10-bit color using 0560 x 1440 at 60 Hz with 10-bit color using 0560 x 1440 at 60 Hz with 10-bit color using 0560 x 1440 at 60 Hz
- 6 HP Display Center requires Windows 10 (or higher) on host PC and is available from the Windows store.
- ⁷100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
- ⁸ Percent of recycled metal varies by product.
- ⁹ Percentage of ocean-bound plastic contained in each component varies by product.
- 10 Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.
- ¹¹ Included cables may vary by country.
- ¹² Number of colors through A-FRC technology.
- 13 Monitors produced from June 2024 comply with China regulation GB 21520-2023.

