

## ThinkCentre Tiny-In-One 24 Gen 4

Can be paired with any ThinkCentre Tiny desktop (including models with 65W CPU) to build a 23.8"" modular all-in-one in less than a minute – no tools required. Integrated 1080p rotatable camera and mic support web conferencing, and there's also an optional IR camera or optional touchscreen.



The new stand is 18% more space-efficient than the previous generation and offers tilt, pivot and swivel movement and increased height adjustment of up to 150mm. Plus there's dedicated space to store a smartphone, and charge it via USB-A or USB-C ports on the side of a connected Tiny.

Like any all-in-one, the display on/off button also powers on the PC. The screen can be pivoted 90 degrees into 'portrait' mode or removed from the stand and connected to an extendable arm for even greater ergonomic flexibility.

Energy Star and EPEAT Silver energy efficiency certifications. TCO Certified – meets independent standards for social and environmental sustainability.

# Mainstream computing for a variety of business uses

ThinkCentre Tiny-In-One devices enable businesses to upgrade displays and computers separately, but still enjoy the space-saving benefits of an all-in-one device.

#### Lenovo services

Lenovo delivers tailored sustainability services, devices, and infrastructure solutions from our broad portfolio, working closely with you to support your target outcomes across the IT lifecycle..





#### **Premier Support**

Talk directly with advanced technical support agents Support for software & hardware Next business day onsite repairs



#### Accessories

holes

#### Lenovo Adjustable Height Arm

Reduce neck & back pain by positioning a VESA-compatible monitor, ThinkCentre M AIO or Lenovo V Series AIO, to the most comfortable height and angle

Extends display out to a range of 64cm (25"), with height adjustment up to 33cm (13")
Can be fitted to desk via a clamp without drilling



PN: 4XF0H70603

## Lenovo Kensington MicroSaver Cable Lock

Cut-resistant cable lock to protect against device theft; 5ft/1.5m cable anchors to desk, table or any fixed structure

Tamper-resistant, disk-style lock provides nearimpenetrable theft protection, but still allows users to pivot and rotate devices

Fits a wide range of devices and docking solutions based on the Kensington slot design. Dual head locks available to secure 2 devices to one cable



PN: 4XE0N80914

### ThinkCentre Tiny-In-One 24 Gen 4



Display **Display Size** 23.8" Touchscreen optional touchscreen Resolution 1920x1080 DPI 92.6 dpi **Aspect Ratio Contrast Ratio** 1000:1 **Brightness** 250 nits **Pixel Pitch** 0.2745 x 0.2745 mm **Color Gamut** 72% **Key Specifications** Rotatable 1080p camera Audio 2x 2W speakers Stand Tilt, lift, swivel & pivot stand

Width: 539.8mm (21.25"") Depth: 230.4mm (9.07"") Height: 446.9 - 596.9mm (17.59 - 23.5"")

**Dimensions** 

**Weight** 6.66kg (14.7lb)

**Green Certifications** 

EPEAT Silver. Energy Star 8.0. UL GREENGUARD. TCO 8.0. TCO Edge 2.0.

**Other Certifications** 

TUV Eye comfort

Connectivity

Side/Front I/O

1x USB 3.1 Gen 1 / USB 2.0 (the USB port is only available when a Tiny is installed or a PC is connected via USB upstream port)

Rear I/O

1x DisplayPort (in) port, 1x USB upstream port

**Security & Privacy** 

IR Camera with Windows Hello Kensington lock slot

**Optional Mechanical Peripherals** 

VFSA wall mount

**PC Compatibility** 

ThinkCentre Tiny Series ThinkStation Tiny Series ThinkCentre Nano Series

Information presented here may represent the maximum possible configurations for this product, but it does not necessarily reflect what is available in your region. Please ask your rep or check the specifications for specific Part Numbers in your region. Products are available while supplies last. Lenovo is not responsible for photographic errors. Lenovo, the Lenovo logo, ThinkPad, ThinkCentre, ThinkBook, ThinkStation and ThinkVision are trademarks or registered trademarks of Lenovo. 3rd party product and service names may be trademarks of others. Depending on factors such as the processing capability of peripheral devices, file attributes, system configuration and operating environments, the actual data transfer rate of USB connectors will vary and is typically slower than published