

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.

2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.


3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE

Schneider # Electric

LE: NetShelter SX 52U
750mm WIDE X 1200mm DEEP
ENCLOSURE WITH SIDES
TOP VIEW & SECTION VIEW

AR3358 08-JUL-19 FIRST DRAWN BY: JAYAPRAKASH ENGINEER: JIE JHU 09-JUL-19 ANGLE PROJECT: SUBMITTAL DRAWINGS SHEET 2 OF 3 APPROVED BY: GREG IVEY 09-JUL-19



BOTTOM VIEW

(WITH PALLET BRACKETS, CAN BE USED FOR ANCHORING)

TOP ROOF NOT SHOWN

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.

- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK
- 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES]
- △4. ANCHORING CAN BE INSTALLED EITHER INSIDE OR OUTSIDE THE NetShelter WITH ONE AT FRONT AND
- △5. BOLT-DOWN KIT (SKU# AR7701) IS OPTIONAL AND HAS TO BE ORDERED SEPARATELY.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE



NetShelter SX 52U
750mm WIDE X 1200mm DEEP
ENCLOSURE WITH SIDES BOTTOM VIEWS PROJECT: SUBMITTAL DRAWINGS SHEET 3 OF 3 APPROVED BY:

FIRST DRAWN BY: JAYAPRAKASH 08-JUL-19 ENGINEER: JIE JHU 09-JUL-19 ANGLE GREG IVEY 09-JUL-19