A desktop that can travel

The HP Elite Mini 800 Desktop PC delivers the high-performance needed to develop complex presentations, crunch big numbers, and quickly create compelling content. Equipped with a powerful Intel[®] processor², responsive graphics, and smart deployment options, this is the right PC for big jobs done in small spaces.

Small size. Big impact	Office and home deployment	Protected by HP Wolf Security
Get breakthrough performance with the latest Intel® processor ² and optional NVIDIA® RTX 3050 Ti graphics ³ that provides the speed and responsiveness needed by multi- taskers. Enjoy an immersive experience on up to eight monitors. ⁴	The whisper quiet and ultrasmall HP Elite Mini 800 fits easily into most small bags making it the right choice for desktop users who need to move between the home and office. Mount it behind a compatible HP monitor. ⁵	HP Wolf Security for Business creates a hardware-enforced, always- on, resilient defense. From the BIOS to the browser, above, in, and below the OS, these constantly evolving solutions help protect your PC from modern threats. ⁶



*Product image may differ from actual product

Sustainability in action

Help protect our shared future

At least 45 percent of all plastic used in this PC is post-consumer recycled plastic.⁷ The outer box packaging is 100 percent sustainably sourced.⁸ This PC is ENERGY STAR[®] certified and EPEAT[®] registered in 23 countries.⁹



Featuring

Work hard without sounding like it

Focus on work while enjoying whisper quiet operation. The HP Elite Mini 800 utilizes HP Run Quiet Design that finely tunes the fans to keep systems running quiet and cool.

Agile performance

Quickly access and transfer data to keep up with today's changing business requirements with advanced PCIe Gen 4 SSDs, USB Type-C[®], and DDR5 memory.

Build an ecosystem

Customize your Mini solution with a range of exclusive accessories that secure and mount your Mini and its power supply on a monitor or wall.¹⁰

Automatic recovery from firmware attacks

Firmware attacks can completely devastate your PC. Stay protected with HP Sure Start Gen7, the self-healing BIOS that automatically recovers itself from attacks or corruption.¹¹

Keep your PC's security protections in place

Stop unwanted changes to security settings and help limit the spread of malware with HP Sure Run Gen5 which identifies, quarantines, and provides reporting on attackers trying to kill processes.¹²

Browse confidently

Help protect your PC from websites and read and edit Microsoft Word files and read-only PDF attachments with malware, ransomware, or viruses with hardware-enforced security from HP Sure Click.¹³

Built-in durability

Rest easy with a PC that undergoes 120,000 hours of HP's Total Test Process and MIL-STD 810 testing. Help extend protection with an optional removable dust filter.^{3,14,15}



Technical specifications

Available Operating Systems	Windows 11 Pro ¹ Windows 11 Pro Education ¹ Windows 11 Home - HP recommends Windows 11 Pro for business ¹ Windows 11 Home Single Language - HP recommends Windows 11 Pro for business ¹ FreeDOS
Processor family	13th Generation Intel® Core® 10 processor 13th Generation Intel® Core® 10 processor 13th Generation Intel® Core® 10 processor 12th Generation Intel® Core® 15 processor 12th Generation Intel® Core® 16 processor 12th Generation Intel® Core® 18 processor 12th Generation Intel® Core® 18 processor 12th Generation Intel® Core® 18 processor Intel® Core® 18 Huth generation processor Intel® Core® 19 Huth generation processor Intel® Core® 19 Huth generation processor Intel® Core® 19 Huth generation processor
Available Processors ^{34,5,6}	 Intel Court 6: 55007 with Intel VLB Graphica 20 Gitz P core have Integration, up to 24 Gitz P core Mar Tubo Tregumon, 18 MEI 3 coubs 6 P cores, 12 Prinodal, supports Intel "APo" Technology Intel Court 6: 552007 with Intel VLB Graphica 23 Gitz P core base frequency, up to 43 Gitz P core Mar Tubo Tregumon, 18 MEI 3 coubs, 6 P cores, 8 Prendal, supports Intel" APO" Technology Intel Court 6: 552007 with Intel VLB Graphica 23 Gitz P core base frequency, up to 43 Gitz P core Mar Tubo Tregumon, 18 MEI 3 coubs, 6 P cores, 8 Prendal, supports Intel" APO" Technology Intel Court 6: 552007 with Intel VLB Graphica 23 Gitz P core base frequency, up to 43 Gitz P core Mar Tubo Tregumon, 18 MEI 3 coubs, 6 P cores, 8 Prendal, supports Intel" APO" Technology Intel Court 6: 552007 with Intel VLB Graphica 23 Gitz P core base frequency, up to 43 Gitz P core Mar Tubo Tregumon, 18 MEI 3 coubs, 6 P cores, 8 Prendal, supports Intel" APO" Technology Intel Court 6: 552007 with Intel VLB Graphica 23 Gitz P core base frequency, up to 43 Gitz P core Mar Tubo Tequency, 18 MEI 3 coubs, 6 P cores, 12 Prendal, supports Intel" APO" Technology Intel Court 6: 552007 with Intel VLB Graphica 23 Gitz P core base frequency, up to 34 Gitz P core Mar Tubo Tequency, Up to 43 Gitz P core Mar Tubo Tequency, Up to 43 Gitz P core Mar Tubo Tequency, Up to 43 Gitz P core Mar Tubo Tequency, Up to 43 Gitz P core Mar Tubo Tequency, Up to 43 Gitz P core Mar Tubo Tequency, Up to 43 Gitz With Intel" Tubo Boost Technology, 30 MEI 3 couch & P cores, 21 Prendal, supports Intel W-D Graphica 10 Gitz P core base Frequency, Up to 36 Gitz P core Mar Tubo Tequency, Up to 43 Gitz With Intel" Tubo Boost Technology, 30 MEI 3 couch & P cores, 30 Prendal, supports Intel W-D Graphica 10 Gitz P core base Frequency, Up to 3Gitz E core Mar Tubo Tequency, Up to 43 Gitz With Intel" Tubo Boost Technology, 30 MEI 3 couch & P cores and Frecores, 30 Prendal, supports Intel W-D Graphica 77 Gitz W core
Ohler H ³	L + # 0020 (D - #)
Chipset ³	Intel" Q670 (vPro")
Chipset ^a Form factor	Intel® C670 (vPro*) Mini
Form factor	Mini 64 GB DDR5-4800 SDRAM; 64 GB DDR5-5600 SDRAM; ^{78,9}
Form factor Maximum memory	Mini 64 GB DDR5-4800 SDRAM; 64 GB DDR5-5600 SDRAM; ^{78,9} Transfer rates up to 4800 MT/s; Transfer rates up to 5600 MT/s.
Form factor Maximum memory Memory slots	Mini 64 GB DDR5-4800 SDRAM; 64 GB DDR5-5600 SDRAM; ^{78.9} Transfer rates up to 4800 MT/s; Transfer rates up to 5600 MT/s. 2SODIMM
Form factor Maximum memory Memory slots Internal storage	Mini 64 GB DDR5-4800 SDRAM; 64 GB DDR5-5600 SDRAM; ^{78,9} Transfer rates up to 4800 MT/s;, Transfer rates up to 5600 MT/s. 2 SODIMM 11B up to 11B 7200 rpm SATA ^{10,39} Integrated: Intel ^e UHD Graphics 730; Intel ^e UHD Graphics 770
Form factor Maximum memory Memory slots Internal storage Available Graphics	Mini 64 GB DDR5-4800 SDRAM; 64 GB DDR5-5600 SDRAM; ^{72,9} Transfer rates up to 4800 MT/s. Transfer rates up to 5600 MT/s. 2 SODIMM 11B up to 11B 7200 rpm SATA ^{10,39} Integrated: Intel [®] UHD Graphics 730; Intel [®] UHD Graphics 770 Discrete: NVIDIA [®] GeForce RTX [∞] 3050 Ti (4 GB GDDR6 dedicated) ¹⁵³⁴
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio	Mini 64 GB DDR5-4800 SDRAM; 64 GB DDR5-5600 SDRAM; ^{7,8,9} Transfer rates up to 4800 MT/s.; Transfer rates up to 5600 MT/s. 2 SODIMM 1 TB up to 1 TB 7200 rpm SATA ^{10,39} Integrated: Intel [®] UHD Graphics 730; Intel [®] UHD Graphics 770 Discrete: NVIDIA [®] GeForce RTX [∞] 3050 TI (4 GB GDDR6 dedicated) ¹⁵³⁴ Reatlek ALC3252 codec, universal audio (ack with CTIA and OMTP headset support
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots	Mini 64 GB DDR5-4800 SDRAM; 64 GB DDR5-5600 SDRAM; ^{72,9} Transfer rates up to 4800 MT/s: Transfer rates up to 5600 MT/s. 2 SODIMM 11B up to 11B 7200 rpm SATA ^{10,39} Integrated. Intel [®] UHD Graphics 730; Intel [®] UHD Graphics 770 Discrete: NVIDIA [®] GeForce RTX [™] 3050 Ti (4 GB GDDR6 dedicated) ^{13,14} Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support 11M2 2230; 2 M 2280 (1M 22230 slot for WLAN and 2 M 2280 slots for storage) Front 1 headset connector; 1 SuperSpeed USB Type A 10Gbps signaling rate; 2 DisplayPort [™] 14; 1HDM 21 [®] ; Optional Ports; Flex ID port 2 - choose one of the following options: 1 VGA, 1 DisplayPort [™] 14, 1 HDM 21; NiperSpeed USB Type-C [™] 200Eps signaling rate; 2 DisplayPort [™] 14; 1HDM 21 [®] ; Optional Ports; Flex ID port 2 - choose one of the following options: 2 USB 20 Type A 400Eps signaling rate; 2 DisplayPort [™] 14; 1 HDM 21 [®] ; Optional Ports; Flex ID port 2 - choose one of the following options: 2 USB 20 Type A 400Eps signaling rate; 2 DisplayPort [™] 14; 1 HDM 21 [®] ; Optional Ports; Flex ID port 2 - choose one of the following options: 2 USB 20 Type A 400Eps signaling rate; 2 DisplayPort [™] 14; 1 HDM 21 [®] ; Optional Ports; Flex ID port 2 - choose one of the following options: 1 VGA, 1 DisplayPort [™] 14, 1 HDM 21; NiperSpeed USB Type C [™] 10 Epsilon(Port [™] 14, 1 HDM 21; NiperSpeed USB Type C [™] 10 Epsilon(Port [™] 14, 1 HDM 21; NiperSpeed USB Type C [™] 10 Epsilon(Port [™] 14, 1 HDM 21; NiperSpeed USB Type C [™] 10 Epsilon(Port [™] 14, 1 HDM 21; NiperSpeed USB Type C [™] 10 Epsilon(Port [™] 14, 1 HDM 21; NiperSpeed USB Type C [™] 10 Epsilon(Port [™] 14, 1 HDM 21; NiperSpeed USB Type C [™] 10 Epsilon(Port [™] 14, 1 HDM 21; NiperSpeed USB Type C [™] 10 Epsilon(Port [™] 14, 1 HDM 21; NiperSpeed USB Type C
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots Ports and connectors	Mini 64 GD DR5-4800 SDRAM: 64 GB DDR5-5800 SDRAM: ^{78,0} Transfer rates up to 4800 MT/s: Transfer rates up to 5600 MT/s. 2 SODIMM 11B up to 11B 7200 rpm SATA ^{10,0,0} 11B up to 11B 7200 rpm SATA ^{10,0,0} Integrated: Intel® UHD Graphics 730; Intel® UHD Graphics 770 Discrete: WIDDA® Geforce RTX® 3050 TI (4 GB GDDR8 dedicated) ¹⁵¹⁴ Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support 11M 22230; 2M2 2230 (If M2 2230 slot for WLAN and 2 M2 2280 slots for storage) Front: 1 headset connector; 1 SuperSpeed USB Type A 10Gbps signaling rate; 1 SuperSpeed USB Type A 10Gbps signaling rate; 1 SuperSpeed USB Type A 10Gbps signaling rate; 2 SupplayPort* 14, 1 HOMI 21*: Optional Paris; FlexiX 0 part 2: choose one of the following options; VLSQ a UNPA A 40Mbps signaling rate; 2 SupplayPort* 14, 1 HOMI 21*: Optional Paris; FlexiX 0 part 2: choose one of the following options; VLSQ a UNPA A 40Mbps signaling rate; 1 SuperSpeed USB Type A 20Gbps signaling rate; 1 SuperSpeed USB Type A 20Gbps signaling rate; 1 SuperSpeed USB Type A 20Gbps signaling rate; 2 SupplayPort* 14, 1 HOMI 21*: Optional Paris; FlexiX 0 part 2: choose one of the following options; VLSQ A 10Hbps signaling rate; 2 SupplayPort* 14, 1 HOMI 21*: DyperA 0Gbps signaling rate; 10FA 400Mbps signaling rate; 2 SupplayPort* 14, 1 HOMI 21*: DyperA 0Gbps signaling rate; 10FA 400Mbps signaling rate; 2 SupplayPort* 14, 1 HOMI 21*: DyperA 0Gbps signaling rate; 10FA 400Mbps signaling rate; 15FA 10FA 400Mbps signaling rate; 2 SupplayPort* 14, 1 HOMI 21*: DyperA 0Gbps signaling rate; 10FA 400Mbps signaling rate; 15FA 10FA 10FA 10Hbps signaling rate; 15FA 10FA 10FA 10Hbps signaling rate; 15FA 10FA 10FA 10Hbps 1HbFA 10FA 10Hbps 1HbFA 10FA 10Hbps 1HbFA 10FA 10H
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots Ports and connectors Input devices Input devices	Mini 64 GB DDR5-5600 SDRAM: ^{78,9} Transfer rates up to 4800 MT[s; Transfer rates up to 5600 MT[s. 2 SODIMM 11B up to 1TB 7200 rpm SATA ^{12,90} Integrated: Intel® UHD Graphics 730; Intel® UHD Graphics 770 Discrete::NVIDIA® GeForce RTX® 3050 T1 (4 GB GDDR5 dedicated) ^{13,44} Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headest support 11Mz 2230; 2 M 22280 (1 M 22230 slot for WLAN and 2 M 22280 slots for storage) Front: 1 headbet connector: 1 SuperSpeed USB Type A 10Gbps signaling rate (charging): 1 SuperSpeed USB Type -C* 20Gbps signaling rate): Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support 11M2 2230; 2 M 22280 (1 M 22230 slot for WLAN and 2 M 22280 slots for storage) Front: 1 headbet connector: 1 SuperSpeed USB Type A 10Gbps signaling rate (charging): 1 SuperSpeed USB Type -C* 20Gbps signaling rate): Rear: 1 stering on thema connector: 1 Budy 45, 3 SuperSpeed USB Type A 10Gbps signaling rate (2 DisplayPort** 14, 11 HDMIZ) ²⁵⁰ : Optional Ports: Flex IQ port 2 - choose one of the following options: 2 USB 2D Type A 480Mbps signaling rate; 2 DisplayPort** 14, 11 HDMIZ) ²⁵⁰ : Optional Ports: Flex IQ port 2 - choose one of the following options: 2 USB 2D Type A 480Mbps signaling rate; 2 DisplayPort** 14, 11 HDMIZ) ²⁵⁰ : Optional Ports: Flex IQ port 2 - choose one of the following options: 2 USB 2D Type A 480Mbps signaling rate; 2 DisplayPort** 14, 11 HDMIZ) ²⁵⁰ : Optional Ports: Flex IQ port 2 - choose on
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots Ports and connectors Input devices Communications	Mini 64 GB DDR5 4800 SDRAM 64 GB DDR5 5600 SDRAM: ^{7,20} Transfer rotes up to 5800 MT/s. Transfer rotes up to 5600 MT/s. 2 SODIMM 17 Bur to 11'B 200 rpm SATA ^{10,30} 11 Bur to 11'B 7200 rpm SATA ^{10,30} 10 Inserter: NVDIA' Gef rore RTX* 3060 Til (4 GB DDR5 declored) ^{BM4} Readtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support 11 Rue to 11'B 2200 rpm SATA ^{10,30} Protect Intel" VHD (rouphics 700 Discrete: NVDIA' Gef rore RTX* 3060 Til (4 GB GDDR6 declored) ^{BM4} Readtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support 11 Rue to 11'B 2200 rpm SATA ^{10,30} Front: 1 headset connector: 15uperSpeed USB Type A 100 pps signaling rate (barging) 15uperSpeed USB Type C* 200 Spa signaling rate : Readter ALC3252 codec, universal audio jack with CTIA and OMTP headset support 11 M22230; PM 22280 (1 M22230) sol for WLAN and 2 M2 2280 sol sol for storage) Front: 1 headset connector: 15uperSpeed USB Type A 100 pps signaling rate (barging) 15uperSpeed USB Type C* 200 Spa signaling rate : Readter ALC3252 codec, universal audio jack with CTIA and Spa pper A 90 Mpps signaling rate 2 Diaptar/pert* 14.1 HDM 22 ¹⁺ ; Optional Ports: Flex (D port 2 - choces ene of the following options: 1VGA, D psp/uper* 14.1 HDM 21 ¹⁺ ; Optional Ports: Flex (D port 2 - choces ene of the following options: 1VGA, D psp/uper* 14.1 HDM 21 ²⁺ ; Optional Ports: Protec on the following options: 1VGA, D psp/uper* 14.1 HDM 21 ²⁺ ; Optional Ports: Protec Options: 1VGA, D psp/uper* 490 Mpps signaling rate : Signaling rate : Sign
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Bays	Mmi 4 GB DDR5-4900 SDRAM; 61 GB DDR5-5600 SDRAM; ^{72,8} Tronsfer rates up to 5600 MT/s. 2 SODIMM 2 SODIMM 11B up to 11B 7200 rpm SATA ^{52,8} Discrete: NDPG rpm SATA ^{52,8} Discrete: NDPG rpm SATA ^{52,8} Realtek ALC3252 code, universal audio jock with CTA and OMTP headset support 12 SODIM 12 SODIM Cel Grow RTX* 3050 THG GB GDR6 dedocted ^{153,4} Realtek ALC3252 code, universal audio jock with CTA and OMTP headset support 12 SODIM Cel Grow RTX* 3050 THG BB GDR5 Seducts for storage) Front: Theadset connector: 1 SuperSpeed USB Type A 106Dps signaling rate: 2 DisplayPort* 1 A1 DMD21 ⁵¹ : Optional Ports: PhotOper 2 -choose one of the following options: 2 USB 20 Type A 480Mbps signaling rate: 2 DisplayPort* 1 A1 DMD21 ⁵¹ : Optional Ports: Flex IO port 2 -choose one of the following options: 2 USB 20 Type A 480Mbps signaling rate: 1 DisplayPort* 1 A1 DMD21 ⁵¹ : Optional Ports: Piec IO Port 2 -choose one of the following options: 2 USB 20 Type A 480Mbps signaling rate: 1 DisplayPort* 1 A1 DMD21 ⁵¹ : Optional Ports: Piec IO Port 2 -choose one of the following options: 2 USB 20 Type A 480Mbps signaling rate. 1 PiEber NIC Port (TGbps Linte* 2 Seignality Port* 1 A1 DMD21 ⁵¹ : DisplayPort* 1 PiEber NIC Port (TGbps Linte* 2 Seignality rate: 1000 Prover Intek A4 Mode DisplayPort* 1 A 2 SuperSpeed USB Type A 500bps signaling rate. PiEber NIC Port (TGbps Linte* 2 Seignality Port* 2 Seignality Port* 2 Seignality Port* 1 A1 DMD21 ⁵¹ : DisplayPort* 1 PiE Seignality Port* 2 Seignality Port* 1 PiES Antimicrobid Wired Mouse* ⁵⁰ 1 Hy USB Busu
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Boys Environmental	Mini G G B DDR-4800 SRAM, 64 GB DDR5-5600 SDRAM, ^{72,0} Transfer rotes up to 5600 MT ₁ k. S SODIMM S SODIMM ITB up to 118 7200 rpm SATA ^{52,0} Thegretest inter ⁴ UHD Graphics 770 Discretes: NDVA fields CBC/R4 dedicated ^{131,4} Realtek ALC2552 codec. universal audio jack with CTIA and OMTP headest support M 2230 c M 2230 c M 2230 c M 2230 c M CM 243 c M 243 c
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Bays Environmental Software	Mini Mini Mini Mini Mini Mini Mini Mini
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Bays Environmental Software Available software	Mri



Technical specifications

Management features	HP Client Catalog (download); HP Driver Packs (download); HP Image Assistant (download); HP Client Management Script Library (download); HP Connect for Microsoft Endpoint Manager; HP Manageability Integration Kit (download); HP Patch Assistant (download) ^{18,19,20}
Power	120 W external power adapter, up to 89% efficiency, active PFC; 180 W external power adapter, up to 89% efficiency, active PFC; 90 W external power adapter, up to 89% efficiency
Dimensions	17.7 x 17.5 x 3.4 cm; 49.8 x 13.2 x 23.5 cm (Package)
Weight	1.42 kg; (Exact weight depends on configuration.)
Ecolabels	EPEAT registered with Climate+ ¹⁷
Energy star certified	ENERGY STAR® certified
Sustainable impact specifications	45% post-consumer recycled plastic



Footnotes

Messaging Footnotes

² Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance

³ Optional feature that must be configured at the time of purchase.

⁴ Eight displays sold separately and only supported on 35W processor model configured with an NVIDIA RTX 3050 Ti graphics card at the time of purchase.

⁵ Monitor and mounting hardware sold separately or as an optional feature.

⁶ HP Wolf Security for Business requires Windows 10 and higher, includes various HP security features and is available on HP Pro, Elite, Workstation, and RPOS products. See product details for included security features and OS requirements.

Recycled plastic content percentage is based on the definition set in the IEEE 16801-2018 standard.

⁸ 100% outer box packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. ⁹ Based on US EPEAT* registration according to IEEE 1680.1-2018 EPEAT*. EPEAT* status varies by country. Visit www.epeat.net for more information.

¹⁰ Sold separately or as an optional feature.

¹¹ HP Sure Start Gen7 is available on select HP PCs and requires Windows 10 and higher.

¹² HP Sure Run Gen5 is available on select HP PCs and requires Windows 10 and higher

¹³ HP Sure Click requires Windows 10 and higher. See https://bit.ly/2PrLT6A_SureClick for complete details.

¹⁴ HP Total Test Process testing is not a guarantee of future performance under these test conditions. Any accidental damage requires an optional HP Accidental Damage Protection Care Pack.

¹⁵ MIL STD 810 testing is not intended to demonstrate fitness for U.S. Department of Defense contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Any accidental damage requires an optional HP Accidental Damage Protection Care Pack.

Specification Footnotes

¹Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com. ² This system is preinstalled with Windows 11 Pro software and provision for recovery software. You may only use one version of the Windows software at a time. Switching between versions will require you to uninstall one

version and install the other version. You must back up all data (files, photos, etc.) before uninstalling and installing operating systems to avoid loss of your data. ³ For full Intel[®] vPro[®] functionality, Windows 11 Pro 64 bit, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or WLAN card and TPM 2.0 are required. Some functionality requires additional 3rd party

software in order to run. See http://intel.com/vpro.

⁴ Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance

⁵ Intel[®] Turbo Boost technology requires a PC with a processor with Intel Turbo Boost capability. Intel Turbo Boost performance varies depending on hardware, software and overall system configuration. See

http://www.intel.com/technology/turboboost for more information. 6 Only select processors available with each configuration.

⁷ For systems configured with more than 3 GB of memory and a 32-bit operating system, all memory may not be available due to system resource requirements. Addressing memory above 4 GB requires a 64-bit operating system. Memory modules support data transfer rates up to 4800 MT/s; actual data rate is determined by the system's configured processor. See processor specifications for supported memory data rate. All memory slots are customer accessible/upgradeable.

⁸ All memory slots are customer accessible/upgradeable

⁹ Only available with Alder Lake i5, i7 and i9 Processors.

¹⁰ For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows) of disk is reserved for system recovery software.

¹¹ Sold separately or as an optional feature.

¹² Fiber NIC and 1Gbps cards would not be available in some selected European countries and Korea.

¹³ Only Available on 35W processor.

¹⁴ The card could be configured with the flex IO port 2 as an optional.

¹⁵ HP 125 Antimicrobial Wired Keyboard, HP USB Hardened Mouse, Wired 125 Antimicrobial Mouse are not available in all regions. (Antimicrobial China only)

¹⁶ PS/2 port not available on Elite Mini 800 G9 desktop PCs.

¹⁷ Based on US EPEAT* registration according to IEEE 1680.1-2018 EPEAT*. Status varies by country. Visit www.epeat.net for more information.

¹⁸ HP Connect for Microsoft Endpoint Manager is available from the Azure Market Place for HP Pro, Elite, Z and Point-of-Sale PCs managed with Microsoft Endpoint Manager. Subscription to Microsoft Endpoint Manager required and sold separately. Network connection required.

¹⁹ HP Patch Assistant available on select HP PCs with the HP Manageability Kit that are managed through Microsoft System Center Configuration Manager. HP Manageability Integration Kit can be downloaded from

http://www8.hp.com/us/en/ads/clientmanagement/overview.html. ²⁰ HP Manageability Integration Kit can be downloaded from http://www.hp.com/go/clientmanagement.

²¹ myHP requires Windows OS.

²³ HP Support Assistant: Requires Windows and Internet access.

²⁴ HP Smart Support automatically collects the telemetry necessary upon initial boot of the product to deliver device-level configuration data and health insights and is available preinstalled on select products, thru HP Factory Configuration Services; or it can be downloaded. For more information about how to enable HP Smart Support or for download. please visit http://www.hp.com/smart-support.

26 Absolute firmware module is shipped turned off and can only be activated with the purchase a license subscription and full activation of the software agent. License subscriptions can be purchased for terms ranging multiple years. Service is limited, check with Absolute for availability outside the U.S. Certain conditions apply. For full details visit. https://www.absolute.com/about/legal/agreements/absolute/

²⁶ HP Sure Click requires Windows 10 Pro or higher or Enterprise. See https://bit.ly/2PrLT6A_SureClick for complete details.
²⁷ HP Sure Sense is available on select HP PCs with Windows 10 Pro, Windows 10 Enterprise, Windows 11 Pro, or Windows 11 Enterprise OS.

²⁸ HP Sure Run Gen5 is available on select HP PCs and requires Windows 10 and higher.

²⁰ HP Sure Recover Gen7 is available on select HP PCs and requires Windows 10 and higher avoid loss of data. Network based recovery using Wi-Fi is only available on PCs with Intel Wi-Fi Module. ³⁰ HP Sure Start Gen7 is available on select HP PCs and requires Windows 10 and higher

³¹ HP Sure Admin requires Windows 10 or higher, HP BIOS, HP Manageability Integration Kit from http://www.hp.com/go/clientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple store.

³² HP Client Security Manager Gen7 requires Windows and is available on the select HP Elite and Pro PCs.

³³ HP BIOSphere Gen6 features may vary depending on the platform and configuration

³⁴ HP Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method. HP Secure Erase does not support platforms with Intel[®] Optane[™]. ³⁵ The external antenna could be configured with the flex IO port 2 as an optional.

36 Wireless access point and internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 6 is backwards compatible with prior 80211 spece

37 Wi-Fi 6E requires a Wi-Fi 6E router, sold separately, to function in the 6GHz band. Availability of public wireless access points limited. Wi-Fi 6E is backwards compatible with prior 802.11 specs. And available in countries where Wi-Fi 6E is supported.

38 Platform power consumption varies per configuration, for the best user experience, please connect PC power cord while using USB-C* cable via Super Speed USB Type-C* port in the rear side of the platform ³⁹ Starting from November 1st 2023, all shipments will require Windows to be installed on SSD to provide users a better experience. HDD can only be configured as additional data drives and not the boot drive.

⁵⁶ HP Wolf Pro Security Edition (including HP Sure Click Pro and HP Sure Sense Pro) is available preloaded on select SKUs and, depending on the HP product purchased, includes a paid 1-year or 3-year license. The HP Wolf Pro Security Edition software is licensed under the license terms of the HP Wolf Security Software - End-User license Agreement (EULA) that can be found at: https://support.hp.com/us-en/document/ish_3875769-3873014-16 as that EULA is modified by the following: "7. Term. Unless otherwise terminated earlier pursuant to the terms contained in this EULA, the license for the HP Wolf Pro Security Edition (HP Sure Sense Pro and HP Sure Click Pro) is effective upon activation and will continue for either a twelve (12) month or thirty-six (36) month license term ("Initial Term"). At the end of the Initial Term you may either (a) purchase a renewal license for the HP Wolf Pro Security Edition from HP.com, HP Sales or an HP Channel Partner, or (b) continue using the standard versions of HP Sure Click and HP Sure Sense at no additional cost with no future software updates or HP Support.

The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the New Zealand Consumer Guarantees Act. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. December 2024

