Be there even when you're not

Empower your team to be at their best with the HP EliteOne 870 All-in-One. Built around experiences that delight users and IT, this PC features a sophisticated design that incorporates the latest tools for working with teams spread all over the globe.

Make connecting personal

Bring your meetings to life with the HP EliteOne 870 AiO an optional 16MP (4MP Binned) Camera³ with Auto Frame⁴ that tracks you as you move in the camera's field of vision and Dynamic Voice Leveling^{4,5} that follows your voice.

Power and style

Set your office or workspace apart from the ordinary with the sophisticated and sleek design of the HP EliteOne 870 AiO. Powered by the latest Intel® processor² it's ready for all your demanding projects and virtual conferences.

Protected by HP Wolf Security

HP Wolf Security for Business creates a hardware-enforced, alwayson, resilient defense. From the BIOS to the browser, above, in, and below the OS, these constantly evolving solutions help protect your PC from modern threats.⁶



*Product image may differ from actual product

Sustainability in action

Help protect our shared future

At least 50 percent of all plastic used in this PC is post-consumer recycled plastic.⁷ The outer box packaging is 100 percent sustainably sourced.⁸ This PC is ENERGY STAR[®] certified and EPEAT[®] registered in 23 countries.⁹



Featuring

Stand up and be heard

Dynamic Voice Leveling4 automatically enhances microphone gain to optimize voice clarity within 3-meters of the PC.Al Noise Reduction⁴ uses noise-filtering technology to enhance audio conferencing even while wearing a mask.⁴

Wake and lock with your presence

Wake your PC when you approach it and lock it when you leave with HP Auto Lock and Awake. An advanced proximity sensor detects your presence and triggers the camera and Windows Hello to confirm your identity and unlock your PC.¹⁰

Dual video stream

Support for dual video streams and camera switching with Multi-Camera Experience software makes it easy to stream one video of an object while the other camera stays on you.¹¹

HP Auto Frame

With Auto Frame, the camera and audio follow you or multiple presenters as they move within the camera's frame with presets that focus on your head, head and shoulders, or head and torso.⁴

Take command of your space

Help workspaces remain clutter free with built in cable management incorporated into the beautifully designed HP EliteOne 870 AiO.¹²

Get going fast

Your PC keeps working even when you're not with Modern Standby. When you wake the PC it's ready to work, meaning your email, notifications, and updates have all been updating themselves while the PC is asleep and connected to a network.¹³

Safety first

TÜV certified HP Eye Ease low blue light anti-glare panels help remove blue light waves while preserving vivid color accuracy.

Use your AiO as a display

Extend the use of your AiO PC with Monitor Mode that allows you to bypass all but the display component of the device and use it as a display when connected to another PC through HDMI-in.¹⁴

Automatic recovery from firmware attacks

Firmware attacks can completely devastate your PC. Stay protected with HP Sure Start, the self-healing BIOS that automatically recovers itself from attacks or corruption.¹⁵

Keep your PC's security protections in place

Stop unwanted changes to security settings and help limit the spread of malware with HP Sure Run which identifies, quarantines, and provides reporting on attackers trying to kill processes.¹⁶



Technical specifications

Available Operating Systems	Windows 11 Pro ¹ Windows 11 Pro Education ¹ Windows 11 Home - HP recommends Windows 11 Pro for Business ¹ Windows 11 Home Single Language - HP recommends Windows 11 Pro for business ¹ FreeDOS
Processor family ⁴	13th Generation Intel* Core** (9 processor 13th Generation Intel* Core** (9 processor 13th Generation Intel* Core** (9 processor 12th Generation Intel* Core** (10 processor 12th Generation Intel* Core** (11 processor 12th Generation Intel* Core** (11 processor 12th Generation Intel* Core** 15 th Generation Intel* Core** 16 processor 12th Generation Intel* Core** 13 th generation processor Intel* Core** Intel* Core** 13 th generation processor Intel* Core** Intel* Core** 12 th generation processor Intel* Core** 19 th generation processor Intel* Core** 19 th generation processor
Available Processors ^{3,5,8}	Intel [®] Core [®] 1613600 (20 GHz E-core base frequency. 25 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency. 24 MB L3 coche, 6 P-cores, and 8 E-cores, 20 threads) Intel [®] Core [®] 1613600 (20 GHz E-core base frequency, 24 GHz P-core base frequency, up to 3.8 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 5.1 GHz with Intel [®] Turbo Boost Technology, 30 MB L3 coche, 8 P-cores and 8 E-cores, 32 threads) with Intel [®] UHD Graphics, supports Intel [®] V+0 [®] Technology Intel [®] Core [®] 1613600 (20 GHz E-core base frequency, 21 GHz P-core base frequency, up to 3.8 GHz E-core Max Turbo frequency, up to 4.8 GHz P-core Max Turbo frequency, up to 4.9 GHz with Intel [®] Turbo Boost Technology, 25 MB L3 coche, 8 P-cores and 8 E-cores, 32 threads) with Intel [®] UHD Graphics, supports Intel [®] V+0 [®] Technology Intel [®] Core [®] 152500 (13 GHz P-core base frequency, Up to 3.6 GHz E-core Max Turbo frequency, 20 th 4.8 GHz P-core Max Turbo frequency, 24 MB L3 cache, 6 P-cores, 32 threads) with Intel [®] UHD Graphics. Jupports Intel [®] V+0 [®] Technology Intel [®] Core [®] 152500 (13 GHz P-core base frequency, 10 th 10 GHz P-core Max Turbo frequency, 18 MB L3 coche, 6 P-cores, 12 threads) with Intel [®] UHD Graphics. Jupports Intel [®] V+0 [®] Technology Intel [®] Core [®] 152500 (13 GHz P-core base frequency, Up to 3.4 GHz P-core Max Turbo frequency, 18 MB L3 coche, 6 P-cores, 12 threads) with Intel [®] UHD Graphics. Jupports Intel [®] V+0 [®] Technology Intel [®] Core [®] 152500 (13 GHz P-core base frequency, UP to 3.4 GHz P-core Max Turbo frequency, 18 MB L3 coche, 6 P-cores, 12 threads) with Intel [®] UHD Graphics. Jupports Intel [®] V+0 [®] Technology Intel [®] Core [®] 133100 (15 GHz P-core base frequency, 12 MB L3 coche, 4 P-cores, 8 threads) Intel [®] Core [®] 134100 (15 GHz P-core base frequency, 21 GHz P-core base frequency, 22 GHz P-core Base Trequency, 24 MB L3 coche, 8 P- cores, 8 threads) Intel [®] Core [®] 144000 with Intel UHD Graphics (13 GHz
Chipset ³	Intel [®] Q670 (vPro [®])
Product colour	Silver
Form factor	All-in-one
	64 GR DDR5.5600 SDR4M ^{, 89}
Maximum memory	64 GB DDR5-5600 SDRAM; ^{8,9} Transfer rates up to 5600 MT/s.
Maximum memory Memory slots	Transfer rates up to 5600 MT/s. 2 SODIMM
	Transfer rates up to 5600 MT/s.
Memory slots	Transfer rates up to 5600 MT/s. 2 SODIMM 256 GB up to 512 GB PCIe [®] NVMe [®] SED Opal 2 TLC M2 SSD ^{10,33} 256 GB up to 2 TB PCIe [®] NVMe [®] TLC M2 SSD ^{10,33}
Memory slots	Transfer rates up to 5600 MT/s. 2 SODIMM 256 GB up to 512 GB PCIe ⁶ NV/Me ¹⁰ SED Opal 2 TLC M2 SSD ^{10,33} 256 GB up to 2 TB PCIe ⁶ NV/Me ¹⁰ TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCIe ⁶ NV/Me ¹⁰ M2 SSD ^{10,33} 256 GB up to 512 GB PCIe ⁶ NV/Me ¹⁰ M2 SSD ^{10,33} 256 GB up to 512 GB PCIe ⁶ NV/Me ¹⁰ M2 SSD ^{10,33} 68.6 cm (27 ¹) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, 300 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27 ¹) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% N
Memory slots Internal storage Display	Transfer rotes up to 5600 MT/s. 2 SODIMM 2SODIMM 256 GB up to 512 GB PCIe* NVMe* SED Opal 2 TLC M2 SSD ^{10,33} 256 GB up to 2 TB PCIe* NVMe* TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 68.6 cm (27*) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*
Memory slots Internal storage Display Available Graphics	Transfer rates up to 5600 MT/s. 2 SODIMM 256 GB up to 512 GB PCIe* NVMe** SED Opal 2 TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe** TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe** M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe** M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe** M2 SSD ^{10,33} 68.6 cm (27*) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72
Memory slots Internal storage Display Available Graphics Audio	Transfer rotes up to 5600 MT/s. 2 SODIMM 2SODIMM 256 GB up to 512 GB PCIe* NVMe* SED Opal 2 TLC M2 SSD ^{10,33} 256 GB up to 2 TB PCIe* NVMe* TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10,33} 68.6 cm (27*) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*
Memory slots Internal storage Display Available Graphics Audio Expansion slots	Transfer rates up to 5600 MT/s. 2 SODIMM 256 GB up to 512 GB PCIe* NVMe* SED Opal 2 TLC M2 SSD ^{10.33} 256 GB up to 512 GB PCIe* NVMe* TLC W2 SSD ^{10.33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10.33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10.33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10.33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10.33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10.33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10.33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10.33} 68.6 cm (27*) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDIA* GeF orce RTX** 3050 TI (4 GB GDDR6 dedicated) Audio by Bang & Olufsen, 5 W stereo speakers, headset and headphone side ports (3.5 mm), high performance integrated stereo speakers 1M2 2230; 3 M2 2280 (1 M2 2230 slot for WLAN and Bluetooth* combo. 3 M2 2280 for NVMe SSD for storage one attached to CPU PCle Gen 4.0 and two attached to PCH PCle Gen 3.0) Left side: 1 headphone/microphone combo; Right side: USB Type-C* 20Gbps signaling rate (charging); 1 USB Type-A 10Gbps signaling rate;
Memory slots Internal storage Display Available Graphics Audio Expansion slots Ports and connectors	Transfer rates up to 5600 MT/s. 2 SODIMM 256 GB up to 512 GB PCIe* NVMe* SED Opal 2 TLC M2 SSD ^{10.33} 256 GB up to 512 GB PCIe* NVMe* TLC M2 SSD ^{10.33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10.33} 256 GB up to 512 GB PCIe* NVMe* M2 SSD ^{10.33} 68.6 cm (27') diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), iPS, anti-glare, 250 nits, 72% NTSC 1 M2 2230; 3 M 2 22
Memory slots Internal storage Display Available Graphics Audio Expansion slots Ports and connectors Input devices	Transfer rates up to 5600 MT/s. 2 SODIMM 256 GB up to 512 GB PCIe* NVMe* "SED Opal 2 TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* "TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCIe* NVMe* "M2 SSD ^{10,33} 68.6 cm (27*) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, a
Memory slots Internal storage Display Available Graphics Audio Expansion slots Ports and connectors Input devices Communications	Transfer rates up to 5600 MT/s. 2 SODIMM 256 GB up to 512 GB PCle* NVMe* SED Opal 2 TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe** TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe** M2 SSD ^{10,33} 266 GB up to 512 GB PCle* NVMe** M2 SSD ^{10,33} 686 cm (27) diagonal, PHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 1440), LPS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 140), PS, anti-glare, 250 nits, 72% NTSC: 68.6 cm (27) diagonal, QHD (2560 x 140), PS, anti-glare, 250 nits, 72%
Memory slots Internal storage Display Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Camera	Transfer rates up to 5600 MT/s. 2 SODIMM 256 GB up to 512 GB PCIe* NVMe** SED Opci 2 TLC M2 SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** TLC M2 SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** M2 SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** M2 SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** M2 SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** M2 SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** M2 SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** M2 SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** M2 SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** M2 SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** M2 SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** M2 SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** SSD ^{10,33} 256 GB up to 512 CGB PCIe* NVMe** SSD ^{10,43} 10 Legrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDA** GeF orce RTX** 3050 TI (4 CB GDDR6 dedicated) Audio by Bong & Olufsen, 5 W stereo speckers, heodset and heodphone side ports (3,5 mm), high performance integrated stereo speckers 11 M2 2220; 3 M2 2220 (1 M2 2230 slot for WLAN and Bluetooth* combo. 3 M2 2280 for NVMe SSD for storage one attached to CPU PCIe Gen 4.0 and two attached to PCH PCIe Gen 3.0) Left stide: 11 Bed
Memory slots Internal storage Display Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Camera Environmental	Transfer rates up to 5600 MT/s. 2 SODIMM 256 0B up to 512 OB POIe* NMAe*SED Opail 2TLC M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*SED Opail 2TLC M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*M2 SSD ¹⁰³³ 256 0B up to 512 OB POIe* NMAe*M2 SSD ¹⁰¹⁴ UH OF cophics 770 Discrete: NVDA*Oe*rows TX* 3000 TH (CB GODR® dedicated) Audio by Bang & Outfen.5 W stereo speakers. headset and headphone side ports (3.5 mm, high performance integrated stereo speakers 1N2 2230; 3M 2 2280 (ft M2 2230 slot for WLAN and Bluetooth* combo.3 M 22280 for NMAe SSD for storage one attached to CPU PCIe Gen 4.0 and two attached to PCH PCIe Gen 3.0] Left statis TUSB Type C* 1005 ps signaling rate (Daraging) Tate : Retri 1USB Type C* 1005 ps signaling rate (Daraging) Tate : Stype A 5005 ps signaling rate; 1HDMI+in 1.4; 1 dua!-mode DisplayPo
Memory slots Internal storage Display Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Camera Environmental Software	Transfer rates up to 5600 MT/s. 2 SODIMM 255 OB Up to 552 CB PCIP* NVM** TEC Dot 2 TIC M2 SSD ¹⁰³³ 256 GB up to 512 CB PCIP* NVM** TIC M2 SSD ¹⁰³³ 256 GB up to 512 CB PCIP* NVM** TIC M2 SSD ¹⁰³³ 256 GB up to 512 CB PCIP* NVM** TIC M2 SSD ¹⁰³³ 256 GB up to 512 CB PCIP* NVM** TIC M2 SSD ¹⁰³³ 256 GB up to 512 CB PCIP* NVM** TIC M2 SSD ¹⁰³³ 256 GB up to 512 CB PCIP* NVM** TIC M2 SSD ¹⁰³³ 256 GB up to 512 CB PCIP* NVM** TIC M2 SSD ¹⁰³³ 256 GB up to 512 CB PCIP* NVM** TIC M2 SSD ¹⁰³³ 256 GB up to 512 CB PCIP* NVM** TIC M2 SSD ¹⁰³³ 256 GB up to 512 CB PCIP* NVM** TIC M2 SSD ¹⁰⁴³ 256 GB up to 512 CB PCIP* NVM** TIC SSD ¹⁰⁴⁴¹ VHD Graphics 770 Discreter: NVDM* GeFcace RTN** 3060 TI 14 GB DODMR6 detacated) Audio by Bang & Clufsen, S W stereo speekers, headset and headphone side ports (35 mm), high performance integrated stereo speekers 11M2 2230; 3M 22280 If M2 2230 sol for VWA N and Bluetooth* combo; 3M 22280 for NVM SSD for storage one attached to CPU PCIe Gen 4.0 and two attached to PCH PCIe Gen 3.0] Left stde: 11MB2 Type C* 10Gbps signaling rate (harging): 1USB Type A 10Gbps signaling rate; 2USB Type A 5Gbps signaling rate; 1HDM+in 14; 1 dual-mode DisplayPort* 14; 1RJ-45 HP Wierd Deschap 200MK Muse and Keyboard; HP USB Business Silm SmartCard CCID Keyboard; HP 655 Wireless Keyboard and muse combo; HP 455 Wireless Programmable Keyboard; HP 125 Wired Muse; HP
Memory slots Internal storage Display Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Camera Environmental Software Available software	Transfer rutes up to 5800 MT/s. 2 SODIMM 256 GB up to 502 GB PCIe ¹ NVMe ⁻¹ SED Opal 2 TLC M 2 SSD ^{10,33} 256 GB up to 502 GB PCIe ¹ NVMe ⁻¹ M2 2 SSD ^{10,33} 256 GB up to 502 GB PCIe ¹ NVMe ⁻¹ M2 2 SSD ^{10,33} 256 GB up to 502 GB PCIe ¹ NVMe ⁻¹ M2 2 SSD ^{10,33} 256 GB up to 502 GB PCIe ¹ NVMe ⁻¹ M2 2 SSD ^{10,33} 256 GB up to 502 GB PCIe ¹ NVMe ⁻¹ M2 2 SSD ^{10,33} 257 GB up to 502 GB PCIe ¹ NVMe ⁻¹ M2 2 SSD ^{10,33} 258 NTSC. 258 NTSC. 104 Jagonal, FHD (1920 x 1080), IPS, anti glave, 250 nits, 72% NTSC. 68.6 cm (27) diagonal, CHD (2560 x 1440), Ibouh, IPS, 300 nits, 72% NTSC. 68.6 cm (27) diagonal, CHD (2560 x 1440), IPS, anti glave, 250 nits, 72% NTSC. 258 NTSC. 104 Jagonal, FHD (1920 x 1080), IPS, anti glave, 250 nits, 72% NTSC. 68.6 cm (27) diagonal, CHD (2560 x 1440), IPS, anti glave, 250 nits, 72% NTSC. 104 Jagonal, FHD (1920 x 1080), IPS, anti glave, 250 nits, 72% NTSC. 104 Jagonal, FHD (1920 x 1080), IPS, anti glave, 200 nits, 72% NTSC. 104 Jagonal, FHD (1920 x 1080), IPS, anti glave, 200 Jagonal, CHD (2560 x 1440), IPS, anti glave, 200 nits, 72% NTSC. 104 Jagonal, FHD (1920 x 1080), IPS, anti glave, 200 Jagonal, CHD (2560 x 1440), IPS, anti glave, 200 nits, 72% NTSC. 104 Jagonal, FHD (1920 x 1080), IPS, anti glave, 200 Jagonal, CHD (2560 x 1440), IPS, anti glave, 200 nits, 72% NTSC. 104 Jagonal, CHM 2 Stang Bagonal, anti CHM 2 Stang
Memory slots Internal storage Display Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Camera Environmental Software Available software Security management	Transfer rates up to 5500 MT/s. 2SOOMM 266 GB up to 520 GB PC/a ⁺ VMA ⁺⁻ XED Opd 21 LD M2 SSD ^{10,33} 266 GB up to 520 GB PC/a ⁺ VMA ⁺⁻ XED Cond 21 DM2 SSD ^{10,33} 256 GB up to 520 GB PC/a ⁺ VMA ⁺⁻ XED Cond 21 DM2 SSD ^{10,33} 256 GB up to 520 GB PC/a ⁺ VMA ⁺⁻ XED Cond 21 DM2 SSD ^{10,33} 256 GB up to 520 GB PC/a ⁺ VMA ⁺⁻ XED Cond 21 DM2 SSD ^{10,33} 256 GB up to 520 GB PC/a ⁺ VMA ⁺⁻ XED Cond 21 DM2 SSD ^{10,33} 257 MTSC 258 VTSC 168 dc cont27 J dogonal, PHD (1920 x 1080), PS, anti-glare, 250 nits, 72%, NTSC, 68.6 cm (27) diagonal, OHD (2560 x 1440), Ibuch, IPS, 300 nits, 72%, NTSC, 68.6 cm (27) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC, 68.6 cm (27) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC, 68.6 cm (27) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC, 68.6 cm (27) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC, 68.6 cm (27) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC, 68.6 cm (27) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC, 68.6 cm (27) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC, 68.6 cm (27) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC, 68.6 cm (27) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC, 68.6 cm (27) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 250



Technical specifications

Management features	HP Client Catalog (download); HP Driver Packs (download); HP Image Assistant (download); HP Client Management Script Library (download); HP Connect for Microsoft Endpoint Manager; HP Manageability Integration Kit (download); HP Patch Assistant (download); HP CECP Enabled Configuration ^{12,13,14}
Memory card device	15-in-1 SD media card reader
Power	240 W internal power supply, up to 92% efficiency, active PFC; 280 W internal power adapter, up to 92% efficiency, active PFC
Dimensions	61.4 x 24.7 x 59.95 cm; 74.2 x 23.7 x 64.0 cm (Package)
Weight	11.6 kg; (Exact weight depends on configuration.)
Ecolabels	EPEAT registered with Climate+
Energy star certified	ENERGY STAR® certified
Certification and compliance	TCO 8.0; TUV Low Blue Light; TUV Low Noise
Sustainable impact specifications	Ocean-bound plastic in speaker enclosure; 40% post-consumer recycled plastic; 30% ITE-derived closed loop plastic; Low Halogen; 80 Plus® Platinum power supplies available ^{29,30,31,32}
Warranty	1 year (1/1/1) limited warranty includes 1 year of parts, labor and on-site repair. Terms and conditions vary by country. Certain restrictions and exclusions apply.
Display color gamut	72% NTSC



Footnotes

Messaging Footnotes

¹Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is

automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com. ² Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on

application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance. ³ Optional feature that must be configured at the time of purchase. Pixel binning provides a final output resolution of 4MP per still or video image.

⁴ Requires Windows 11 OS.

⁵ Dynamic Voice Leveling functions within 3 meters of the PC. ⁶ HP Wolf Security for Business requires Windows 10 or 11 and higher, includes various HP security features and is available on HP Pro, Elite, Workstation, and RPOS products. See product details for included security features and OS requirements

⁷ Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.

⁸ 100% outer box packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. ⁹ Based on US EPEAT[®] registration according to IEEE 1680.1-2018 EPEAT[®]. EPEAT[®] status varies by country. Visit www.epeat.net for more information.

¹⁰ Requires Windows 10 and higher and set up of facial recognition through Windows Hello. ¹¹ Dual video streams and camera switching with Multi-Camera requires second camera that is sold separately or as an optional feature and requires myHP application and Windows OS.

¹² Optional feature that must be configured at the time of purchase.

¹³ Requires Windows 10 and higher and internet access. 14 HDMI cable is sold separately.

¹⁵ HP Sure Start Gen7 is available on select HP PCs and requires Windows 10 and higher. ¹⁶ HP Sure Run Gen5 is available on select HP PCs and requires Windows 10 and higher.

Specification Footnotes

¹Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com. ³ For full Intel[®] vPro[®] functionality, Windows 11 Pro 64 bit, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or WLAN card and TPM 2.0 are required. Some functionality requires additional 3rd party

software in order to run. See http://intel.com/vpro.

⁴ Your product does not support Windows 8 or Windows 7. In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel® and AMD 7th

generation and forward processors or provide any Windows 8 or Windows 7 drivers on http://www.support.hp.com . 5 Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance. ⁶ Intel[®] Turbo Boost technology requires a PC with a processor with Intel Turbo Boost capability. Intel Turbo Boost performance varies depending on hardware, software and overall system configuration. See

www.intel.com/technology/turboboost for more information. ⁸ DDR5 memory modules support data transfer rates up to 5600 MT/s on i5-14600, i7-14700, and i9-14900 processors. All other processors support up to 4800 MT/s, following Intel's design guideline. Actual data rate is determined by the system configuration.

⁹ All memory slots are customer accessible / upgradeable

¹⁰ For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows) of disk is reserved for system recovery software.

¹¹Sold separately or as an optional feature. ¹² HP Connect for Microsoft Endpoint Manager is available from the Azure Market Place for HP Pro, Elite, Z and Point-of-Sale PCs managed with Microsoft Endpoint Manager. Subscription to Microsoft Endpoint Manager required and

sold separately. Network connection required.

13 HP Patch Assistant available on select HP PCs with the HP Manageability Kit that are managed through Microsoft System Center Configuration Manager. HP Manageability Integration Kit can be downloaded from

http://www8.hp.com/us/en/ads/clientmanagement/overview.html. ¹⁴ HP Manageability Integration Kit can be downloaded from http://www.hp.com/go/clientmanagement.

¹⁵ mvHP requires Windows OS.

¹⁶ HP Quick Drop requires Internet access and Windows 10 or higher PC preinstalled with HP QuickDrop app and either an Android device (phone or tablet) running Android 7 or higher with the Android HP QuickDrop app, and /or an 10S device (phone or tablet) running IOS 12 or higher with the IOS HP QuickDrop app. ¹⁷ HP Support Assistant requires Windows and Internet access.

18 HP Smart Support automatically collects the telemetry necessary upon initial boot of the product to deliver device-level configuration data and health insights and is available preinstalled on select products, thru HP Factory Configuration Services; or it can be downloaded. For more information about how to enable HP Smart Support or for download, please visit http://www.hp.com/smart-support. ¹⁹ HP Sure Click requires Windows 10 Pro or higher or Enterprise. See https://bit.ly/2PrLT6A_SureClick for complete details.

²⁰ HP Sure Sense is available on select HP PCs with Windows 10 Pro, Windows 10 Enterprise, Windows 11 Pro, or Windows 11 Enterprise OS.

²¹ HP Sure Run Gen5 is available on select HP PCs and requires Windows 10 and higher.

²² HP Sure Recover Gen5 with Embedded Reimaging is an optional feature which requires Windows 10 and higher must be configured at purchase. You must back up important files, data, photos, videos, etc. before use to avoid loss of data. Network based recovery using Wi-Fi is only available on PCs with Intel Wi-Fi Module.

²³ HP Sure Start Gen7 is available on select HP PCs and requires Windows 10 and higher.

²⁴ HP Sure Admin requires Windows 10 or higher, HP BIOS, HP Manageability Integration Kit from http://www.hp.com/go/clientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple store. ²⁵ HP Client Security Manager Gen7 requires Windows and is available on the select HP Elite and Pro PCs.

²⁶ HP BIOSphere Gen6 features may vary depending on the platform and configuration.

27 HP Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method. HP Secure Erase does not support platforms with Intel® Optane" 28 Absolute firmware module is shipped turned off and can only be activated with the purchase a license subscription and full activation of the software agent. License subscriptions can be purchased for terms ranging multiple

years. Service is limited, check with Absolute for availability outside the U.S. Certain conditions apply. For full details visit: https://www.absolute.com/about/jegal/agreements/absolute/ .

³⁰ Percentage of ocean-bound plastic contained in each component varies by product.

³¹ Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.

³² ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard.

³³ Starting from November 1st 2023, all shipments will require Windows to be installed on SSD to provide users a better experience. HDD can only be configured as additional data drives and not the boot drive.

³⁴ Wireless access point and internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 6 is backwards compatible with prior 802.11 specs. ³⁵ The HP 800 G9 All-in-one requires Intel[®] 13th Gen processor to support Wi-Fi 6E and requires a Wi-Fi 6E router, sold separately, to function in the 6GHz band. Availability of public wireless access points limited. Wi-Fi 6E is backwards compatible with prior 802.11 specs. Available in countries where Wi-Fi 6E is supported. For HP 800 G9 All-in-one without Intel® 13th Gen processors, the product does not support Wi-Fi 6E standard and does not operate under 6GHz band. The product is compatible with 6GHz and other routers, sold separately, which have capability to operate in 2.4GHz and 5GHz, in compliance with Wi-Fi 6 and prior 80211 specs. The actual throughput depends on network condition and router configuration. Internet service required and public wireless access points are limited.add.Wireless access point and Internet service required and sold separately. Availability of public wireless access points are limited.add.Wireless access point and Internet service required and sold separately. Availability of public wireless access points are limited.add.Wireless access point and Internet service required and sold separately. points limited. Wi-Fi 7 (802:11BE) functionality requires Windows 11 2024, Intel * Core * 14th gen processors, and a Wi-Fi 7 router, sold separately. Wi-Fi 7 is backwards compatible with prior 802:11 specs. Available in countries where Wi-F17 is supported. The specification for 802.11BE is a draft specification and is not final. If the final specification differs from the draft specification, it may affect the ability of the device to communicate with other 802.11BE devices. ⁵⁶ HP Wolf Pro Security Edition (including HP Sure Click Pro and HP Sure Sense Pro) is available preloaded on select SKUs and, depending on the HP product purchased, includes a paid 1-year or 3-year license. The HP Wolf Pro Security Edition software is licensed under the license terms of the HP Wolf Security Software - End-User license Agreement (EULA) that can be found at: https://support.hp.com/us-en/document/ish_3875769-3873014-16 as that EULA is modified by the following: "7. Term. Unless otherwise terminated earlier pursuant to the terms contained in this EULA, the license for the HP Wolf Pro Security Edition (HP Sure Sense Pro and HP Sure Click Pro) is effective upon activation and will continue for either a twelve (12) month or thirty-six (36) month license term ("Initial Term"). At the end of the Initial Term you may either (a) purchase a renewal license for the HP Wolf Pro Security Edition from HP.com, HP Sales or an HP Channel Partner, or (b) continue using the standard versions of HP Sure Click and HP Sure Sense at no additional cost with no future software updates or HP Support.

© Copyright 2025 HP Development Company, LP. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for tendential errors or omissions contained herein. Intel[®], the Intel logo, Intel Core, VPO[®], Optone[®], and Core Inside are trademarks or registered trademarks or USB Type-C[®] and USB-C[®] are registered trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. DisplayPort[®] and the Displ Advanced Micro Devices, Inc. All other trademarks are the property of their respective owners. April 2025